

Pier Paolo Di Fiore M.D. Ph.D.

BIBLIOGRAPHY (248 total publications)

PUBMED listed

1. Colletta, G., **Di Fiore, P. P.**, Ferrentino, M., Pietropaolo, C., Turco, M. C. and Vecchio, G. 1980. Enhancement of viral gene expression in Friend erythroleukemic cells by 12-O tetradecanoylphorbol-13-acetate. *Cancer Res.* 40:3369-73.
2. Colletta, G., **Di Fiore, P. P.**, Fusco, A., Lettieri, F., Covelli, A. and Peschle, C. 1983. Expression of Friend leukemia virus and spleen focus-forming virus-specific sequences in erythroid bursts and granulocyte-macrophage colonies from spleen and marrow of mice infected with Friend leukemia virus. *Cancer Res.* 43:598-603.
3. Colletta, G., Pinto, A., **Di Fiore, P. P.**, Fusco, A., Ferrentino, M., Avvedimento, V. E., Tsuchida, N. and Vecchio, G. 1983. Dissociation between transformed and differentiated phenotype in rat thyroid epithelial cells after transformation with a temperature-sensitive mutant of the Kirsten murine sarcoma virus. *Mol Cell Biol.* 3:2099-109.
4. **Di Fiore, P. P.**, Grieco, M., Pinto, A., Attadia, V., Porcelli, M., Cacciapuoti, G. and Carteni-Farina, M. 1984. Inhibition of dimethyl sulfoxide-induced differentiation of Friend erythroleukemic cells by 5'-methylthioadenosine. *Cancer Res.* 44:4096-103.
5. Ferrentino, M., **Di Fiore, P. P.**, Fusco, A., Colletta, G., Pinto, A. and Vecchio, G. 1984. Expression of the onc gene of the Kirsten murine sarcoma virus in differentiated rat thyroid epithelial cell lines. *J Gen Virol.* 65 (Pt 11):1955-61.
6. Pinto, A., Attadia, V., Fusco, A., Ferrara, F., Spada, O. A. and **Di Fiore, P. P.** 1984. 5-Aza-2'-deoxycytidine induces terminal differentiation of leukemic blasts from patients with acute myeloid leukemias. *Blood.* 64:922-9.
7. Fusco, A., Portella, G., **Di Fiore, P. P.**, Berlingieri, M. T., Di Lauro, R., Schneider, A. B. and Vecchio, G. 1985. A mos oncogene-containing retrovirus, myeloproliferative sarcoma virus, transforms rat thyroid epithelial cells and irreversibly blocks their differentiation pattern. *J Virol.* 56:284-92.
8. Giancotti, V., Berlingieri, M. T., **Di Fiore, P. P.**, Fusco, A., Vecchio, G. and Crane-Robinson, C. 1985. Changes in nuclear proteins on transformation of rat epithelial thyroid cells by a murine sarcoma retrovirus. *Cancer Res.* 45:6051-7.
9. Pierce, J. H., **Di Fiore, P. P.**, Aaronson, S. A., Potter, M., Pumphrey, J., Scott, A. and Ihle, J. N. 1985. Neoplastic transformation of mast cells by Abelson-MuLV: abrogation of IL-3 dependence by a nonautocrine mechanism. *Cell.* 41:685-93.
10. Gazit, A., Pierce, J. H., Kraus, M. H., **Di Fiore, P. P.**, Pennington, C. Y. and Aaronson, S. A. 1986. Mammalian cell transformation by a murine retrovirus vector containing the avian erythroblastosis virus erbB gene. *J Virol.* 60:19-28.
11. Grimaldi, G., **Di Fiore, P. P.**, Locatelli, E. K., Falco, J. and Blasi, F. 1986. Modulation of urokinase plasminogen activator gene expression during the transition from quiescent to proliferative state in normal mouse cells. *EMBO J.* 5:855-61.
12. Pierce, J. H., Gazit, A., **Di Fiore, P. P.**, Kraus, M., Pennington, C. Y., Holmes, K. L., Davidson, W. F., Morse, H. C., 3rd and Aaronson, S. A. 1986. Mammalian cell

- transformation by a recombinant murine retrovirus containing the avian erythroblastosis virus erbB gene. *Curr Top Microbiol Immunol.* 132:55-61.
13. Vecchio, G., **Di Fiore, P. P.**, Fusco, A., Colletta, G., Weissman, B. E. and Aaronson, S. A. 1986. In vitro transformation of epithelial cell by acute retroviruses. *Horiz Biochem Biophys.* 8:415-70.
 14. **Di Fiore, P. P.**, Pierce, J. H., Fleming, T. P., Hazan, R., Ullrich, A., King, C. R., Schlessinger, J. and Aaronson, S. A. 1987. Overexpression of the human EGF receptor confers an EGF-dependent transformed phenotype to NIH 3T3 cells. *Cell.* 51:1063-70.
 15. **Di Fiore, P. P.**, Pierce, J. H., Kraus, M. H., Segatto, O., King, C. R. and Aaronson, S. A. 1987. erbB-2 is a potent oncogene when overexpressed in NIH/3T3 cells. *Science.* 237:178-82.
 16. Fusco, A., Berlingieri, M. T., **Di Fiore, P. P.**, Portella, G., Grieco, M. and Vecchio, G. 1987. One- and two-step transformations of rat thyroid epithelial cells by retroviral oncogenes. *Mol Cell Biol.* 7:3365-70.
 17. Giancotti, V., Pani, B., D'Andrea, P., Berlingieri, M. T., **Di Fiore, P. P.**, Fusco, A., Vecchio, G., Crane-Robinson, C. and Goodwin, G. H. 1987. Histone and nonhistone proteins from normal and virus-transformed rat thyroid epithelial cells. *Basic Appl Histochem.* 31:229-38.
 18. Giancotti, V., Pani, B., D'Andrea, P., Berlingieri, M. T., **Di Fiore, P. P.**, Fusco, A., Vecchio, G., Philp, R., Crane-Robinson, C., Nicolas, R. H. and et al. 1987. Elevated levels of a specific class of nuclear phosphoproteins in cells transformed with v-ras and v-mos oncogenes and by cotransfection with c-myc and polyoma middle T genes. *EMBO J.* 6:1981-7.
 19. Beckmann, M. P., Betsholtz, C., Heldin, C. H., Westermark, B., Di Marco, E., **Di Fiore, P. P.**, Robbins, K. C. and Aaronson, S. A. 1988. Comparison of biological properties and transforming potential of human PDGF-A and PDGF-B chains. *Science.* 241:1346-9.
 20. **Di Fiore, P. P.**, Falco, J., Borrello, I., Weissman, B. and Aaronson, S. A. 1988. The calcium signal for BALB/MK keratinocyte terminal differentiation counteracts epidermal growth factor (EGF) very early in the EGF-induced proliferative pathway. *Mol Cell Biol.* 8:557-63.
 21. Falco, J. P., Taylor, W. G., **Di Fiore, P. P.**, Weissman, B. E. and Aaronson, S. A. 1988. Interactions of growth factors and retroviral oncogenes with mitogenic signal transduction pathways of Balb/MK keratinocytes. *Oncogene.* 2:573-8.
 22. Kraus, M. H., **Di Fiore, P. P.**, Pierce, J. H. and Aaronson, S. A. 1988. Different mechanisms are responsible for oncogene activation in human mammary neoplasia. *Cancer Treat Res.* 40:49-66.
 23. Kraus, M. H., Pierce, J. H., Fleming, T. P., Robbins, K. C., **Di Fiore, P. P.** and Aaronson, S. A. 1988. Mechanisms by which genes encoding growth factors and growth factor receptors contribute to malignant transformation. *Ann N Y Acad Sci.* 551:320-35; discussion 336.
 24. Pierce, J. H., Ruggiero, M., Fleming, T. P., **Di Fiore, P. P.**, Greenberger, J. S., Varticovski, L., Schlessinger, J., Rovera, G. and Aaronson, S. A. 1988. Signal transduction through the EGF receptor transfected in IL-3-dependent hematopoietic cells. *Science.* 239:628-31.
 25. Segatto, O., King, C. R., Pierce, J. H., **Di Fiore, P. P.** and Aaronson, S. A. 1988. Different structural alterations upregulate in vitro tyrosine kinase activity and transforming potency of the erbB-2 gene. *Mol Cell Biol.* 8:5570-4.

26. Aaronson, S. A., Falco, J. P., Taylor, W. G., Cech, A. C., Marchese, C., Finch, P. W., Rubin, J., Weissman, B. E. and **Di Fiore, P. P.** 1989. Pathways in which growth factors and oncogenes interact in epithelial cell mitogenic signal transduction. *Ann N Y Acad Sci.* 567:122-9.
27. Berlingieri, M. T., Musti, A. M., Avvedimento, V. E., Di Lauro, R., **Di Fiore, P. P.** and Fusco, A. 1989. The block of thyroglobulin synthesis, which occurs upon transformation of rat thyroid epithelial cells, is at the transcriptional level and it is associated with methylation of the 5' flanking region of the gene. *Exp Cell Res.* 183:277-83.
28. Di Marco, E., Pierce, J. H., Fleming, T. P., Kraus, M. H., Molloy, C. J., Aaronson, S. A. and **Di Fiore, P. P.** 1989. Autocrine interaction between TGF alpha and the EGF-receptor: quantitative requirements for induction of the malignant phenotype. *Oncogene.* 4:831-8.
29. **Di Fiore, P. P.**, Segatto, O., Lonardo, F., Fazioli, F., Pierce, J. H. and Aaronson, S. A. 1990. The carboxy-terminal domains of erbB-2 and epidermal growth factor receptor exert different regulatory effects on intrinsic receptor tyrosine kinase function and transforming activity. *Mol Cell Biol.* 10:2749-56.
30. **Di Fiore, P. P.**, Segatto, O., Taylor, W. G., Aaronson, S. A. and Pierce, J. H. 1990. EGF receptor and erbB-2 tyrosine kinase domains confer cell specificity for mitogenic signaling. *Science.* 248:79-83.
31. Di Marco, E., Pierce, J. H., Aaronson, S. A. and **Di Fiore, P. P.** 1990. Mechanisms by which EGF receptor and TGF alpha contribute to malignant transformation. *Nat Immun Cell Growth Regul.* 9:209-21.
32. Di Marco, E., Pierce, J. H., Knicley, C. L. and **Di Fiore, P. P.** 1990. Transformation of NIH 3T3 cells by overexpression of the normal coding sequence of the rat neu gene. *Mol Cell Biol.* 10:3247-52.
33. Heidaran, M. A., Fleming, T. P., Bottaro, D. P., Bell, G. I., **Di Fiore, P. P.** and Aaronson, S. A. 1990. Transformation of NIH3T3 fibroblasts by an expression vector for the human epidermal growth factor precursor. *Oncogene.* 5:1265-70.
34. King, C. R., Kraus, M. H., **Di Fiore, P. P.**, Paik, S. and Kasprzyk, P. G. 1990. Implications of erbB-2 overexpression for basic science and clinical medicine. *Semin Cancer Biol.* 1:329-37.
35. Lonardo, F., Di Marco, E., King, C. R., Pierce, J. H., Segatto, O., Aaronson, S. A. and **Di Fiore, P. P.** 1990. The normal erbB-2 product is an atypical receptor-like tyrosine kinase with constitutive activity in the absence of ligand. *New Biol.* 2:992-1003.
36. Pierce, J. H., Di Marco, E., Cox, G. W., Lombardi, D., Ruggiero, M., Varesio, L., Wang, L. M., Choudhury, G. G., Sakaguchi, A. Y., **Di Fiore, P. P.** and et al. 1990. Macrophage-colony-stimulating factor (CSF-1) induces proliferation, chemotaxis, and reversible monocytic differentiation in myeloid progenitor cells transfected with the human c-fms/CSF-1 receptor cDNA. *Proc Natl Acad Sci U S A.* 87:5613-7.
37. Segatto, O., Lonardo, F., Pierce, J. H., Bottaro, D. P. and **Di Fiore, P. P.** 1990. The role of autophosphorylation in modulation of erbB-2 transforming function. *New Biol.* 2:187-95.
38. **Di Fiore, P. P.**, Segatto, O. and Aaronson, S. A. 1991. Cloning, expression, and biological effects of erbB-2/neu gene in mammalian cells. *Methods Enzymol.* 198:272-7.
39. Fazioli, F., Kim, U. H., Rhee, S. G., Molloy, C. J., Segatto, O. and **Di Fiore, P. P.** 1991. The erbB-2 mitogenic signaling pathway: tyrosine phosphorylation of

- phospholipase C-gamma and GTPase-activating protein does not correlate with erbB-2 mitogenic potency. *Mol Cell Biol.* 11:2040-8.
40. Pierce, J. H., Arnstein, P., DiMarco, E., Artrip, J., Kraus, M. H., Lonardo, F., **Di Fiore, P. P.** and Aaronson, S. A. 1991. Oncogenic potential of erbB-2 in human mammary epithelial cells. *Oncogene.* 6:1189-94.
 41. Segatto, O., Lonardo, F., Wexler, D., Fazioli, F., Pierce, J. H., Bottaro, D. P., White, M. F. and **Di Fiore, P. P.** 1991. The juxtamembrane regions of the epidermal growth factor receptor and gp185erbB-2 determine the specificity of signal transduction. *Mol Cell Biol.* 11:3191-202.
 42. **Di Fiore, P. P.**, Helin, K., Kraus, M. H., Pierce, J. H., Artrip, J., Segatto, O. and Bottaro, D. P. 1992. A single amino acid substitution is sufficient to modify the mitogenic properties of the epidermal growth factor receptor to resemble that of gp185erbB-2. *EMBO J.* 11:3927-33.
 43. **Di Fiore, P. P.** and Kraus, M. H. 1992. Mechanisms involving an expanding erbB/EGF receptor family of tyrosine kinases in human neoplasia. *Cancer Treat Res.* 61:139-60.
 44. Fazioli, F., Bottaro, D. P., Minichiello, L., Auricchio, A., Wong, W. T., Segatto, O. and **Di Fiore, P. P.** 1992. Identification and biochemical characterization of novel putative substrates for the epidermal growth factor receptor kinase. *J Biol Chem.* 267:5155-61.
 45. Kasprzyk, P. G., Song, S. U., **Di Fiore, P. P.** and King, C. R. 1992. Therapy of an animal model of human gastric cancer using a combination of anti-erbB-2 monoclonal antibodies. *Cancer Res.* 52:2771-6.
 46. Segatto, O., Lonardo, F., Helin, K., Wexler, D., Fazioli, F., Rhee, S. G. and **Di Fiore, P. P.** 1992. erbB-2 autophosphorylation is required for mitogenic action and high-affinity substrate coupling. *Oncogene.* 7:1339-46.
 47. Fazioli, F., Minichiello, L., Matoska, V., Castagnino, P., Miki, T., Wong, W. T. and **Di Fiore, P. P.** 1993. Eps8, a substrate for the epidermal growth factor receptor kinase, enhances EGF-dependent mitogenic signals. *EMBO J.* 12:3799-808.
 48. Fazioli, F., Minichiello, L., Matoskova, B., Wong, W. T. and **Di Fiore, P. P.** 1993. eps15, a novel tyrosine kinase substrate, exhibits transforming activity. *Mol Cell Biol.* 13:5814-28.
 49. Fazioli, F., Wong, W. T., Ullrich, S. J., Sakaguchi, K., Appella, E. and **Di Fiore, P. P.** 1993. The ezrin-like family of tyrosine kinase substrates: receptor-specific pattern of tyrosine phosphorylation and relationship to malignant transformation. *Oncogene.* 8:1335-45.
 50. Segatto, O., Pelicci, G., Giuli, S., Digiesi, G., **Di Fiore, P. P.**, McGlade, J., Pawson, T. and Pelicci, P. G. 1993. Shc products are substrates of erbB-2 kinase. *Oncogene.* 8:2105-12.
 51. Sorkin, A., **Di Fiore, P. P.** and Carpenter, G. 1993. The carboxyl terminus of epidermal growth factor receptor/erbB-2 chimerae is internalization impaired. *Oncogene.* 8:3021-8.
 52. Fedi, P., Pierce, J. H., **Di Fiore, P. P.** and Kraus, M. H. 1994. Efficient coupling with phosphatidylinositol 3-kinase, but not phospholipase C gamma or GTPase-activating protein, distinguishes ErbB-3 signaling from that of other ErbB/EGFR family members. *Mol Cell Biol.* 14:492-500.
 53. Romano, A., Wong, W. T., Santoro, M., Wirth, P. J., Thorgeirsson, S. S. and **Di Fiore, P. P.** 1994. The high transforming potency of erbB-2 and ret is associated with phosphorylation of paxillin and a 23 kDa protein. *Oncogene.* 9:2923-33.

54. Santoro, M., Wong, W. T., Aroca, P., Santos, E., Matoskova, B., Grieco, M., Fusco, A. and **Di Fiore, P. P.** 1994. An epidermal growth factor receptor/ret chimera generates mitogenic and transforming signals: evidence for a ret-specific signaling pathway. *Mol Cell Biol.* 14:663-75.
55. Wong, W. T., Carlomagno, F., Druck, T., Barletta, C., Croce, C. M., Huebner, K., Kraus, M. H. and **Di Fiore, P. P.** 1994. Evolutionary conservation of the EPS8 gene and its mapping to human chromosome 12q23-q24. *Oncogene.* 9:3057-61.
56. Wong, W. T., Kraus, M. H., Carlomagno, F., Zelano, A., Druck, T., Croce, C. M., Huebner, K. and **Di Fiore, P. P.** 1994. The human eps15 gene, encoding a tyrosine kinase substrate, is conserved in evolution and maps to 1p31-p32. *Oncogene.* 9:1591-7.
57. Alimandi, M., Romano, A., Curia, M. C., Muraro, R., Fedi, P., Aaronson, S. A., **Di Fiore, P. P.** and Kraus, M. H. 1995. Cooperative signaling of ErbB3 and ErbB2 in neoplastic transformation and human mammary carcinomas. *Oncogene.* 10:1813-21.
58. Avantaggiato, V., Torino, A., Wong, W. T., **Di Fiore, P. P.** and Simeone, A. 1995. Expression of the receptor tyrosine kinase substrate genes eps8 and eps15 during mouse development. *Oncogene.* 11:1191-8.
59. Castagnino, P., Biesova, Z., Wong, W. T., Fazioli, F., Gill, G. N. and **Di Fiore, P. P.** 1995. Direct binding of eps8 to the juxtamembrane domain of EGFR is phosphotyrosine- and SH2-independent. *Oncogene.* 10:723-9.
60. Karlsson, T., Songyang, Z., Landgren, E., Lavergne, C., **Di Fiore, P. P.**, Anafi, M., Pawson, T., Cantley, L. C., Claesson-Welsh, L. and Welsh, M. 1995. Molecular interactions of the Src homology 2 domain protein Shb with phosphotyrosine residues, tyrosine kinase receptors and Src homology 3 domain proteins. *Oncogene.* 10:1475-83.
61. Matoskova, B., Wong, W. T., Salcini, A. E., Pelicci, P. G. and **Di Fiore, P. P.** 1995. Constitutive phosphorylation of eps8 in tumor cell lines: relevance to malignant transformation. *Mol Cell Biol.* 15:3805-12.
62. Pandey, A., Duan, H., **Di Fiore, P. P.** and Dixit, V. M. 1995. The Ret receptor protein tyrosine kinase associates with the SH2-containing adapter protein Grb10. *J Biol Chem.* 270:21461-3.
63. Pelicci, G., Lanfrancone, L., Salcini, A. E., Romano, A., Mele, S., Grazia Borrello, M., Segatto, O., **Di Fiore, P. P.** and Pelicci, P. G. 1995. Constitutive phosphorylation of Shc proteins in human tumors. *Oncogene.* 11:899-907.
64. Santoro, M., Carlomagno, F., Romano, A., Bottaro, D. P., Dathan, N. A., Grieco, M., Fusco, A., Vecchio, G., Matoskova, B., Kraus, M. H. and **Di Fiore, P. P.** 1995. Activation of RET as a dominant transforming gene by germline mutations of MEN2A and MEN2B. *Science.* 267:381-3.
65. Sastry, L., Lin, W., Wong, W. T., **Di Fiore, P. P.**, Scoppa, C. A. and King, C. R. 1995. Quantitative analysis of Grb2-Sos1 interaction: the N-terminal SH3 domain of Grb2 mediates affinity. *Oncogene.* 11:1107-12.
66. Schumacher, C., Knudsen, B. S., Ohuchi, T., **Di Fiore, P. P.**, Glassman, R. H. and Hanafusa, H. 1995. The SH3 domain of Crk binds specifically to a conserved proline-rich motif in Eps15 and Eps15R. *J Biol Chem.* 270:15341-7.
67. Wong, W. T., Schumacher, C., Salcini, A. E., Romano, A., Castagnino, P., Pelicci, P. G. and **Di Fiore, P. P.** 1995. A protein-binding domain, EH, identified in the receptor tyrosine kinase substrate Eps15 and conserved in evolution. *Proc Natl Acad Sci U S A.* 92:9530-4.

68. Baulida, J., Kraus, M. H., Alimandi, M., **Di Fiore, P. P.** and Carpenter, G. 1996. All ErbB receptors other than the epidermal growth factor receptor are endocytosis impaired. *J Biol Chem.* 271:5251-7.
69. Califano, D., D'Alessio, A., Colucci-D'Amato, G. L., De Vita, G., Monaco, C., Santelli, G., **Di Fiore, P. P.**, Vecchio, G., Fusco, A., Santoro, M. and de Franciscis, V. 1996. A potential pathogenetic mechanism for multiple endocrine neoplasia type 2 syndromes involves ret-induced impairment of terminal differentiation of neuroepithelial cells. *Proc Natl Acad Sci U S A.* 93:7933-7.
70. Carlomagno, F., De Vita, G., Berlingieri, M. T., de Franciscis, V., Melillo, R. M., Colantuoni, V., Kraus, M. H., **Di Fiore, P. P.**, Fusco, A. and Santoro, M. 1996. Molecular heterogeneity of RET loss of function in Hirschsprung's disease. *EMBO J.* 15:2717-25.
71. Matoskova, B., Wong, W. T., Nomura, N., Robbins, K. C. and **Di Fiore, P. P.** 1996. RN-tre specifically binds to the SH3 domain of eps8 with high affinity and confers growth advantage to NIH3T3 upon carboxy-terminal truncation. *Oncogene.* 12:2679-88.
72. Matoskova, B., Wong, W. T., Seki, N., Nagase, T., Nomura, N., Robbins, K. C. and **Di Fiore, P. P.** 1996. RN-tre identifies a family of tre-related proteins displaying a novel potential protein binding domain. *Oncogene.* 12:2563-71.
73. Pandey, A., Liu, X., Dixon, J. E., **Di Fiore, P. P.** and Dixit, V. M. 1996. Direct association between the Ret receptor tyrosine kinase and the Src homology 2-containing adapter protein Grb7. *J Biol Chem.* 271:10607-10.
74. Carbone, R., Fre, S., Iannolo, G., Belleudi, F., Mancini, P., Pelicci, P. G., Torrisi, M. R. and **Di Fiore, P. P.** 1997. eps15 and eps15R are essential components of the endocytic pathway. *Cancer Res.* 57:5498-504.
75. **Di Fiore, P. P.**, Pelicci, P. G. and Sorkin, A. 1997. EH: a novel protein-protein interaction domain potentially involved in intracellular sorting. *Trends Biochem Sci.* 22:411-3.
76. Gallo, R., Provenzano, C., Carbone, R., **Di Fiore, P. P.**, Castellani, L., Falcone, G. and Alema, S. 1997. Regulation of the tyrosine kinase substrate Eps8 expression by growth factors, v-Src and terminal differentiation. *Oncogene.* 15:1929-36.
77. Haffner, C., Takei, K., Chen, H., Ringstad, N., Hudson, A., Butler, M. H., Salcini, A. E., **Di Fiore, P. P.** and De Camilli, P. 1997. Synaptjanin 1: localization on coated endocytic intermediates in nerve terminals and interaction of its 170 kDa isoform with Eps15. *FEBS Lett.* 419:175-80.
78. Iannolo, G., Salcini, A. E., Gaidarov, I., Goodman, O. B., Jr., Baulida, J., Carpenter, G., Pelicci, P. G., **Di Fiore, P. P.** and Keen, J. H. 1997. Mapping of the molecular determinants involved in the interaction between eps15 and AP-2. *Cancer Res.* 57:240-5.
79. Kishan, K. V., Scita, G., Wong, W. T., **Di Fiore, P. P.** and Newcomer, M. E. 1997. The SH3 domain of Eps8 exists as a novel intertwined dimer. *Nat Struct Biol.* 4:739-43.
80. Lenferink, A. E., Kramer, R. H., van Vugt, M. J., Konigswieser, M., **Di Fiore, P. P.**, van Zoelen, E. J. and van de Poll, M. L. 1997. Superagonistic behaviour of epidermal growth factor/transforming growth factor-alpha chimaeras: correlation with receptor routing after ligand-induced internalization. *Biochem J.* 327 (Pt 3):859-65.
81. Migliaccio, E., Mele, S., Salcini, A. E., Pelicci, G., Lai, K. M., Superti-Furga, G., Pawson, T., **Di Fiore, P. P.**, Lanfrancone, L. and Pelicci, P. G. 1997. Opposite effects of the

- p52shc/p46shc and p66shc splicing isoforms on the EGF receptor-MAP kinase-fos signalling pathway. *EMBO J.* 16:706-16.
82. Roggia, D., Grignani, F., Carbone, R., Riganelli, D., LoCoco, F., Nakamura, T., Croce, C. M., **Di Fiore, P. P.** and Pelicci, P. G. 1997. The localization of the HRX/ALL1 protein to specific nuclear subdomains is altered by fusion with its eps15 translocation partner. *Cancer Res.* 57:799-802.
 83. Salcini, A. E., Confalonieri, S., Doria, M., Santolini, E., Tassi, E., Minenkova, O., Cesareni, G., Pelicci, P. G. and **Di Fiore, P. P.** 1997. Binding specificity and in vivo targets of the EH domain, a novel protein-protein interaction module. *Genes Dev.* 11:2239-49.
 84. Tebar, F., Confalonieri, S., Carter, R. E., **Di Fiore, P. P.** and Sorkin, A. 1997. Eps15 is constitutively oligomerized due to homophilic interaction of its coiled-coil region. *J Biol Chem.* 272:15413-8.
 85. Chen, H., Fre, S., Slepnev, V. I., Capua, M. R., Takei, K., Butler, M. H., **Di Fiore, P. P.** and De Camilli, P. 1998. Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis. *Nature.* 394:793-7.
 86. Coda, L., Salcini, A. E., Confalonieri, S., Pelicci, G., Sorkina, T., Sorkin, A., Pelicci, P. G. and **Di Fiore, P. P.** 1998. Eps15R is a tyrosine kinase substrate with characteristics of a docking protein possibly involved in coated pits-mediated internalization. *J Biol Chem.* 273:3003-12.
 87. Grim, J., Deshane, J., Siegal, G. P., Alvarez, R. D., **Di Fiore, P. P.** and Curiel, D. T. 1998. The level of erbB2 expression predicts sensitivity to the cytotoxic effects of an intracellular anti-erbB2 sFv. *J Mol Med (Berl).* 76:451-8.
 88. Naviglio, S., Matteucci, C., Matoskova, B., Nagase, T., Nomura, N., **Di Fiore, P. P.** and Draetta, G. F. 1998. UBPY: a growth-regulated human ubiquitin isopeptidase. *EMBO J.* 17:3241-50.
 89. Paoluzi, S., Castagnoli, L., Lauro, I., Salcini, A. E., Coda, L., Fre, S., Confalonieri, S., Pelicci, P. G., **Di Fiore, P. P.** and Cesareni, G. 1998. Recognition specificity of individual EH domains of mammals and yeast. *EMBO J.* 17:6541-50.
 90. Provenzano, C., Gallo, R., Carbone, R., **Di Fiore, P. P.**, Falcone, G., Castellani, L. and Alema, S. 1998. Eps8, a tyrosine kinase substrate, is recruited to the cell cortex and dynamic F-actin upon cytoskeleton remodeling. *Exp Cell Res.* 242:186-200.
 91. Chen, H., Slepnev, V. I., **Di Fiore, P. P.** and De Camilli, P. 1999. The interaction of epsin and Eps15 with the clathrin adaptor AP-2 is inhibited by mitotic phosphorylation and enhanced by stimulation-dependent dephosphorylation in nerve terminals. *J Biol Chem.* 274:3257-60.
 92. **Di Fiore, P. P.** and Gill, G. N. 1999. Endocytosis and mitogenic signaling. *Curr Opin Cell Biol.* 11:483-8.
 93. Doria, M., Salcini, A. E., Colombo, E., Parslow, T. G., Pelicci, P. G. and **Di Fiore, P. P.** 1999. The eps15 homology (EH) domain-based interaction between eps15 and hrb connects the molecular machinery of endocytosis to that of nucleocytosolic transport. *J Cell Biol.* 147:1379-84.
 94. Melillo, R. M., Barone, M. V., Lupoli, G., Cirafici, A. M., Carlomagno, F., Visconti, R., Matoskova, B., **Di Fiore, P. P.**, Vecchio, G., Fusco, A. and Santoro, M. 1999. Ret-mediated mitogenesis requires Src kinase activity. *Cancer Res.* 59:1120-6.
 95. Mongiovi, A. M., Romano, P. R., Panni, S., Mendoza, M., Wong, W. T., Musacchio, A., Cesareni, G. and **Di Fiore, P. P.** 1999. A novel peptide-SH3 interaction. *EMBO J.* 18:5300-9.

96. Pellicioli, A., Lucca, C., Liberi, G., Marini, F., Lopes, M., Plevani, P., Romano, A., **Di Fiore, P. P.** and Foiani, M. 1999. Activation of Rad53 kinase in response to DNA damage and its effect in modulating phosphorylation of the lagging strand DNA polymerase. *EMBO J.* 18:6561-72.
97. Rosenthal, J. A., Chen, H., Slepnev, V. I., Pellegrini, L., Salcini, A. E., **Di Fiore, P. P.** and De Camilli, P. 1999. The epsins define a family of proteins that interact with components of the clathrin coat and contain a new protein module. *J Biol Chem.* 274:33959-65.
98. Salcini, A. E., Chen, H., Iannolo, G., De Camilli, P. and **Di Fiore, P. P.** 1999. Epidermal growth factor pathway substrate 15, Eps15. *Int J Biochem Cell Biol.* 31:805-9.
99. Santolini, E., Salcini, A. E., Kay, B. K., Yamabhai, M. and **Di Fiore, P. P.** 1999. The EH network. *Exp Cell Res.* 253:186-209.
100. Scita, G., Nordstrom, J., Carbone, R., Tenca, P., Giardina, G., Gutkind, S., Bjarnegard, M., Betsholtz, C. and **Di Fiore, P. P.** 1999. EPS8 and E3B1 transduce signals from Ras to Rac. *Nature.* 401:290-3.
101. Tassi, E., Biesova, Z., **Di Fiore, P. P.**, Gutkind, J. S. and Wong, W. T. 1999. Human JIK, a novel member of the STE20 kinase family that inhibits JNK and is negatively regulated by epidermal growth factor. *J Biol Chem.* 274:33287-95.
102. Torrisi, M. R., Lotti, L. V., Belleudi, F., Gradini, R., Salcini, A. E., Confalonieri, S., Pelicci, P. G. and **Di Fiore, P. P.** 1999. Eps15 is recruited to the plasma membrane upon epidermal growth factor receptor activation and localizes to components of the endocytic pathway during receptor internalization. *Mol Biol Cell.* 10:417-34.
103. Confalonieri, S., Salcini, A. E., Puri, C., Tacchetti, C. and **Di Fiore, P. P.** 2000. Tyrosine phosphorylation of Eps15 is required for ligand-regulated, but not constitutive, endocytosis. *J Cell Biol.* 150:905-12.
104. Hyman, J., Chen, H., **Di Fiore, P. P.**, De Camilli, P. and Brunger, A. T. 2000. Epsin 1 undergoes nucleocytosolic shuttling and its eps15 interactor NH(2)-terminal homology (ENTH) domain, structurally similar to Armadillo and HEAT repeats, interacts with the transcription factor promyelocytic leukemia Zn(2)+ finger protein (PLZF). *J Cell Biol.* 149:537-46.
105. Lanzetti, L., Rybin, V., Malabarba, M. G., Christoforidis, S., Scita, G., Zerial, M. and **Di Fiore, P. P.** 2000. The Eps8 protein coordinates EGF receptor signalling through Rac and trafficking through Rab5. *Nature.* 408:374-7.
106. Luzi, L., Confalonieri, S., **Di Fiore, P. P.** and Pelicci, P. G. 2000. Evolution of Shc functions from nematode to human. *Curr Opin Genet Dev.* 10:668-74.
107. Offenhauser, N., Santolini, E., Simeone, A. and **Di Fiore, P. P.** 2000. Differential patterns of expression of Eps15 and Eps15R during mouse embryogenesis. *Mech Dev.* 95:309-12.
108. Santolini, E., Puri, C., Salcini, A. E., Gagliani, M. C., Pelicci, P. G., Tacchetti, C. and **Di Fiore, P. P.** 2000. Numb is an endocytic protein. *J Cell Biol.* 151:1345-52.
109. Scita, G., Tenca, P., Frittoli, E., Tocchetti, A., Innocenti, M., Giardina, G. and **Di Fiore, P. P.** 2000. Signaling from Ras to Rac and beyond: not just a matter of GEFs. *EMBO J.* 19:2393-8.
110. **Di Fiore, P. P.** and De Camilli, P. 2001. Endocytosis and signaling. an inseparable partnership. *Cell.* 106:1-4.
111. **Di Fiore, P. P.** and Fazioli, F. 2001. Purification of tyrosine-phosphorylated proteins by immunoaffinity chromatography and direct cloning of their cDNAs from bacterial expression libraries. *Methods Mol Biol.* 124:221-37.

112. Lanzetti, L., **Di Fiore, P. P.** and Scita, G. 2001. Pathways linking endocytosis and actin cytoskeleton in mammalian cells. *Exp Cell Res.* 271:45-56.
113. Malabarba, M. G., Milia, E., Faretta, M., Zamponi, R., Pelicci, P. G. and **Di Fiore, P. P.** 2001. A repertoire library that allows the selection of synthetic SH2s with altered binding specificities. *Oncogene.* 20:5186-94.
114. Salcini, A. E., Hilliard, M. A., Croce, A., Arbucci, S., Luzzi, P., Tocchetti, C., Daniell, L., De Camilli, P., Pelicci, P. G., **Di Fiore, P. P.** and Bazzicalupo, P. 2001. The Eps15 C. elegans homologue EHS-1 is implicated in synaptic vesicle recycling. *Nat Cell Biol.* 3:755-60.
115. Scita, G., Tenca, P., Areces, L. B., Tocchetti, A., Frittoli, E., Giardina, G., Ponzanelli, I., Sini, P., Innocenti, M. and **Di Fiore, P. P.** 2001. An effector region in Eps8 is responsible for the activation of the Rac-specific GEF activity of Sos-1 and for the proper localization of the Rac-based actin-polymerizing machine. *J Cell Biol.* 154:1031-44.
116. Vecchi, M., Polo, S., Poupon, V., van de Loo, J. W., Benmerah, A. and **Di Fiore, P. P.** 2001. Nucleocytoplasmic shuttling of endocytic proteins. *J Cell Biol.* 153:1511-7.
117. Bonapace, I. M., Latella, L., Papait, R., Nicassio, F., Sacco, A., Muto, M., Crescenzi, M. and **Di Fiore, P. P.** 2002. Np95 is regulated by E1A during mitotic reactivation of terminally differentiated cells and is essential for S phase entry. *J Cell Biol.* 157:909-14.
118. Confalonieri, S. and **Di Fiore, P. P.** 2002. The Eps15 homology (EH) domain. *FEBS Lett.* 513:24-9.
119. **Di Fiore, P. P.** and Scita, G. 2002. Eps8 in the midst of GTPases. *Int J Biochem Cell Biol.* 34:1178-83.
120. Innocenti, M., Tenca, P., Frittoli, E., Faretta, M., Tocchetti, A., **Di Fiore, P. P.** and Scita, G. 2002. Mechanisms through which Sos-1 coordinates the activation of Ras and Rac. *J Cell Biol.* 156:125-36.
121. Polo, S., Sigismund, S., Faretta, M., Guidi, M., Capua, M. R., Bossi, G., Chen, H., De Camilli, P. and **Di Fiore, P. P.** 2002. A single motif responsible for ubiquitin recognition and monoubiquitination in endocytic proteins. *Nature.* 416:451-5.
122. Poupon, V., Polo, S., Vecchi, M., Martin, G., Dautry-Varsat, A., Cerf-Bensussan, N., **Di Fiore, P. P.** and Benmerah, A. 2002. Differential nucleocytoplasmic trafficking between the related endocytic proteins Eps15 and Eps15R. *J Biol Chem.* 277:8941-8.
123. Alcalay, M., Meani, N., Gelmetti, V., Fantozzi, A., Fagioli, M., Orleth, A., Riganelli, D., Sebastiani, C., Cappelli, E., Casciari, C., Sciurpi, M. T., Mariano, A. R., Minardi, S. P., Luzi, L., Muller, H., **Di Fiore, P. P.**, Frosina, G. and Pelicci, P. G. 2003. Acute myeloid leukemia fusion proteins deregulate genes involved in stem cell maintenance and DNA repair. *J Clin Invest.* 112:1751-61.
124. Chen, H., Polo, S., **Di Fiore, P. P.** and De Camilli, P. V. 2003. Rapid Ca²⁺-dependent decrease of protein ubiquitination at synapses. *Proc Natl Acad Sci U S A.* 100:14908-13.
125. **Di Fiore, P. P.** 2003. Signal transduction: life on Mars, cellularly speaking. *Nature.* 424:624-5.
126. **Di Fiore, P. P.** and Pelicci, P. G. 2003. The price of integration. *Curr Opin Cell Biol.* 15:125-127.
127. **Di Fiore, P. P.** and Pelicci, P. G. 2003. Cell Regulation. *Curr Opin Cell Biol.* 15.
128. **Di Fiore, P. P.**, Polo, S. and Hofmann, K. 2003. When ubiquitin meets ubiquitin receptors: a signalling connection. *Nat Rev Mol Cell Biol.* 4:491-7.

129. Haglund, K., **Di Fiore, P. P.** and Dikic, I. 2003. Distinct monoubiquitin signals in receptor endocytosis. *Trends Biochem Sci.* 28:598-603.
130. Haglund, K., Sigismund, S., Polo, S., Szymkiewicz, I., **Di Fiore, P. P.** and Dikic, I. 2003. Multiple monoubiquitination of RTKs is sufficient for their endocytosis and degradation. *Nat Cell Biol.* 5:461-6.
131. Innocenti, M., Frittoli, E., Ponzanelli, I., Falck, J. R., Brachmann, S. M., **Di Fiore, P. P.** and Scita, G. 2003. Phosphoinositide 3-kinase activates Rac by entering in a complex with Eps8, Abi1, and Sos-1. *J Cell Biol.* 160:17-23.
132. Polo, S., Confalonieri, S., Salcini, A. E. and **Di Fiore, P. P.** 2003. EH and UIM: endocytosis and more. *Sci STKE.* 2003:re17.
133. Tocchetti, A., Confalonieri, S., Scita, G., **Di Fiore, P. P.** and Betsholtz, C. 2003. In silico analysis of the EPS8 gene family: genomic organization, expression profile, and protein structure. *Genomics.* 81:234-44.
134. Belloni, E., Trubia, M., Mancini, M., Derme, V., Nanni, M., Lahortiga, I., Riccioni, R., Confalonieri, S., Lo-Coco, F., **Di Fiore, P. P.** and Pelicci, P. G. 2004. A new complex rearrangement involving the ETV6, LOC115548, and MN1 genes in a case of acute myeloid leukemia. *Genes Chromosomes Cancer.* 41:272-7.
135. Bianchi, F., Hu, J., Pelosi, G., Cirincione, R., Ferguson, M., Ratcliffe, C., **Di Fiore, P. P.**, Gatter, K., Pezzella, F. and Pastorino, U. 2004. Lung cancers detected by screening with spiral computed tomography have a malignant phenotype when analyzed by cDNA microarray. *Clin Cancer Res.* 10:6023-8.
136. Citterio, E., Papait, R., Nicassio, F., Vecchi, M., Gomiero, P., Mantovani, R., **Di Fiore, P. P.** and Bonapace, I. M. 2004. Np95 is a histone-binding protein endowed with ubiquitin ligase activity. *Mol Cell Biol.* 24:2526-35.
137. Croce, A., Cassata, G., Disanza, A., Gagliani, M. C., Tacchetti, C., Malabarba, M. G., Carlier, M. F., Scita, G., Baumeister, R. and **Di Fiore, P. P.** 2004. A novel actin barbed-end-capping activity in EPS-8 regulates apical morphogenesis in intestinal cells of *Caenorhabditis elegans*. *Nat Cell Biol.* 6:1173-9.
138. Disanza, A., Carlier, M. F., Stradal, T. E., Didry, D., Frittoli, E., Confalonieri, S., Croce, A., Wehland, J., **Di Fiore, P. P.** and Scita, G. 2004. Eps8 controls actin-based motility by capping the barbed ends of actin filaments. *Nat Cell Biol.* 6:1180-8.
139. Innocenti, M., Zucconi, A., Disanza, A., Frittoli, E., Areces, L. B., Steffen, A., Stradal, T. E., **Di Fiore, P. P.**, Carlier, M. F. and Scita, G. 2004. Abi1 is essential for the formation and activation of a WAVE2 signalling complex. *Nat Cell Biol.* 6:319-27.
140. Lanzetti, L., Palamidessi, A., Areces, L., Scita, G. and **Di Fiore, P. P.** 2004. Rab5 is a signalling GTPase involved in actin remodelling by receptor tyrosine kinases. *Nature.* 429:309-14.
141. Offenhauser, N., Borgonovo, A., Disanza, A., Romano, P., Ponzanelli, I., Iannolo, G., **Di Fiore, P. P.** and Scita, G. 2004. The eps8 family of proteins links growth factor stimulation to actin reorganization generating functional redundancy in the Ras/Rac pathway. *Mol Biol Cell.* 15:91-8.
142. Pece, S., Serresi, M., Santolini, E., Capra, M., Hulleman, E., Galimberti, V., Zurruda, S., Maisonneuve, P., Viale, G. and **Di Fiore, P. P.** 2004. Loss of negative regulation by Numb over Notch is relevant to human breast carcinogenesis. *J Cell Biol.* 167:215-21.
143. Polo, S., Pece, S. and **Di Fiore, P. P.** 2004. Endocytosis and cancer. *Curr Opin Cell Biol.* 16:156-61.

144. Querbes, W., Benmerah, A., Tosoni, D., **Di Fiore, P. P.** and Atwood, W. J. 2004. A JC virus-induced signal is required for infection of glial cells by a clathrin- and eps15-dependent pathway. *J Virol.* 78:250-6.
145. Sigismund, S., Polo, S. and **Di Fiore, P. P.** 2004. Signaling through monoubiquitination. *Curr Top Microbiol Immunol.* 286:149-85.
146. Sini, P., Cannas, A., Koleske, A. J., **Di Fiore, P. P.** and Scita, G. 2004. Abl-dependent tyrosine phosphorylation of Sos-1 mediates growth-factor-induced Rac activation. *Nat Cell Biol.* 6:268-74.
147. Belloni, E., Trubia, M., Gasparini, P., Micucci, C., Tapinassi, C., Confalonieri, S., Nuciforo, P., Martino, B., Lo-Coco, F., Pelicci, P. G. and **Di Fiore, P. P.** 2005. 8p11 myeloproliferative syndrome with a novel t(7;8) translocation leading to fusion of the FGFR1 and TIF1 genes. *Genes Chromosomes Cancer.* 42:320-5.
148. Gorletta, T. A., Gasparini, P., D'Elios, M. M., Trubia, M., Pelicci, P. G. and **Di Fiore, P. P.** 2005. Frequent loss of heterozygosity without loss of genetic material in acute myeloid leukemia with a normal karyotype. *Genes Chromosomes Cancer.* 44:334-7.
149. Innocenti, M., Gerboth, S., Rottner, K., Lai, F. P., Hertzog, M., Stradal, T. E., Frittoli, E., Didry, D., Polo, S., Disanza, A., Benesch, S., **Di Fiore, P. P.**, Carlier, M. F. and Scita, G. 2005. Abi1 regulates the activity of N-WASP and WAVE in distinct actin-based processes. *Nat Cell Biol.* 7:969-76.
150. Lahortiga, I., Belloni, E., Vazquez, I., Agirre, X., Larrayoz, M. J., Vizmanos, J. L., Valganon, M., Zudaire, I., Saez, B., Mateos, M. C., **Di Fiore, P. P.**, Calasanz, M. J. and Odero, M. D. 2005. NUP98 is fused to HOXA9 in a variant complex t(7;11;13;17) in a patient with AML-M2. *Cancer Genet Cytogenet.* 157:151-6.
151. Mao, Y., Senic-Matuglia, F., **Di Fiore, P. P.**, Polo, S., Hodsdon, M. E. and De Camilli, P. 2005. Deubiquitinating function of ataxin-3: insights from the solution structure of the Josephin domain. *Proc Natl Acad Sci U S A.* 102:12700-5.
152. Nicassio, F., Bianchi, F., Capra, M., Vecchi, M., Confalonieri, S., Bianchi, M., Pajalunga, D., Crescenzi, M., Bonapace, I. M. and **Di Fiore, P. P.** 2005. A cancer-specific transcriptional signature in human neoplasia. *J Clin Invest.* 115:3015-25.
153. Puri, C., Tosoni, D., Comai, R., Rabellino, A., Segat, D., Caneva, F., Luzzi, P., **Di Fiore, P. P.** and Tacchetti, C. 2005. Relationships between EGFR signaling-competent and endocytosis-competent membrane microdomains. *Mol Biol Cell.* 16:2704-18.
154. Sigismund, S., Woelk, T., Puri, C., Maspero, E., Tacchetti, C., Transidico, P., **Di Fiore, P. P.** and Polo, S. 2005. Clathrin-independent endocytosis of ubiquitinated cargos. *Proc Natl Acad Sci U S A.* 102:2760-5.
155. Tosoni, D., Puri, C., Confalonieri, S., Salcini, A. E., De Camilli, P., Tacchetti, C. and **Di Fiore, P. P.** 2005. TTP specifically regulates the internalization of the transferrin receptor. *Cell.* 123:875-88.
156. Vecchi, M. and **Di Fiore, P. P.** 2005. It's HIP to be a hub: new trends for old-fashioned proteins. *J Cell Biol.* 170:169-71.
157. Capra, M., Nuciforo, P. G., Confalonieri, S., Quarto, M., Bianchi, M., Nebuloni, M., Boldorini, R., Pallotti, F., Viale, G., Gishizky, M. L., Draetta, G. F. and **Di Fiore, P. P.** 2006. Frequent alterations in the expression of serine/threonine kinases in human cancers. *Cancer Res.* 66:8147-54.
158. Disanza, A., Mantoani, S., Hertzog, M., Gerboth, S., Frittoli, E., Steffen, A., Berhoerster, K., Kreienkamp, H. J., Milanesi, F., **Di Fiore, P. P.**, Ciliberto, A., Stradal, T. E. and Scita, G. 2006. Regulation of cell shape by Cdc42 is mediated by the synergic actin-bundling activity of the Eps8-IRSp53 complex. *Nat Cell Biol.* 8:1337-47.

159. Offenhauser, N., Castelletti, D., Mapelli, L., Soppo, B. E., Regondi, M. C., Rossi, P., D'Angelo, E., Frassoni, C., Amadeo, A., Tocchetti, A., Pozzi, B., Disanza, A., Guarnieri, D., Betsholtz, C., Scita, G., Heberlein, U. and **Di Fiore, P. P.** 2006. Increased ethanol resistance and consumption in Eps8 knockout mice correlates with altered actin dynamics. *Cell.* 127:213-26.
160. Penengo, L., Mapelli, M., Murachelli, A. G., Confalonieri, S., Magri, L., Musacchio, A., **Di Fiore, P. P.**, Polo, S. and Schneider, T. R. 2006. Crystal structure of the ubiquitin binding domains of rabex-5 reveals two modes of interaction with ubiquitin. *Cell.* 124:1183-95.
161. Polo, S. and **Di Fiore, P. P.** 2006. Endocytosis conducts the cell signaling orchestra. *Cell.* 124:897-900.
162. Stetak, A., Hoier, E. F., Croce, A., Cassata, G., **Di Fiore, P. P.** and Hajnal, A. 2006. Cell fate-specific regulation of EGF receptor trafficking during *Caenorhabditis elegans* vulval development. *EMBO J.* 25:2347-57.
163. Woelk, T., Oldrini, B., Maspero, E., Confalonieri, S., Cavallaro, E., **Di Fiore, P. P.** and Polo, S. 2006. Molecular mechanisms of coupled monoubiquitination. *Nat Cell Biol.* 8:1246-54.
164. Bianchi, F., Nuciforo, P., Vecchi, M., Bernard, L., Tizzoni, L., Marchetti, A., Buttitta, F., Felicioni, L., Nicassio, F. and **Di Fiore, P. P.** 2007. Survival prediction of stage I lung adenocarcinomas by expression of 10 genes. *J Clin Invest.* 117:3436-44.
165. Maiorano, E., Favia, G., Pece, S., Resta, L., Maisonneuve, P., **Di Fiore, P. P.**, Capodiferro, S., Urbani, U. and Viale, G. 2007. Prognostic implications of NUMB immunoreactivity in salivary gland carcinomas. *Int J Immunopathol Pharmacol.* 20:779-89.
166. Nicassio, F., Corrado, N., Vissers, J. H., Areces, L. B., Bergink, S., Marteijn, J. A., Geverts, B., Houtsmuller, A. B., Vermeulen, W., **Di Fiore, P. P.** and Citterio, E. 2007. Human USP3 is a chromatin modifier required for S phase progression and genome stability. *Curr Biol.* 17:1972-7.
167. Rose, S., Malabarba, M. G., Krag, C., Schultz, A., Tsushima, H., **Di Fiore, P. P.** and Salcini, A. E. 2007. *Caenorhabditis elegans* intersectin: a synaptic protein regulating neurotransmission. *Mol Biol Cell.* 18:5091-9.
168. Shing, D. C., Trubia, M., Marchesi, F., Radaelli, E., Belloni, E., Tapinassi, C., Scanziani, E., Mecucci, C., Crescenzi, B., Lahortiga, I., Odero, M. D., Zardo, G., Gruszka, A., Minucci, S., **Di Fiore, P. P.** and Pelicci, P. G. 2007. Overexpression of sPRDM16 coupled with loss of p53 induces myeloid leukemias in mice. *J Clin Invest.* 117:3696-707.
169. Vecchi, M., Nuciforo, P., Romagnoli, S., Confalonieri, S., Pellegrini, C., Serio, G., Quarto, M., Capra, M., Roviaro, G. C., Contessini Avesani, E., Corsi, C., Coggi, G., **Di Fiore, P. P.** and Bosari, S. 2007. Gene expression analysis of early and advanced gastric cancers. *Oncogene.* 26:4284-94.
170. Bianchi, F., Nicassio, F. and **Di Fiore, P. P.** 2008. Unbiased vs. biased approaches to the identification of cancer signatures: the case of lung cancer. *Cell Cycle.* 7:729-34.
171. Colaluca, I. N., Tosoni, D., Nuciforo, P., Senic-Matuglia, F., Galimberti, V., Viale, G., Pece, S. and **Di Fiore, P. P.** 2008. NUMB controls p53 tumour suppressor activity. *Nature.* 451:76-80.
172. **Di Fiore, P. P.** 2008. Playing both sides: nucleophosmin between tumor suppression and oncogenesis. *J Cell Biol.* 182:7-9.
173. Frittoli, E., Palamidessi, A., Pizzigoni, A., Lanzetti, L., Garre, M., Troglino, F., Troilo, A., Fukuda, M., **Di Fiore, P. P.**, Scita, G. and Confalonieri, S. 2008. The primate-specific

- protein TBC1D3 is required for optimal macropinocytosis in a novel ARF6-dependent pathway. *Mol Biol Cell.* 19:1304-16.
174. Lanzetti, L. and **Di Fiore, P. P.** 2008. Endocytosis and cancer: an 'insider' network with dangerous liaisons. *Traffic.* 9:2011-21.
 175. Palamidessi, A., Frittoli, E., Garre, M., Faretta, M., Mione, M., Testa, I., Diaspro, A., Lanzetti, L., Scita, G. and **Di Fiore, P. P.** 2008. Endocytic trafficking of Rac is required for the spatial restriction of signaling in cell migration. *Cell.* 134:135-47.
 176. Polo, S. and **Di Fiore, P. P.** 2008. Finding the right partner: science or ART? *Cell.* 135:590-2.
 177. Sigismund, S., Argenzio, E., Tosoni, D., Cavallaro, E., Polo, S. and **Di Fiore, P. P.** 2008. Clathrin-mediated internalization is essential for sustained EGFR signaling but dispensable for degradation. *Dev Cell.* 15:209-19.
 178. Vecchi, M., Confalonieri, S., Nuciforo, P., Vigano, M. A., Capra, M., Bianchi, M., Nicosia, D., Bianchi, F., Galimberti, V., Viale, G., Palermo, G., Riccardi, A., Campanini, R., Daidone, M. G., Pierotti, M. A., Pece, S. and **Di Fiore, P. P.** 2008. Breast cancer metastases are molecularly distinct from their primary tumors. *Oncogene.* 27:2148-58.
 179. Vicidomini, G., Gagliani, M. C., Canfora, M., Cortese, K., Frosi, F., Santangelo, C., **Di Fiore, P. P.**, Boccacci, P., Diaspro, A. and Tacchetti, C. 2008. High data output and automated 3D correlative light-electron microscopy method. *Traffic.* 9:1828-38.
 180. Vissers, J. H., Nicassio, F., van Lohuizen, M., **Di Fiore, P. P.** and Citterio, E. 2008. The many faces of ubiquitinated histone H2A: insights from the DUBs. *Cell Div.* 3:8.
 181. Cicalese, A., Bonizzi, G., Pasi, C. E., Faretta, M., Ronzoni, S., Giulini, B., Brisken, C., Minucci, S., **Di Fiore, P. P.** and Pelicci, P. G. 2009. The tumor suppressor p53 regulates polarity of self-renewing divisions in mammary stem cells. *Cell.* 138:1083-95.
 182. Confalonieri, S., Quarto, M., Goisis, G., Nuciforo, P., Donzelli, M., Jodice, G., Pelosi, G., Viale, G., Pece, S. and **Di Fiore, P. P.** 2009. Alterations of ubiquitin ligases in human cancer and their association with the natural history of the tumor. *Oncogene.* 28:2959-68.
 183. **Di Fiore, P. P.** 2009. Endocytosis, signaling and cancer, much more than meets the eye. Preface. *Mol Oncol.* 3:273-9.
 184. Menna, E., Disanza, A., Cagnoli, C., Schenk, U., Gelsomino, G., Frittoli, E., Hertzog, M., Offenhauser, N., Sawallisch, C., Kreienkamp, H. J., Gertler, F. B., **Di Fiore, P. P.**, Scita, G. and Matteoli, M. 2009. Eps8 regulates axonal filopodia in hippocampal neurons in response to brain-derived neurotrophic factor (BDNF). *PLoS Biol.* 7:e1000138.
 185. Rustighi, A., Tiberi, L., Soldano, A., Napoli, M., Nuciforo, P., Rosato, A., Kaplan, F., Capobianco, A., Pece, S., **Di Fiore, P. P.** and Del Sal, G. 2009. The prolyl-isomerase Pin1 is a Notch1 target that enhances Notch1 activation in cancer. *Nat Cell Biol.* 11:133-42.
 186. Westhoff, B., Colaluca, I. N., D'Ario, G., Donzelli, M., Tosoni, D., Volorio, S., Pelosi, G., Spaggiari, L., Mazzarol, G., Viale, G., Pece, S. and **Di Fiore, P. P.** 2009. Alterations of the Notch pathway in lung cancer. *Proc Natl Acad Sci U S A.* 106:22293-8.
 187. Belloni, E., Lahortiga, I., Odero, M., **Di Fiore, P. P.** and Pelicci, P. G. 2010. Spectral karyotyping (SKY). *Ecancermedicalscience.* 4:181.
 188. Belloni, E., Trubia, M., Gasparini, P., Micucci, C., Tapinassi, C., Confalonieri, S., Nuciforo, P., Martino, B., Lo-Coco, F., **Di Fiore, P. P.** and Pelicci, P. 2010. Chromosomal rearrangements in acute myeloid leukemia (AML). *Ecancermedicalscience.* 4:183.

189. **Di Fiore, P. P.** 2010. Pier Paolo Di Fiore: plumbing the depths of endocytosis by Powell Kendall. *J Cell Biol.* 188:4-5.
190. Hertzog, M., Milanesi, F., Hazelwood, L., Disanza, A., Liu, H., Perlade, E., Malabarba, M. G., Pasqualato, S., Maiolica, A., Confalonieri, S., Le Clainche, C., Offenhauser, N., Block, J., Rottner, K., **Di Fiore, P. P.**, Carlier, M. F., Volkmann, N., Hanein, D. and Scita, G. 2010. Molecular basis for the dual function of Eps8 on actin dynamics: bundling and capping. *PLoS Biol.* 8:e1000387.
191. Ko, G., Paradise, S., Chen, H., Graham, M., Vecchi, M., Bianchi, F., Cremona, O., **Di Fiore, P. P.** and De Camilli, P. 2010. Selective high-level expression of epsin 3 in gastric parietal cells, where it is localized at endocytic sites of apical canaliculi. *Proc Natl Acad Sci U S A.* 107:21511-6.
192. Longobardi, E., Iotti, G., Di Rosa, P., Mejetta, S., Bianchi, F., Fernandez-Diaz, L. C., Micali, N., Nuciforo, P., Lenti, E., Ponzoni, M., Doglioni, C., Caniatti, M., **Di Fiore, P. P.** and Blasi, F. 2010. Prep1 (pKnox1)-deficiency leads to spontaneous tumor development in mice and accelerates EmuMyc lymphomagenesis: a tumor suppressor role for Prep1. *Mol Oncol.* 4:126-34.
193. Palamidessi, A., Testa, I., Frittoli, E., Barozzi, S., Garre, M., Mazza, D., **Di Fiore, P. P.**, Diaspro, A., Scita, G. and Faretta, M. 2010. Understanding biological dynamics: following cells and molecules to track functions and mechanisms. *Eur Biophys J.* 39:947-57.
194. Pece, S., Confalonieri, S., P. R. R. and **Di Fiore, P. P.** 2010. NUMB-ing down cancer by more than just a NOTCH. *Biochim Biophys Acta.* 1815:26-43.
195. Pece, S., Tosoni, D., Confalonieri, S., Mazzarol, G., Vecchi, M., Ronzoni, S., Bernard, L., Viale, G., Pelicci, P. G. and **Di Fiore, P. P.** 2010. Biological and molecular heterogeneity of breast cancers correlates with their cancer stem cell content. *Cell.* 140:62-73.
196. Scita, G. and **Di Fiore, P. P.** 2010. The endocytic matrix. *Nature.* 463:464-73.
197. Tocchetti, A., Soppo, C. B., Zani, F., Bianchi, F., Gagliani, M. C., Pozzi, B., Rozman, J., Elvert, R., Ehrhardt, N., Rathkolb, B., Moerth, C., Horsch, M., Fuchs, H., Gailus-Durner, V., Beckers, J., Klingenspor, M., Wolf, E., Hrabe de Angelis, M., Scanziani, E., Tacchetti, C., Scita, G., **Di Fiore, P. P.** and Offenhauser, N. 2010. Loss of the actin remodeler Eps8 causes intestinal defects and improved metabolic status in mice. *PLoS One.* 5:e9468.
198. Amson, R., Pece, S., Lespagnol, A., Vyas, R., Mazzarol, G., Tosoni, D., Colaluca, I., Viale, G., Rodrigues-Ferreira, S., Wynendaele, J., Chaloin, O., Hoebeke, J., Marine, J. C., **Di Fiore, P. P.** and Telerman, A. 2011. Reciprocal repression between P53 and TCTP. *Nat Med.* 18:91-9.
199. Argenzio, E., Bange, T., Oldrini, B., Bianchi, F., Peesari, R., Mari, S., **Di Fiore, P. P.**, Mann, M. and Polo, S. 2011. Proteomic snapshot of the EGF-induced ubiquitin network. *Mol Syst Biol.* 7:462.
200. Bianchi, F., Nicassio, F., Marzi, M., Belloni, E., Dall'olio, V., Bernard, L., Pelosi, G., Maisonneuve, P., Veronesi, G. and **Di Fiore, P. P.** 2011. A serum circulating miRNA diagnostic test to identify asymptomatic high-risk individuals with early stage lung cancer. *EMBO Mol Med.* 3:495-503.
201. Bresciani, E., Confalonieri, S., Cermenati, S., Cimbro, S., Foglia, E., Beltrame, M., **Di Fiore, P. P.** and Cotelli, F. 2011. Zebrafish numb and numblike are involved in primitive erythrocyte differentiation. *PLoS One.* 5:e14296.

202. Luise, C., Capra, M., Donzelli, M., Mazzarol, G., Jodice, M. G., Nuciforo, P., Viale, G., **Di Fiore, P. P.** and Confalonieri, S. 2011. An atlas of altered expression of deubiquitinating enzymes in human cancer. *PLoS One*. 6:e15891.
203. Manor, U., Disanza, A., Grati, M., Andrade, L., Lin, H., **Di Fiore, P. P.**, Scita, G. and Kachar, B. 2011. Regulation of stereocilia length by myosin XVa and whirlin depends on the actin-regulatory protein Eps8. *Curr Biol*. 21:167-72.
204. Murakami, M., Giampietro, C., Giannotta, M., Corada, M., Torselli, I., Orsenigo, F., Cocito, A., d'Ario, G., Mazzarol, G., Confalonieri, S., **Di Fiore, P. P.** and Dejana, E. 2011. Abrogation of junctional adhesion molecule-A expression induces cell apoptosis and reduces breast cancer progression. *PLoS One*. 6:e21242.
205. Mutti, E., Magnaghi, V., Veber, D., Faroni, A., Pece, S., **Di Fiore, P. P.** and Scalabrino, G. 2011. Cobalamin deficiency-induced changes of epidermal growth factor (EGF)-receptor expression and EGF levels in rat spinal cord. *Brain Res*. 1376:23-30.
206. Vaggi, F., Disanza, A., Milanesi, F., **Di Fiore, P. P.**, Menna, E., Matteoli, M., Gov, N. S., Scita, G. and Ciliberto, A. 2011. The Eps8/IRSp53/VASP network differentially controls actin capping and bundling in filopodia formation. *PLoS Comput Biol*. 7:e1002088.
207. Zampini, V., Ruttiger, L., Johnson, S. L., Franz, C., Furness, D. N., Waldhaus, J., Xiong, H., Hackney, C. M., Holley, M. C., Offenhauser, N., **Di Fiore, P. P.**, Knipper, M., Masetto, S. and Marcotti, W. 2011. Eps8 regulates hair bundle length and functional maturation of mammalian auditory hair cells. *PLoS Biol*. 9:e1001048.
208. Bianchi, F., Nicassio, F., Veronesi, G. and **Di Fiore, P. P.** 2012. Circulating microRNAs: next-generation biomarkers for early lung cancer detection. *Ecancermedicalscience*. 6:246.
209. Marzi, M. J., Puggioni, E. M., Dall'Olio, V., Bucci, G., Bernard, L., Bianchi, F., Crescenzi, M., **Di Fiore, P. P.** and Nicassio, F. 2012. Differentiation-associated microRNAs antagonize the Rb-E2F pathway to restrict proliferation. *J Cell Biol*. 199:77-95.
210. Sigismund, S., Confalonieri, S., Ciliberto, A., Polo, S., Scita, G. and **Di Fiore, P. P.** 2012. Endocytosis and signaling: cell logistics shape the eukaryotic cell plan. *Physiol Rev*. 92:273-366.
211. Tosoni, D., **Di Fiore, P. P.** and Pece, S. 2012. Functional purification of human and mouse mammary stem cells. *Methods Mol Biol*. 916:59-79.
212. Pozzi, B., Amodio, S., Lucano, C., Sciullo, A., Ronzoni, S., Castelletti, D., Adler, T., Treiese, I., Bethsoltz, I. H., Rathkolb, B., Busch, D.H., Wolf, E., Fuchs, H., Gailus-Durner, V., de Angelis, M. H., Betsholtz, C., Casola, S., **Di Fiore, P. P.** and Offenhäuser, N. 2012. The endocytic adaptor eps15 controls marginal zone B cell numbers. *PLoS One*. 7:e50818.
213. Tsushima, H., Malabarba, M.G., Confalonieri, S., Senic-Matuglia, F., Verhoef, L.G., Bartocci, C., D'Ario, G., Cocito, A., Di Fiore, P.P. and Salcini, A.E. 2013. A snapshot of the physical and functional wiring of the Eps15 homology domain network in the nematode. *PLoS One*. 8:e56383.
214. Amson, R., Pece, S., Marine, J. C., **Di Fiore, P. P.** and Telerman, A. 2013. TPT1/TCTP-regulated pathways in phenotypic reprogramming. *Trends Cell Biol*. 23:37-46.
215. Sigismund, S., Algis,i V., Nappo, G., Conte, A., Pascolutti, R., Cuomo, A., Bonaldi, T., Argenzio, E., Verhoef, L.G., Maspero, E., Bianchi, F., Capuani, F., Ciliberto, A., Polo, S. and **Di Fiore, P.P.** 2013. Threshold-controlled ubiquitination of the EGFR directs receptor fate. *EMBO J*. 32:2140-2157.

216. Furness, D.N., Johnson, S.L., Manor, U., Rüttiger, L., Tocchetti, A., Offenhauser, N., Olt, J., Goodyear, R.J., Vijayakumar, S., Dai, Y., Hackney, C.M., Franz, C., **Di Fiore, P.P.**, Masetto, S., Jones, S.M., Knipper, M., Holley, M.C., Richardson, G.P., Kachar, B. and Marcotti, W. 2013. Progressive hearing loss and gradual deterioration of sensory hair bundles in the ears of mice lacking the actin-binding protein Eps8L2. *Proc Natl Acad Sci U S A*. 110:13898-13893.
217. Palamidessi, A., Frittoli, E., Ducano, N., Offenhauser, N., Sigismund, S., Kajihara, H., Parazzoli, D., Oldani, A., Gobbi, M., Serini, G., **Di Fiore, P.P.**, Scita, G., and Lanzetti, L. 2013. The GTPase activating protein RN-tre controls focal adhesion turnover and cell migration. *Curr Biol*. 2013 Nov 13. [Epub ahead of print]
218. Bossi D, Carlomagno F, Pallavicini I, Pruneri G, Trubia M, Raviele PR, Marinelli A, Anaganti S, Cox MC, Viale G, Santoro M, **Di Fiore PP**, Minucci S. 2013. Functional characterization of a novel FGFR1OP-RET rearrangement in hematopoietic malignancies. *Mol Oncol*. 2013 Nov 19. [Epub ahead of print]
219. D'Antonio M, Guerra RF, Cereda M, Marchesi S, Montani F, Nicassio F, **Di Fiore PP**, Ciccarelli FD. 2013. Recessive cancer genes engage in negative genetic interactions with their functional paralogs. *Cell Rep*. 2013 Dec 26;5(6):1519-26. Epub 2013 Dec 19.
220. Polo S, **Di Fiore PP**, Sigismund S. 2014. Keeping EGFR signaling in check: Ubiquitin is the guardian. *Cell Cycle*. 2014 Jan 21;13(5). [Epub ahead of print].

PUBMED listed (Philosophy of science and Bioethics)

221. Boniolo, G. and **Di Fiore, P. P.** 2008. A defining analysis of the life and death dyad: paving the way for an ethical debate. *J Med Philos*. 33:609-34.
222. Boniolo, G., D'Agostino, M. and **Di Fiore, P. P.** 2010. Zsyntax: a formal language for molecular biology with projected applications in text mining and biological prediction. *PLoS One*. 5:e9511.
223. Boniolo, G. and **Di Fiore, P. P.** 2010. Deliberative ethics in a biomedical institution: an example of integration between science and ethics. *J Med Ethics*. 36:409-14.
224. Boniolo, G., **Di Fiore, P. P.** and Pece, S. 2012. Trusted consent and research biobanks: towards a 'new alliance' between researchers and donors. *Bioethics*. 26:93-100.

Book Chapters

225. Vecchio, G., Fusco, A., Ferrentino, M., and **Di Fiore, P.P.**: Espressione dei genomi virali in cellule infettate da MSV e da MuLV. In Piccin (Ed.): *Virus Oncogeni ad RNA*, 1980, pp. 138-151.
226. Colletta, G., Rossi, G.B., **Di Fiore, P.P.**, Lettieri, F., Ciccariello, R., Covelli, A. and Peschle, C.: FLV erythroleukemias: II. Analysis of viral cytoplasmic RNAs in erythroid and myelomonocytic colonies from FLV-infected mice: Hybridization with FLV-P or SFFV-P specific probes. In Esculapio (Ed.): *Haemolymphopoiesis: Normal and Pathological Cell Differentiation*, 1981, pp. 37-38.
227. Vecchio, G., Colletta, G., Ferrentino, M., Pinto, A., **Di Fiore, P.P.**, Grieco, M., and Tsuchida, N.: Differentiation in retrovirus transformed cells: Establishment of a

- new system of epithelial origin. In Revoltella, R. et al. (Eds.): *Expression of Differentiated Functions in Cancer Cells*. New York, Raven Press, 1981, pp. 501-507.
228. Vecchio, G., **Di Fiore, P.P.**, Pinto, A., and Grieco, M.: I virus nell' etiopatogenesi delle neoplasie umane. *Aggiornamento del Medico* 2: 187-198, 1982.
229. **Di Fiore, P.P.**: Effetti delle microonde su colture cellulari. Osservazioni sperimentali. In *IV Riunione di Elettromagnetismo applicato*, Firenze, Italy, 1982, pp. 419-422.
230. Rossi, G.B., Colletta, G., **Di Fiore, P.P.**, Fusco, A., Ciccarello, R., Covelli, A., Migliaccio, G., Mastroberardino, G. and Peschle, C.: Friend virus-induced erythroleukemias: 1. Presence of FLV-P specific sequences in erythroid and myelomonocytic colonies; 2. Enhanced activity of erythropoietic hormone(s) in spleen. In Yohn and Blakeslee (Eds.): *Advances in Comparative Leukemia Research*. New York, Elsevier North Holland, 1983, pp. 115-117.
231. Carteni-Farina, M., Porcelli, M., Cacciapuoti, G., Zappia, V., Grieco, M., and **Di Fiore, P.P.**: Effect of 5' methylthioadenosine and its analogs on Friend erythroleukemic cells proliferation and differentiation. In Bachrach, U., Kaye, A., and Chayer, R. (Eds.): *Advances in Polyamines Research*. New York, Raven Press, 1983, pp. 779-792.
232. **Di Fiore, P.P.**, Pinto, A., Attadia, V., Spada, O.A., and Vecchio, G.: 2'-deoxy-5-azacytidine induces functional and morphological differentiation of a human erythroleukemic cell line (K562). In Rich, M.A. (Ed.): *Proceedings of Advances in Comparative Leukemia Research*, 1983, pp. 207-208.
233. Fusco, A., **Di Fiore, P. P.**, Berlingieri, M. T., Colletta, G., Cirafici, A. M., Portella, G., and Santoro, M.: Thyroid neoplastic transformation in vitro and in vivo. In Aaronson, S. A., Frati, L., and Verna, R. (Eds.): *Genetic and Phenotypic Markers of Tumors*. New York, Plenum Press, 1984, pp. 291-296.
234. **Di Fiore, P. P.**, Fusco, A., Colletta, G., Pinto, A., Ferrantino, M., De Franciscas, V., and Vecchio, G.: Modulation of thyroid epithelial differentiation by two viral oncogenes. In Aaronson, S. A., Frati, L., and Verna, R. (Eds.): *Genetic and Phenotypic Markers of Tumors*. New York, Plenum Press, 1984, pp. 279-289.
235. King, C. R., **Di Fiore, P. P.**, Pierce, J. H., Segatto, O., Kraus, M. H., and Aaronson, S. A.: Oncogenic potential of the erbB-2 gene: frequent overexpression in human mammary adenocarcinomas and induction of transformation in vitro. In: Lippman, M. E. (Ed.): *Growth Regulation of Cancer*. Proceedings of UCLA Symposium. New York, Alan R. Liss, Inc., 1988, pp. 189-199.
236. Kraus, M.H., **Di Fiore, P. P.**, Pierce, J.H., Robbins, K.C. and Aaronson, S.A.: Overexpression of proto-oncogenes encoding growth factor or growth factor receptor proteins in malignancy. In Furth, M., and Greaves, M. (Eds.): *Cancer Cells 7/Molecular Diagnostics of Human Cancer*. New York, Cold Spring Harbor Laboratory, 1989, pp. 303-309.
237. **Di Fiore, P. P.**, Pierce, J. H., Kraus, M. H., Fleming, T. P., Robbins, K. C. and Aaronson, S. A.: The role of growth factors and growth factor receptors in neoplastic cell transformation. In Sorenson, G.D. (Ed.): *Lung Cancer, International Conference on Hormones, Growth Factors and Oncogenes in Pulmonary Carcinoma*. New York, Elsevier Science Publishers, 1988, pp. 135-154.
238. Fleming, T.P., Pech, M.W., Di Marco, E., **Di Fiore, P.P.**, Falco, J.P and Aaronson, S.A.: Gene encoding growth factors as oncogenes. Cold Spring Harbor. *Current Communications in Molecular Biology*, 1990, pp. 203-209.

239. Fazioli, F., Wong, W.T., Segatto, O. and **Di Fiore, P.P.**: Mechanisms of mitogenic signal transduction by EGFR and erbB-2. In De Bellis, A. and Marschke, K.B. (Eds.): *New Perspectives in Endocrinology*, Vol. 99. New York, Raven Press. 1993, pp. 249-261.
240. Santoro, M., Dathan, N.A., Wong, W.T., Carlomagno, F., Matoskova, B., Salvatore, D., DeVita, G., Cirafici, A., Li, Z., Grieco, M., Cerrato, A., **Di Fiore, P.P.**, and Fusco, A.: The RET oncogene is frequently activated in human thyroid papillary carcinomas, investigation in the RET signaling pathway. In *Frontiers in Endocrinology*, Vol. 14 "Future trends in endocrinology". A. De Bellis and E. Schipani eds. pp. 269-280. Ares-Serono Symposia Publication. 1995.
241. Fusco, A., Vecchio, G., Dathan, N., Carlomagno, F., **Di Fiore, P.P.** and Santoro, M. Intracellular signaling by the RET tyrosine kinase. In "*Genetic mechanisms in multiple endocrine neoplasia 2A*". B. Nelkin ed. R.G. Landes Company Biomedical Publishers (Austin) pp.37-59. 1996.
242. Doria, M., Salcini, A.E., Confalonieri, S., Santolini, E., Iannolo, G., Pelicci, P.G. and **Di Fiore, P.P.** EH, a novel protein:protein interaction domain. In '*The Biology of Tumors*' E. Mihic and C. Croce eds. Plenum Press (New York) pp. 117-125, 1999
243. **Di Fiore, P.P.** Endocytosis. *Cancer Research -An Encyclopedic Reference*, pp 288-291. 2002.
244. **Di Fiore, P.P.** and Scita, G. Endocytosis and Actin cytoskeleton. In *Handbook of cell signaling*. R. Bradshaw and E. Dennis eds. Vol.3 : 411-418 Academic Press. 2003.
245. Confalonieri, S. and **Di Fiore, P.P.** Ubiquitin binding modules: the ubiquitin network beyond the proteasome. In *Modular Protein Domains*. G. Cesareni, M. Gimona, M. Sudol, M. Yaffe eds. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. 2004.
246. **Di Fiore, P.P.** and Polo, S. Endocytosis. *Cancer Research -An Encyclopedic Reference*, *in press*. 2007.
247. Scita, G. and **Di Fiore, P.P.** Bidirectional cross talk between actin dynamics and endocytosis. In *Handbook of cell signaling*. R. Bradshaw and E. Dennis eds. *In press*.
248. **Di Fiore, P.P.** and Boniolo, G. Sulla definizione di vita e morte (anche in vista di un dibattito bioetico). In "Filosofia e scienze della vita". G. Boniolo and S. Giaimo (Eds). Mondadori, Milan. 2008.