## **Publications**

## John Garthwaite

## A. Articles in Journals

- 1. Brown, D.A., Garthwaite, J., Hayashi, E. and Yamada, S. (1976). Action of surugatoxin on nicotinic receptors in the superior cervical ganglion of the rat. *Br. J. Pharmacol.* **58**: 157-159.
- 2. Garthwaite, J. and Balazs, R. (1978) Supersensitivity to the cyclic GMP response to glutamate during cerebellar maturation. *Nature* **275**: 328-329.
- 3. Garthwaite, J. (1979) Discrepancies in the extracellular space of sympathetic ganglia measured using different isotopes of mannitol and sucrose. *J. Neurosci. Methods* 1: 185-193.
- 4. Garthwaite, J., Woodhams, P.L., Collins, M.J. and Balazs, R. (1979) On the preparation of brain slices: morphology and cyclic nucleotides. *Brain Research* **173**: 373-377.
- 5. Brown, D.A. and Garthwaite, J. (1979) Intracellular pH and the distribution of weak acids and bases in isolated rat superior cervical ganglia. *J. Physiol.* (*Lond.*) **297**: 597-620.
- 6. Garthwaite, J., Woodhams, P.L., Collins, M.J. and Balazs, R. (1980) A morphologial study of incubated slices of rat cerebellum in relation to postnatal age. *Devl. Neuroscience* **3**: 90-99.
- 7. Brown, D.A., Fatherazi, S., Garthwaite, J. and White, R.D. (1980) Muscarinic receptors in rat sympathetic ganglia. *Br. J. Pharmacol.* **70**: 577-592.
- 8. Garthwaite, J. and Regan, C.M. (1980) Toxic effects of alpha-aminoadipate on cultured cerebellar cells. *Brain Research* **194**: 603-607.
- 9. Garthwaite, J. and Balazs, R. (1981) Separation of cell types from the cerebellum and their properties. *Adv. Cell. Neurobiol.* **2**: 461-489.
- 10. Crepel, F., Dhanjal, S.S. and Garthwaite, J. (1981) Morphological and electrophysiological characteristics of rat cerebellar slices maintained in vitro. *J. Physiol.* (*Lond.*) **316**: 127-138.
- 11. Wilkin, G.P., Garthwaite, J. and Balazs, R. (1982) Putative acidic amino acid transmitters in the cerebellum II. Electron microscopic localization of transport sites.

  \*Brain Research 244: 69-80.

- 12. Garthwaite, J. (1982) Excitatory amino acid receptors and guanosine 3',5'-cyclic monophosphate in incubated slices of immature and adult rat cerebellum. *Neuroscience* 7: 2491-2497.
- 13. Garthwaite, J. and Wilkin, G.P. (1982) Kainic acid receptors and neurotoxicity in adult and immature rat cerebellar slices. *Neuroscience* **7**: 2499-2514.
- 14. Garthwaite, J. and Garthwaite, G. (1983) The mechanism of kainic acid neurotoxicity.

  Nature **305**: 138-140.
- 15. Garthwaite, J. and Gilligan, G.J. (1984) Kainate-glutamate interactions in rat cerebellar slices. *Neuroscience* **11**: 125-138.
- 16. Garthwaite, J. and Garthwaite, G. (1984) The mechanisms of kainic acid neurotoxicity: matters arising, a reply. *Nature* **308**: 561-562.
- 17. Garthwaite, G. and Garthwaite, J. (1984) Differential sensitivity of rat cerebellar cells in vitro to the neurotoxic effects of excitatory amino acid analogues. *Neuroscience Lett.* **48**: 361-367.
- 18. Garthwaite, J. (1985) Cellular uptake disguises action of L-glutamate on N-methyl-D-aspartate receptors. *Br. J. Pharmacol.* **85**: 297-307.
- 19. Garthwaite, G. and Garthwaite, J. (1985) Sites of D-[<sup>3</sup>H]aspartate accumulation in mouse cerebellar slices. *Brain Research* **343**: 129-136.
- 20. Bunn, S.J., Garthwaite, J. and Wilkin, G.P. (1986) Guanylate cyclase activities in enriched preparations of neurones, astroglia and a synaptic complex isolated from rat cerebellum. *Neurochem. Int.* **8**:179-185.
- 21. Garthwaite, G. and Garthwaite, J. (1986) In vitro neurotoxicity of excitatory amino acid analogues during cerebellar development. *Neuroscience* **17**: 755-767.
- 22. Garthwaite, G. and Garthwaite, J. (1986) Neurotoxicity of excitatory amino acid receptor agonists in rat cerebellar slices: dependence on extracellular calcium concentration. *Neuroscience Lett.* **66**: 193-198.
- 23. Hajos, F., Garthwaite, G. and Garthwaite, J. (1986) Reversible and irreversible neuronal damage caused by excitatory amino acid analogues in rat cerebellar slices. *Neuroscience* **18**: 417-436.
- 24. Garthwaite, G., Hajos, F. and Garthwaite, J. (1986) Ionic requirements for neurotoxic effects of excitatory amino acid analogues in rat cerebellar slices. *Neuroscience* **18**: 437-447.

- 25. Garthwaite, J., Garthwaite, G. and Hajos, F. (1986) Amino acid neurotoxicity: relationship to neuronal depolarization in rat cerebellar slices. *Neuroscience* **18**: 449-460.
- 26. Garthwaite, G. and Garthwaite, J. (1986) Amino acid neurotoxicity: intracellular sites of calcium accumulation associated with the onset of irreversible damage to rat cerebellar neurones in vitro. *Neuroscience Lett.* **71**: 53-58.
- 27. Garthwaite, J. and Garthwaite, G. (1987) Cellular origins of cyclic GMP responses to excitatory amino acid receptor agonists in rat cerebellum in vitro. *J. Neurochem.* **48**: 29-39.
- 28. Garthwaite, G. and Garthwaite, J. (1987) Quinolinate mimics neurotoxic actions of N-methyl-D-aspartate in rat cerebellar slices. *Neuroscience Lett.* **79**: 35-39.
- 29. Garthwaite, G., Yamini, B. Jr. and Garthwaite, J. (1987) Selective loss of Purkinje and granule cell responsiveness to N-methyl-D- aspartate in rat cerebellum during development. *Devl. Brain Research* **36**: 288-292.
- 30. Garthwaite, G. and Garthwaite, J. (1987) Receptor-linked ionic channels mediate N-methyl-D-aspartate neurotoxicity in rat cerebellar slices. *Neuroscience Lett.* **83**: 241-246.
- 31. Garthwaite, G. and Garthwaite, J. (1988) Electron microscopic autoradiography of D-[<sup>3</sup>H]aspartate uptake sites in mouse cerebellar slices shows poor labelling of mossy fibre terminals. *Brain Research* **440**: 162-166.
- 32. Garthwaite, G. and Garthwaite, J. (1988) Cyclic GMP and cell death in rat cerebellar slices. *Neuroscience* **26**: 321-326.
- 33. Garthwaite, J., Charles, S.L. and Chess-Williams, R. (1988) Endothelium-derived relaxing factor release on activation of NMDA receptors suggests role as intercellular messenger in the brain. *Nature* **336**: 385-388.
- 34. Garthwaite, J. and Brodbelt, A.R. (1989) Synaptic activation of NMDA and non-NMDA receptors in the mossy fibre pathway in immature and adult rat cerebellar slices.

  \*Neuroscience 29: 401-412.
- 35. Garthwaite, G. and Garthwaite, J. (1989) Differential dependence on Ca<sup>2+</sup> of N-methyl-D-aspartate and quisqualate neurotoxicity in young rat hippocampal slices. *Neuroscience Lett.* **97**: 316-322.
- 36. Garthwaite, G. and Garthwaite, J. (1989) Quisqualate neurotoxicity: a delayed, CNQX-sensitive process triggered by a CNQX-insensitive mechanism in young rat hippocampal slices. *Neuroscience Lett.* **99**: 113-118.

- 37. Garthwaite, G. and Garthwaite, J. (1989) Neurotoxicity of excitatory amino acid receptor agonists in young rat hippocampal slices. J.Neurosci. Methods **29**: 33-42.
- 38. Hajos, F., Garthwaite, J., Garthwaite, G. and Csillag, A. (1989) Morphology of supravital brain slices preincubated in a physiological solution prior to fixation. *Acta Morphologica* **37**: 181-199.
- 39. Garthwaite, J., Garthwaite, G., Palmer, R.M.J. and Moncada, S. (1989) NMDA receptor activation induces nitric oxide synthesis from arginine in rat brain slices. Eur. J. Pharmacol. **172**: 413-416.
- 40. Garthwaite, J., Southam, E. and Anderton, M. (1989) A kainate receptor linked to nitric oxide synthesis from arginine. J. Neurochem. **53**: 1952-1954.
- 41. Garthwaite, J. and Beaumont, P.S. (1989) Excitatory amino acid receptors in the parallel fibre pathway in rat cerebellar slices. Neuroscience Lett. **107**: 151-156.
- 42. Garthwaite, J. and Brodbelt, A.R. (1990) Glutamate as the principal mossy fibre transmitter in rat cerebellum: pharmacological evidence. *Eur. J. Neurosci.* **2**: 177-180.
- 43. Meldrum, B.S. and Garthwaite, J. (1990) Excitatory amino acid neurotoxicity and neurodegenerative disease. *Trends Pharmacol. Sci.* **11**: 379-387.
- 44. D'Angelo, E., Rossi, P. and Garthwaite, J. (1990) Dual-component NMDA receptor currents at a single central synapse. *Nature* **346**: 467-470.
- 45. East, S.J. and Garthwaite, J. (1990) Nanomolar N<sup>G</sup>-nitroarginine inhibits NMDA-induced cyclic GMP formation in rat cerebellum. *Eur. J. Pharmacol.* **184**: 311-313.
- 46. Garthwaite, J. (1991) Glutamate, nitric oxide and cell-cell signalling in the nervous system. *Trends Neurosci.* **14**: 60-67.
- 47. Southam, E., East, S.J. and Garthwaite (1991) Excitatory amino acid receptors coupled to the nitric oxide:cyclic GMP pathway in rat cerebellum during development. *J. Neurochem.* **56**: 2072-2081.
- 48. East, S.J. and Garthwaite, J. (1991) NMDA receptor activation in rat hippocampus induces cyclic GMP formation through the L-arginine:nitric oxide pathway. *Neuroscience Lett.* **123**: 17-19.
- 49. Southam, E. and Garthwaite, J. (1991) Climbing fibres as a source of nitric oxide in the cerebellum. *Eur. J. Neurosci.* **4**: 379-382.
- 50. Garthwaite, G. and Garthwaite, J. (1991) AMPA neurotoxicity in cerebellar and hippocampal slices: histological evidence for three mechanisms. *Eur. J. Neurosci.* 3: 715-728.

- 51. Garthwaite, G. and Garthwaite, J. (1991) Mechanisms of AMPA neurotoxicity in rat brain slices. *Eur. J. Neurosci.* **3**: 729-736.
- 52. Southam, E. and Garthwaite, J. (1991) Comparative effects of some nitric oxide donors on cyclic GMP levels in rat cerebellar slices. *Neuroscience Lett.* **130**: 107-111.
- 53. Southam, E. and Garthwaite, J. (1991) Intercellular action of nitric oxide in adult rat cerebellar slices. *Neuroreport* **2**: 658-660.
- 54. East, S.J., Batchelor, A.M. and Garthwaite, J. (1991) Selective blockade of NMDA receptor function by the nitric oxide donor, nitroprusside. *Eur. J. Pharmacol.* **209**: 119-121.
- 55. Vranesic, I., Batchelor, A., Gahwiler, B.H., Garthwaite, J., Staub, C. and Knopfel, T. (1991) Trans-ACPD induced Ca<sup>2+</sup> signals in cerebellar Purkinje cells. *Neuroreport* 2: 759-762.
- 56. Morris, R., Southam, E., Braid, D.J. and Garthwaite, J. (1992) Nitric oxide may act as a messenger between dorsal root ganglion neurones and their satellite cells. *Neuroscience Lett.* **137**: 29-32.
- 57. Southam, E., Morris, R. and Garthwaite, J. (1992) Sources and targets of nitric oxide in rat cerebellum. *Neuroscience Lett.* **137**: 241-244.
- 58. Garthwaite, G., Hajos, F. and Garthwaite, J. (1992) Morphological response of endoplasmic reticulum in cerebellar Purkinje cells to calcium deprivation. *Neuroscience* **48**: 681-688.
- 59. Garthwaite, G., Williams, G.D. and Garthwaite, J. (1992) Glutamate toxicity: an experimental and theoretical analysis. *Eur. J. Neurosci.* **4**: 353-360.
- 60. East, S.J. and Garthwaite, J. (1992) Actions of a metabotropic glutamate receptor agonist in adult and immature rat cerebellum. *Eur. J. Pharmacol.* **219**: 395-400.
- 61. Hansel, C., Batchelor, A., Cuénod, M., Garthwaite, J., Knöpfel, T. and Do, K.Q. (1992)

  Delayed increase of extracellular arginine, the nitric oxide precursor, following electrical white matter stimulation in rat cerebellar slices. *Neuroscience Lett.* **142**: 211-214.
- 62. Batchelor, A. and Garthwaite, J. (1992) GABA<sub>B</sub> Receptors in the parallel fibre pathway of rat cerebellum. *Eur. J. Neurosci.* **4**: 1059-1064.
- 63. Batchelor, A. and Garthwaite, J. (1993) Novel synaptic potentials in cerebellar Purkinje cells: probable mediation by metabotropic glutamate receptors.

  \*Neuropharmacology 32: 11-20.

- 64. Morris, R., Southam, E., Gittins, S.R. and Garthwaite, J. (1993) NADPH-diaphorase staining in autonomic and somatic cranial ganglia of the rat. *Neuroreport* **4**: 62-64.
- 65. Garthwaite, J. (1993) Guest Editor introduction for issue on "Retrograde Messengers", *Seminars Neurosci.* **5**: 147.
- 66. Garthwaite, J. (1993) Nitric oxide signalling in the nervous system. *Seminars Neurosci.* 5: 171-180.
- 67. Southam, E. and Garthwaite, J. (1993) The nitric oxide-cyclic GMP signalling pathway in rat brain. *Neuropharmacology* **32**: 1267-1277.
- 68. Morris, R., Southam, E., Gittins, S.R., de Vente, J. and Garthwaite, J. (1994) The NO-cGMP pathway in neonatal rat dorsal horn. *Eur. J. Neurosci.* **6**: 876-879.
- 69. Boulton, C.L., Irving, A.J., Southam, E., Potier, B., Garthwaite, J. and Collingridge, G.L. (1994) The nitric oxide-cyclic GMP pathway and synaptic depression in rat hippocampal slices. *Eur. J. Neurosci.* **6**: 1528-1535.
- 70. Batchelor, A.M., Madge, D.J. and Garthwaite, J. (1994) Synaptic activation of metabotropic glutamate receptors in the parallel fibre-Purkinje cell pathway in rat cerebellar slices. *Neuroscience* **63**: 911-915.
- 71. Garthwaite, G. and Garthwaite, J. (1994) Nitric oxide does not mediate acute glutamate neurotoxicity, nor is it neuroprotective, in rat brain slices. *Neuropharmacology* **33**: 1431-1438.
- 72. Wood, J. and Garthwaite, J. (1994) Models of the diffusional spread of nitric oxide: Implications for neural nitric oxide signalling and its pharmacological properties.

  \*Neuropharmacology 33: 1235-1244.
- 73. Boulton, C. and Garthwaite, J. (1994) NO signalling and synaptic plasticity. *The Biochemist* **16**: 11-14.
- 74. Garthwaite, J. (1995) Neural nitric oxide signalling. *Trends Neurosci.* **18**: 51-52.
- 75. Bushell, J.T., Jane, D.E., Tse, H-W., Watkins, J.C., Davies, C.H., Garthwaite, J. and Collingridge, G.L. (1995) Antagonism of the synaptic depressant actions of L-AP4 in the lateral perforant path by MAP4. *Neuropharmacology* **34**: 239-241.
- 76. Boxall, A.R. and Garthwaite, J. (1995) Synaptic excitation mediated by AMPA receptors in rat cerebellar slices is selectively enhanced by aniracetam and cyclothiazide.

  Neurochem. Res. 20: 533-537.
- 77. Garthwaite, J. and Boulton, C.L. (1995) Nitric oxide signaling in the central nervous system. *Annu. Rev. Physiol.* **57**: 683-706.

- 78. Xie, X., Lancaster, B., Peakman, T. and Garthwaite, J. (1995) Interaction of the antiepilepetic drug lamotrigine with recombinant rat brain type IIA Na<sup>+</sup> channels and with native Na<sup>+</sup> channels in rat hippocampal neurones. *Pflügers Arch.* **430**: 437-446.
- 79. Salter, M., Duffy, C., Garthwaite, J. and Strijbos, P.J.L.M. (1995) Substantial regional and hemispheric differences in brain nitric oxide synthase (NOS) inhibition following intracerebroventricular administration of N<sup>ω</sup>-nitro-L-arginine (L-NA) and its methyl ester (L-NAME). *Neuropharmacology* **34**: 639-649.
- 80. Garthwaite, J., Southam, E., Boulton, C.L., Nielsen, E.B., Schmidt, K. and Mayer, B. (1995) Potent and selective inhibition of nitric oxide-sensitive guanylyl cyclase by 1*H*-[1,2,4]oxadiazolo[4,3-a]quinoxalin-1-one. *Mol. Pharmacol.* **48**: 184-188.
- 81. Boulton, C.L., Southam, E. and Garthwaite, J. (1995) Nitric oxide-dependent long-term potentiation is blocked by a specific inhibitor of soluble guanylyl cyclase. *Neuroscience* **69**: 699-703.
- 82. Garthwaite, J. and Batchelor, A.M. (1996) A biplanar slice preparation for studying cerebellar synaptic transmission. *J. Neurosci. Methods* **64**: 189-197.
- 83. Garthwaite, J. (1996) Mechanisms of action of lamotrigine. *Neurology* (in press).
- 84. Boxall, A., Lancaster, B. and Garthwaite, J. (1996) Tyrosine kinase is required for long-term depression in the cerebellum. *Neuron* **16**: 805-813.
- 85. Bushell, T.J., Jane, D.E., Tse, H-W., Watkins, J.C., Garthwaite, J. and Collingridge, G.L. (1996) Pharmacological antagonism of the actions of group II and III mGluR agonists in the lateral perforant path of rat hippocampal slices. *Br. J. Pharmacol*. **117**: 1457-1462.
- 86. Xie, X. and Garthwaite, J. (1996) State-dependent inhibition of Na<sup>+</sup> currents by the neuroprotective agent 619C89 in rat hippocampal neurones and in a mammalian cell line expressing type IIA Na<sup>+</sup> channels. *Neuroscience* **73**: 951-962.
- 87. Salter, M., Duffy, C., Garthwaite, J. and Strijbos, P. (1996) *Ex vivo* measurement of brain tissue nitrite and nitrate accurately reflects nitric oxide synthase activity *in vivo*. *J. Neurochem.* **66**: 1683-1690.
- 88. Butterworth, R.J., Wassif, W.S., Sherwood, R.A., Gerges, A., Poyser, K.H., Garthwaite, J., Peters, T.J. and Bath, P.M.W. (1996) Serum neurone specific enolase, carnosinase and their ratio in acute stroke: an enzymatic test for predicting outcome? *Stroke* 27: 2064-2068.

- 89. Salter, M., Strijbos, P.J.L.M., Neale, S., Duffy, C., Follenfant, R.L. and Garthwaite, J. (1996) The nitric oxide-cGMP pathway is required for nociceptive signalling at specific loci within the somatosensory pathway. *Neuroscience* **73**: 649-655.
- 90. Strijbos, P.J.L.M., Leach, M.J. and Garthwaite, J. (1996) Vicious cycle involving Na<sup>+</sup> channels, glutamate release and NMDA receptors mediates delayed neurodegeneration through nitric oxide formation. *J. Neurosci.* **16**: 5004-5013.
- 91. Boxall, A.R. and Garthwaite, J. (1996) Long-term depression in rat cerebellum requires both NO synthase and NO-sensitive guanylyl cyclase. *Eur. J. Neurosci.* **8**: 2209-2212.
- 92. Southam, E., Charles, S.L. and Garthwaite, J. (1996) The nitric oxide-cyclic GMP pathway and synaptic plasticity in the rat superior cervical ganglion. *Br. J. Pharmacol*. **119**: 527-532.
- 93. Batchelor, A.M., Vranesic, I., Del Principe, F., Garthwaite, J. and Knopfel, T. (1996) The synaptic potential mediated by metabotropic glutamate receptors is not associated with a substantial elevation of cytosolic free calcium in cerebellar Purkinje cells. *Neuroreport* 7: 1949-1952.
- 94. Batchelor, A.M. and Garthwaite, J. (1997) Frequency detection and temporally dispersed synaptic signal association through a metabotropic glutamate receptor pathway. *Nature* **385**: 74-77.
- 95. Abraha, H.D., Butterworth, R.J., Bath, P.M.W., Wassif, W.S., Garthwaite, J. and Sherwood, R.A. (1997) Serum S-100 protein, relationship to clinical outcome in acute stroke. *Annals Clin. Biochem.* **34**: 366-370.
- 96. Batchelor, A.M., Knopfel, T.K., Gasparini, F. and Garthwaite, J. (1997)

  Pharmacological characterisation of synaptic transmission through mGluRs in rat cerebellar slices. *Neuropharmacology* **36**: 401-403.
- 97. Vetter, P., Garthwaite, J. and Batchelor, A.M. (1999) Regulation of synaptic transmission in the mossy fibre-granule cell pathway of rat cerebellum by metabotropic glutamate receptors. *Neuropharmacology* **38**: 805-815.
- 98. Garthwaite, G., Brown, G., Batchelor, A.M., Goodwin, D.A. and Garthwaite, J. (1999) Mechanisms of ischaemic damage to central white matter axons: a quantitative histological analysis using rat optic nerve. *Neuroscience* **94**: 1219-1230.
- 99. Garthwaite, G., Goodwin, D.A. and Garthwaite, J. (1999) Nitric oxide stimulates cGMP formation in rat optic nerve axons, providing a specific marker of axon viability. *Eur. J. Neurosci.* **11**: 4367-4372.

- 100. Strijbos, P.J.L.M., Pratt, G.D., Khan, S., Charles, I. and Garthwaite, J. (1999) Molecular characterisation and in situ localisation of a cyclic nucleotide-gated channel in rat brain. *Eur. J. Neurosci.* **11**: 4463-4467.
- 101. Bellamy, T.C., Wood, J., Goodwin, D.A. and Garthwaite, J. (2000) Rapid desensitization of the nitric oxide receptor, soluble guanylyl cyclase, underlies diversity of cellular cGMP responses. *Proc. Natl. Acad. Sci. (USA)* **97**: 2928-2933.
- 102. Bellamy, T.C. and Garthwaite, J. (2001) "cAMP-specific" phosphodiesterase contributes to cGMP degradation in cerebellar cells exposed to nitric oxide. *Mol. Pharmacol.* **59**: 54-61.
- 103. Bellamy, T.C. and Garthwaite, J. (2001) Sub-second kinetics of the nitric oxide receptor, soluble guanylyl cyclase, in intact cerebellar cells. *J. Biol. Chem.* **276**: 4287-4292.
- 104. Bon, C.L.M. and Garthwaite, J. (2001) Nitric oxide-induced potentiation of hippocampal synaptic transmission during baseline stimulation is strictly frequency-dependent. *Neuropharmacology* **40**: 501-507.
- 105. Gibb, B.J. and Garthwaite, J. (2001) Subunits of the nitric oxide receptor, soluble guanylyl cyclase, expressed in rat brain. *Eur. J. Neurosci.* **13**: 539-544.
- 106. Bon, C.L.M. and Garthwaite, J. (2001) Exogenous nitric oxide causes potentiation of hippocampal synaptic transmission during low-frequency stimulation via the endogenous nitric oxide-cGMP pathway. *Eur. J. Neurosci.* **14**: 585-594.
- 107. Neale, S.A., Garthwaite, J. and Batchelor, A.M. (2001) Metabotropic glutamate receptor subtypes modulating neurotransmission at parallel fibre-Purkinje cell synapses in rat cerebellum. *Neuropharmacology* **41**: 42-49.
- 108. Neale, S.A., Garthwaite, J. and Batchelor, A. (2001) mGlu1 receptors mediate a post-tetanic depression at parallel fibre-Purkinje cell synapses in rat cerebellum. *Eur. J. Neuroscience* **14**: 1313-1319.
- 109. Griffiths, C. and Garthwaite, J. (2001) The shaping of nitric oxide signals by a cellular sink. *J. Physiol.* (*Lond.*) **536** (**Pt. 3**): 855-862.
- 110. Bellamy, T. and Garthwaite, J. (2002) The receptor-like properties of nitric oxide-activated soluble guanylyl cyclase in intact cells. *Mol. Cell. Biochem.* **230**: 165-176.
- 111. Garthwaite, G., Goodwin, D.A., Batchelor, A.M., Leeming, K. and Garthwaite, J. (2002) Nitric oxide toxicity in CNS white matter: an *in vitro* study using rat optic nerve. *Neuroscience* **109**: 145-155.

- 112. Bellamy, T., Wood, J. and Garthwaite, J. (2002) On the activation of soluble guanylyl cyclase by nitric oxide. *Proc. Natl. Acad. Sci. USA* **99**: 507-510.
- 113. Bon, C.L.M. and Garthwaite, J. (2002) Adenosine acting on A1 receptors protects nitric oxide-triggered rebound potentiation and LTP in rat hippocampal slices. *J. Neurophysiol.* **87**: 1781-1789.
- 114. Garthwaite, G., Goodwin, D.A., Riddall, D, Neale, S. and Garthwaite, J. (2002) The soluble guanylyl cyclase activator YC-1 protects white matter axons from nitric oxide toxicity and metabolic stress presumably because it inhibits Na<sup>+</sup> channels. *Mol. Pharmacol.* **61**: 97-104.
- 115. Griffiths, C., Yamini, B., Hall, C. and Garthwaite, J. (2002) Nitric oxide inactivation in brain by a novel O<sub>2</sub>-dependent mechanism resulting in the formation of nitrate ions. *Biochem. J.* **362**: 459-464.
- 116. Bellamy, T.C., Griffiths, C. and Garthwaite, J. (2002) Differential sensitivity of guanylyl cyclase and mitochondrial respiration to nitric oxide measured using clamped concentrations. *J. Biol. Chem.* **277**: 31801-31807.
- 117. Griffiths, C., Garthwaite, G., Goodwin, D.A. and Garthwaite, J. (2002) Dynamics of nitric oxide during simulated ischaemia-reperfusion in rat striatal slices measured using an intrinsic biosensor, soluble guanylyl cyclase. *Eur. J. Neurosci.* **15**: 962-968.
- 118. Bellamy, T.C. and Garthwaite, J. (2002) Pharmacology of the nitric oxide receptor, soluble guanylyl cyclase, in cerebellar cells. *Br. J. Pharmacol.* **136**: 95-103.
- 119. Wykes, V., Bellamy, T.C. and Garthwaite, J. (2002) Kinetics of nitric oxide-cyclic GMP signalling in CNS cells and its possible regulation by cyclic GMP. *J. Neurochem.* **83**: 37-47.
- 120. Keynes, R.G., Griffiths, C. and Garthwaite, J. (2003) Superoxide-dependent consumption of nitric oxide in standard biological media may confound *in vitro* experiments. *Biochem. J.* **369**: 399-406.
- 121. Bon, C.L.M. and Garthwaite, J. (2003) On the role of nitric oxide in hippocampal long-term potentiation. *J. Neurosci.* **23**: 1941-1948.
- 122. Gibb, B.J. and Garthwaite, J. (2003) Properties of NO-activated guanylyl cyclases expressed in cells. *Br. J. Pharmacol.* **139**: 1032-1040.
- 123. Griffiths, C., Wykes, V., Bellamy, T.C. and Garthwaite, J. (2003) A new and simple method for delivering clamped NO concentrations in the physiological range:

- application to activation of guanylyl cyclase-coupled NO receptors. *Mol. Pharmacol.* **64:** 1349-1356.
- 124 Keynes, R.G. and Garthwaite, J. (2004) Nitric oxide and its role in ischaemic brain injury. *Curr. Mol. Med.* **4**: 179-181.
- 125. Keynes, R.G., Duport, S. and Garthwaite, J. (2004) Hippocampal neurons in organotypic slice culture are highly resistant to damage by endogenous and exogenous nitric oxide. *Eur. J. Neurosci.* **19**: 1163-1173.
- 126. Wykes, V. and Garthwaite, J. (2004) Membrane-association and the sensitivity of guanylyl cyclase-coupled receptors to nitric oxide. *Br. J. Pharmacol.* **141**: 1087-1090.
- 127. Hopper, R., Lancaster, B. and Garthwaite, J. (2004) On the regulation of NMDA receptors by nitric oxide. *Eur. J. Neurosci.* **19**: 1675-1682.
- 128. Mo, E., Amin, H., Bianco, I.H. and Garthwaite, J. (2004) Kinetics of a cellular nitric oxide/cGMP/phosphodiesterase-5 pathway. *J. Biol. Chem.* **279**: 26149-26158.
- 129. Keynes, R.G., Griffiths, C.H., Hall, C. and Garthwaite, J. (2005) Nitric oxide consumption through lipid peroxidation in brain cell suspensions and homogenates. *Biochem. J.* **387**: 685-694.
- 130. Garthwaite, J. (2005) Dynamics of cellular NO-cGMP signalling. *Front. Biosci.* **10**: 1868-1880.
- 131. Garthwaite, G., Batchelor, A.M., Goodwin, D.A., Hewson, A.K., Leeming, K, Ahmed, Z., Cuzner, M.L. and Garthwaite, J. (2005) Pathological implications of iNOS expression in central white matter: an *ex vivo* study of optic nerves from rats with experimental allergic encephalomyelitis. *Eur. J. Neurosci.* **21**: 2127-2135.
- 132. Duport, S. and Garthwaite, J. (2005) Pathological consequences of iNOS expression in hippocampal slice cultures. *Neuroscience* **135**: 1155-1166.
- 133. Riddall, D., Leach, M.J. and Garthwaite, J. (2006) A novel drug binding site on voltage-gated sodium channels in rat brain. *Mol. Pharmacol.* **69**: 278-287.
- 134. Garthwaite, G., Bartus, K., Malcolm, D., Goodwin, D., Kollb-Sielecka, M., Dooldeniya, C. and Garthwaite, J. (2006) Signaling from blood vessels to CNS axons through nitric oxide. *J. Neurosci.* 26: 7730-7740.
- 135. Roy, B. and Garthwaite, J. (2006) Nitric oxide activation of guanylyl cyclase in cells revisited. *Proc. Natl. Acad. Sci. USA* **103**: 12185-12190.
- 136. Hall, C.N. and Garthwaite, J. (2006) Inactivation of nitric oxide by rat cerebellar slices. *J. Physiol.* **577(Pt 2)**: 549-67

- 137. Hopper, R.A. and Garthwaite, J. (2006) Tonic and phasic nitric oxide signals in hippocampal long-term potentiation. *J. Neurosci.* **26**:11513-11521.
- 138. Garthwaite, J. (2007) Neuronal nitric oxide synthase and the serotonin transporter get harmonious. *Proc. Natl. Acad. Sci. USA* 104: 7739-7740.
- 139. Bartus, K., Garthwaite, G. and Garthwaite, J. (2007) Blood vessels signalling to neurones through nitric oxide. *Physiology News* 67: 25-26.
- 140. Roy, B., Mo, E., Vernon, J and Garthwaite, J. (2008) Probing the presence of the ligand-binding haem in cellular nitric oxide receptors. *Br. J. Pharmacol.* **153**: 1495-1504.
- 141. Garthwaite, J. (2008) Concepts of neural nitric oxide-mediated transmission. *Eur. J. Neurosci.* **27**: 2783–2802.
- 142. Roy, B., Halvey, E.J. and Garthwaite, J. (2008) An enzyme-linked receptor mechanism for nitric oxide-activated guanylyl cyclase. *J. Biol. Chem.* **283**: 18841-18851.
- 143. Clutterbuck, L.A., Posada, C.G., Visintin, C., Riddall, D.R., Lancaster, B., Gane, P.J., Garthwaite, J. and Selwood, D.L. (2009) Oxadiazolylindazole sodium channel modulators are neuroprotective towards hippocampal neurones. *J. Med. Chem.* **52**: 2694-2707.
- 144. Hall, C.N., Keynes, R.G. and Garthwaite, J. (2009) Cytochrome P450 oxidoreductase participates in nitric oxide consumption by rat brain. *Biochem. J.* **419**: 411-418.
- 145. Wilson, G. and Garthwaite, J. (2009) Nitric Oxide. *Encyclopedia of Neuroscience* **6**: 1151-1156.
- 146. James, I.R., Griffiths, C.H., Garthwaite, J. and Bellamy, T.C. (2009) Inhibition of nitric oxide-activated guanylyl cyclase by calmodulin antagonists. *Br. J. Pharmacol.* 158: 1454-1464.
- 147. Hall, C.N. and Garthwaite, J. What is the real physiological NO concentration in vivo? *Nitric Oxide* **21**: 92-103.
- 148. Halvey, E.J., Vernon, J., Roy, B. and Garthwaite, J. (2009) Mechanisms of activity-dependent plasticity in cellular nitric oxide-cGMP signaling. *J. Biol. Chem.* 284: 25630–25641.
- 149. Garthwaite, J. (2010) New insight into the functioning of nitric oxide-receptive guanylyl cyclase: physiological and pharmacological implications. *Mol. Cell. Biochem.* 334: 221-232.

## **B.** Contributions to books

- Balazs, R., Cohen, J., Garthwaite, J. and Woodhams, P.L. Isolation and biochemical characterization of morphologically defined structures, including cell types, from the cerebellum. In "Amino Acids as Chemical Transmitters", F. Fonnum (ed.), Plenum Press, New York. pp. 629-651, 1978.
- 2. Balazs, R., Cohen, J., Woodhams, P.L., Patel, N.J. and Garthwaite, J. Isolation and characterization of cell types from the developing cerebellum. In "Neural Growth and Differentiation", E. Meisami and M.A.B. Brazier (eds.), Raven Press, New York. pp. 113-132, 1979.
- Garthwaite, J. and Balazs, R. Excitatory amino acid-induced changes in cyclic GMP levels in slices and cell suspensions from the cerebellum. In "Glutamate as a Neurotransmitter", Adv. Biochem. Psychopharmacol., Vol. 27, G. DiChiara and G.L. Gessa (eds.), Raven Press, New York, pp. 317-324, 1981.
- 4. Garthwaite, J. and Balazs, R. Separation of cell types from the cerebellum and their properties. In "Advances in Cellular Neurobiology", Vol. 2, S. Federoff and L. Hertz (eds.), Academic Press, New York, pp. 461-489, 1981.
- Garthwaite, J. Excitatory amino acids in the cerebellum: receptor types and receptive cells.
   In "Compartmentation and Neurotransmitter Interaction", H.F. Bradford (ed.), Plenum Press,
   London, pp. 585-600, 1982.
- Alger, B.E., Dhanjal, S.S., Dingledine, R., Garthwaite, J., Henderson, G., King, G.L., Lipton, P., North, R.A., Schwartzkroin, P.A. and Sears, T.A. Segal, M., Whittingham, T.S. and Williams, J. Brain Slice Methods. In "Brain Slices", R. Dingledine (ed.), Plenum Press, New York, pp. 381-437, 1984.
- Garthwaite, J. NMDA Receptors, Neuronal Development and Neurodegeneration. In "The NMDA Receptor", J.C. Watkins and G.L. Collingridge (eds.), Oxford University Press, pp. 187-205, 1989.
- 8. Garthwaite, J. and Garthwaite, G. Mechanisms of Excitatory Amino Neurotoxicity in Rat Brain Slices. In "Excitatory Amino Acids and Neuronal Plasticity", Y. Ben-Ari (ed.), Plenum Press, pp. 505-518, 1990.
- Garthwaite, J. Nitric Oxide Synthesis Linked to Activation of Excitatory Neurotransmitter Receptors in the Brain. In "Nitric Oxide from L-Arginine. A Bioregulatory System", S. Moncada and E.A. Higgs (eds.), Elsevier, Amsterdam, pp.115-137, 1990.

- Southam, E. and Garthwaite, J. Nitric Oxide Formation in Response to Kainate Receptor Activation in Rat Cerebellum. In "Nitric Oxide from L-Arginine. A Bioregulatory System", S. Moncada and E.A. Higgs (eds.), Elsevier, Amsterdam, pp. 475-479, 1990.
- 11. Garthwaite, J., Southam, E. and East, S.J. Excitatory Amino Acids and Nitric Oxide formation. In "Excitatory Amino Acids", B.S. Meldrum, F. Moroni, R.P. Simon and J.H. Woods (eds.), Raven Press, New York, pp. 249-254, 1991.
- 12. Garthwaite, J., Garthwaite, G. and Williams, G.D. Excitatory Amino Acid Neurotoxicity in Rat Brain Slices. In "Glutamate, Cell Death and Memory", P. Ascher, D.W. Choi and Y. Christen (eds.), Springer-Verlag, Berlin, pp. 117-124, 1991.
- 13. Meldrum, B.S. and Garthwaite, J. Excitatory amino acid neurotoxicity and neurodegenerative disease. In "The Pharmacology of Excitatory Amino Acids", D. Lodge and G.L. Collingridge (eds.), Elsevier, Cambridge, pp. 54-62, 1991.
- 14. Garthwaite, J. Glutamate receptors and nitric oxide formation. In "Biological Psychiatry", Volume 2. G. Racagni, N. Brunello and T. Fukuda (eds.), Elsevier, Amsterdam, pp. 731-732, 1991.
- 15. Garthwaite, J. and Garthwaite, G. Mechanisms of excitatory amino acid- induced degeneration. In "Neurodegeneration and Neuroprotection", N.G. Bowery (ed.), PJB. Publications (Scrip Reports), pp. 42-45, 1991.
- 16. Garthwaite, J. and Garthwaite, G. Neurodegenerative mechanisms induced by excitatory amino acid receptor activation in rat brain slices. In "Drug Research Related to Neuroactive Amino Acids" (Alfred Benzon Symposium No. 32), A. Schousboe, N.H. Diemer and H. Kofod (eds.), Munksgaard, Copenhagen, pp.274-286, 1992.
- 17. Garthwaite, J., Southam, E. and S.J. East. Glutamate receptors, nitric oxide and cyclic GMP. In "Excitatory Amino Acids and Second Messenger Systems", L. Turski (ed.), Springer-Verlag, Berlin, pp. 87-101, 1992.
- 18. Garthwaite, J. Nitric oxide and EAA receptor signal transduction. In "Excitatory Amino Acids", R.P. Simon (ed.), Fidia Research Foundation Symposium Series, Vol. 9, Thieme Medical Publishers Inc., New York, pp. 171-175, 1992
- 19. Garthwaite, J. and E. Southam. The nitric oxide: cyclic GMP pathway in the brain. In "Guanidino Compounds in Biology and Medicine", P.P. De Deyn, B. Marescau, V. Stalon and I.A. Qureshi (eds.), John Libbey & Co., London, pp. 71-75, 1992.

- 20. Batchelor, A.M. and Garthwaite, J. Messenger molecules in the cerebellum. In "Neuroscience Year: Supplement to the Encyclopedia of Neuroscience", B.H. Smith and G. Adelman (eds.), Birkhauser Boston Publishing Company, Cambridge, MA, 1992.
- 21. Garthwaite, J., Southam, E. and East, S.J. Nitric oxide and cell-cell signalling in the brain. In "Biology of Nitric Oxide", S. Moncada et al. (eds.), Portland Press, London, pp. 247-248, 1992.
- 22. East, S.J., Batchelor, A.M. and Garthwaite, J. Selective blockade of N-methyl-D-aspartate function by the nitric oxide donor, sodium nitroprusside. In "Biology of Nitric Oxide", S. Moncada et al. (eds.), Portland Press, London, pp. 267-269, 1992.
- 23. Southam, E. and Garthwaite, J. Location of NO-synthase and cGMP in rat cerebellum. In "Biology of Nitric Oxide", S. Moncada et al. (eds.), Portland Press, London, pp. 273-275, 1992.
- 24. Garthwaite, J. Nitric oxide in the brain. In "Pharmacology of Cerebral Ischemia", J. Krieglstein (ed.), Wissenschaftliche Verlagsgessellschaft, Struttgart, pp. 353-358, 1993.
- 25. Garthwaite, J., Southam, E. and Morris, R. Inter-cellular signalling by nitric oxide. In "Biology and Pathology of Astrocyte-Neuron Interactions", S. Federoff and G. Burkholder (eds.), Plenum Press, New York, pp. 67-73, 1993.
- 26. Garthwaite, J. Nitric oxide signalling in the nervous system. In "Nitric Oxide: Brain and Immune System", S. Moncada, G. Nistico and E.A. Higgs (eds.), Portland Press, London, pp. 85-95, 1993.
- 27. Garthwaite, J. NMDA receptors, neuronal development, and neurodegeneration. In "The NMDA Receptor", G.L. Collingridge and J.C. Watkins (eds.), second edition, Oxford University Press, Oxford, pp. 428-456, 1994.
- 28. Lipton, S. and Garthwaite, J. Overview of NO in the CNS: neuronal systems for the analysis of the effects of NO and redox-related congeners. In "Methods in Nitric Oxide Research", M. Feelisch and J.S. Stamler (eds.), John Wiley & Sons, Chichester, pp. 593-602, 1995.
- 29. Southam, E. and Garthwaite, J. Nitric oxide-cGMP pathway in brain slices. In "Nitric Oxide" Methods in Enzymology, Vol. 269, L. Packer (ed.), Academic Press, Florida, USA, pp. 129-133, 1996.
- 30. Salter, M., Southam, E. and Garthwaite, J. Investigating the glutamate-NO-cGMP pathway in the CNS *in vitro* and *in vivo*. In "Nitric Oxide", Methods in Neurosciences, M. Maines (ed.), Academic Press, Florida, USA, pp. 241-252, 1996.

- 31. Garthwaite, J. Excitotoxicity and the pathogenesis of brain damage in cerebral ischaemia. Annual of Cardiac Surgery, 9th edition, M.H. Yacoub and A.F. Carpentier (eds.), Rapid Science Publishers, London, pp. 45-51, 1996.
- 32. Garthwaite, J. NO-cGMP signalling and synaptic plasticity in the CNS. In "From Membrane to Mind", Volume 1, Elsner, N. and Wässle, H. (eds.), Georg Thieme Verlag Stuttgart, New York, pp. 161, 1997.
- 33. Garthwaite, J. The physiological roles of NO in the central nervous system. In "Nitric Oxide", B. Mayer (ed.), Handbook of Experimental Pharmacology, Vol. 143, Springer-Verlag, Berlin, pp. 259-275, 2000.
- 34. Batchelor, A.M. and Garthwaite, J. Cerebellum: messenger molecules. In "Encyclopedia of Neuroscience", 3<sup>rd</sup> edition, G. Adelman and B.H. Smith (eds.), Elsevier, B.V., Amsterdam, (electronic format, no pagination), 2004.
- 35. Hall, C.N. and Garthwaite, J. Trans-synaptic signalling by nitric oxide. In "Dendritic Transmitter Release", M. Ludwig (ed.), Kluwer Academic/Plenum Press, pp. 283-300, 2005.
- 36. Wilson, G. and Garthwaite, J. Nitric Oxide. In "The New Encyclopedia of Neuroscience", L.R. Squire, T. Albright, F. Bloom, F. Gage and L. Spitzer (eds), Vol. 6, Academic Press, Oxford, pp. 1151-1156, 2009.