

List of Publications

Dissertation

Hofmann, F. (1968) "Die Wirkung einiger Colchizinderivate auf den Mäuse-Ascites-Tumor" Medizinische Fakultät der Universität Heidelberg

Habilitation

Hofmann, F. (1977) "Characterisierung der cAMP-abhängigen Protein-kinasen" Fakultät für Theoretische Medizin, Universität Heidelberg

I Referierte Arbeiten

Hofmann, F., Sold, G. (1972) "A protein kinase activity from rat cerebellum stimulated by guanosine-3':5'-monophosphate" Biochem. Biophys.Res.Comm. 49, 1100-1107

Sold, G., Hofmann, F. (1974) "Evidence for a guanosine-3':5'-monophosphate-binding protein from rat cerebellum" Eur.J.Biochem. 44, 143-149

Shizuta, Y., Beavo, J.A., Bechtel, P.J., Hofmann, F., Krebs, E.G. (1975) "Reversibility of the adenosine-3':5'-monophosphate-dependent protein kinase reaction" J.Biol.Chem. 250, 6891-6896

Hofmann, F., Beavo, J.A., Bechtel, P.J., Krebs E.G. (1975) "Comparison of adenosine-3':5'-monophosphate-dependent protein kinases from rabbit skeletal and bovine heart muscle" J.Biol.Chem. 250, 7795-7801

Hofmann, F., Bechtel, P.J., Krebs, E.G. (1977) "Concentrations of cyclic AMP-dependent protein kinase subunits in various tissues" J.Biol.Chem. 252, 1441-1447

Schwechheimer, K., Hofmann, F. (1977) "Properties of regulatory subunit of cyclic AMP-dependent protein kinase (peak I) from rabbit skeletal muscle prepared by urea treatment of the holoenzyme" J. Biol. Chem. 252, 7690-7696

Flockerzi, V., Speichermann, N., Hofmann, F. (1978) "A guanosine-3':5' monophosphate-dependent protein kinase from bovine heart muscle" J.Biol.Chem. 253, 3395-3399

Schmidt-Gayk, H., Lörke, H., Fischkal, A., Goettler, K., Hofmann F. (1979) "Urinary cyclic AMP and bone histology in Walker Carcinosarcoma: Evidence of parathyroid hormone-like activity" Eur.J. Cancer 15, 1211-1218

Issinger, O.-G., Beier, H., Speichermann, N., Flockerzi, V., Hofmann, F. (1980) "Comparison of phosphorylation of ribosomal proteins from Hela and Krebs II Ascites-Tumor Cells by cyclic AMP-dependent and cyclic GMP-dependent protein kinases" Biochem.J. 185, 89-99

Hofmann, F. (1980) "Apparent constants for the interaction of regulatory and catalytic subunit of cAMP-dependent protein kinase I and II" J. Biol. Chem. 255, 1559-1564

Wolf, H., Hofmann , F. (1980) "Purification of myosin light chain kinase from cardiac muscle" Proc. Natl. Acad. Sci. USA 77, 5852-5855

Gerzer, R., Hofmann, F., Schultz, G. (1981) "Purification of a soluble, sodium nitroprusside-stimulated guanylate cyclase from bovine lung" Eur. J. Biochem. 116, 479-486

Sparrow, H.P., Mrwa, U., Hofmann, F., Rüegg, J.C (1981) "Calmodulin is essential for smooth muscle contraction" FEBS Letters 125, 141-145

Gerzer, R., Böhme, E., Hofmann, F., Schultz, G. (1981) "Soluble guanylate cyclase purified from bovine lung contains heme and copper" FEBS Letters 132, 71-74

Rymond, M., Hofmann, F. (1982) "Characterization of phosphorylated and dephosphorylated regulatory subunit of cAMP-dependent protein kinase" Eur. J. Biochem. 125, 395-400

Osterrieder, W., Brum, G., Hescheler, J., Trautwein, W., Flockerzi, V., Hofmann, F. (1982) "Injection of subunits of cAMP-dependent protein kinase into single cardiac myocytes modulates Ca^{2+} current" Nature 298, 576-578

Hemmings, B.A., Aitken, A., Cohen, P., Rymond, M., Hofmann, F. (1982) "Phosphorylation of the type-II regulatory subunit of cyclic AMP-dependent protein kinase by glycogen synthase kinase-3 and glycogen synthase kinase-5" Eur.J.Biochem. 127, 473-481

Glossmann, H., Ferry, D.R., Lübbecke, F., Mewes, R., Hofmann, F. (1982) "Calcium channels: Direct identification with radioligand binding studies" Trends in Pharmacological Science 3, 431-437

Pfizer, G., Rüegg, J.C., Flockerzi, V., Hofmann ,F. (1982) "cGMP-dependent protein kinase decreases calcium sensitivity of skinned cardiac fibers" FEBS Letters 149, 171-175

Hofmann, F., Flockerzi, V. (1983) "Characterization of phosphorylated and non-phosphorylated cGMP-dependent protein kinase" Eur. J. Biochem. 130, 599-603

Glossmann, H., Ferry, D.R., Lübbecke, F., Mewes, R., Hofmann ,F. (1983) "Identification of voltage-operated calcium channels by binding studies: Differentiation of subclasses of calcium antagonist drugs with ^3H -nimodipine radioligand binding" J. Receptor Res. 3, 177-190

Hofmann, F., Gensheimer, H.P. (1983) "cAMP-dependent protein kinase does not phosphorylate cGMP-dependent protein kinase in vitro" FEBS Letters 151, 71-75

Brum, G., Flockerzi, V., Hofmann, F., Osterrieder, W., Trautwein, W. (1983) "Injection of catalytic subunit of cAMP-dependent protein kinase into isolated cardiac myocytes" Pflügers Arch. 398, 147-151

Kreye, V.A.W., Rüegg, J.C., Hofmann, F. (1983) "Effect of calcium-antagonistic and calmodulin-antagonistic drugs on calmodulin-dependent contractions of chemically skinned vascular smooth muscle from rabbit renal arteries" Naunyn-Schmiedeberg's Arch. Pharmacol. 323, 85-89

Flockerzi, V., Mewes, R., Ruth, P., Hofmann, F., (1983) "Phosphorylation of purified bovine cardiac sarcolemma and potassium stimulated calcium uptake" Eur. J. Biochem. 135, 131-142

Hofmann, F., Gensheimer, H.P., Göbel, C. (1983) "Autophosphorylation of cGMP-dependent protein kinase is stimulated only by occupancy of one of two cGMP binding sites" FEBS Letters 164, 350-354

Zimmer, M., Göbel, C., Hofmann, F. (1984) "Calmodulin activates bovine cardiac muscle myosin light chain kinase by increasing the affinity for light chain-2" Eur. J. Biochem. 139, 295-301

Rüegg, J.C., Pfizer, G., Zimmer, M., Hofmann, F. (1984) "The calmodulin fraction responsible for contraction in an intestinal smooth muscle" FEBS Letters 170, 383-386.

Pfizer, G., Hofmann, F., Rüegg, J.C. (1984) "cGMP inhibits tension development in skinned coronary arteries" Pflügers Arch. 401, 277-280.

Aitken, A., Hemmings, B.A., Hofmann, F. (1984) "Identification of the residues on cyclic GMP-dependent protein kinase that are autophosphorylated in the presence of cyclic cAMP and cyclic GMP" Biochem. Biophys. Acta 790, 219-225

Zimmer, M., Hofmann, F. (1984) "Calmodulin antagonists inhibit myosin light chain kinase activity independent of calmodulin" Eur. J. Biochem. 142, 393-397

Hofmann, F., Gensheimer, H.-P., Göbel, C. (1985) "cGMP-dependent protein kinase: Autophosphorylation changes the characteristics of binding site 1" Eur. J. Biochem. 147, 361-365

Hofmann, F., Gensheimer, H.-P., Landgraf, W., Hullin, R., Jastorff, B. (1985) "Diastereomers of adenosine-3',5'-monothionophosphate (cAMP[S]) antagonize the activation of cGMP-dependent protein kinase" Eur. J. Biochem. 150, 85-88

Ruth, P., Flockerzi, V., v. Nettelbladt, E., Oeken, J., Hofmann, F. (1985) "Characterization of the binding sites for nimodipine and (-)desmethoxyverapamil in bovine cardiac sarcolemma" Eur. J. Biochem. 150, 313-322

Pfizer, G., Rüegg, J.C., Zimmer, M., Hofmann, F. (1985) "Relaxation of skinned coronary artery depends on the relative concentration of Ca^{2+} , calmodulin and active cAMP-dependent protein kinase" Pflügers Arch. 405, 70-76

Kameyama, M., Hofmann, F., Trautwein, W. (1985) "On the mechanism of β -adrenergic regulation of Ca-channel in the guinea-pig heart" Pflügers Arch. 405, 285-293

Morano, J., Hofmann, F., Zimmer, M., Rüegg, J.C. (1985) "The influence of P-light chain phosphorylation by myosin light chain kinase (MLCK) on the calcium sensitivity of chemically skinned heart fibres" FEBS Letters 189, 221-224

Landgraf, W., Hullin, R., Göbel, C., Hofmann, F. (1985) "Phosphorylation of cGMP-dependent protein kinase increases the affinity for cyclic AMP" Eur. J. Biochem. 154, 113-117

Ruth, P., Flockerzi, V., Oeken, H.-J., Hofmann, F. (1986) "Solubilization of the bovine cardiac sarcolemmal binding sites for calcium channel blockers" Eur. J. Biochem. 155, 613-620

Kreye, V.A.W., Hofmann, F., Mühlisen, M. (1986) "Barium can replace calcium in calmodulin-dependent contractions of skinned renal arteries of the rabbit" Pflügers Arch. 406, 308-311

Oeken, H.-J., v. Nettelbladt, E., Zimmer, M., Flockerzi, V., Ruth, P., Hofmann, F. (1986) "Cardiac sarcoplasmic reticulum contains a low affinity site for phenylalkylamines" Eur.J.Biochem. 156, 661-667

Pfizer, G., Merkel, L., Rüegg, J.C., Göbel, C., Hofmann, F. (1986) "cGMP relaxes skinned fibres from guinea pig taenia coli but not from chicken gizzard" Pflügers Arch. 407, 87-91

Kameyama, M., Hescheler, J., Hofmann, F., Trautwein, W. (1986) "Modulation of Ca-current during the phosphorylation cycle in guinea-pig heart" Pflügers Arch. 407, 123-128

Waldmann, R., Bauer, S., Göbel, C., Hofmann, F., Jakobs, K.H., Walter, U. (1986) "Demonstration of cGMP-dependent protein kinase and cGMP-dependent phosphorylation in cell-free extracts of platelets" Eur. J. Biochem. 158, 203-210

Flockerzi, V., Oeken, H.-J., Hofmann, F., Pelzer, D., Cavaliè, A., Trautwein, W. (1986) "The purified dihydropyridine binding site from skeletal muscle T-tubules is a functional calcium channel" Nature 323, 66-68

Flockerzi, V., Oeken, H.-J., Hofmann, F. (1986) "Purification of a functional receptor for calcium channel blockers from rabbit skeletal muscle microsomes" Eur. J. Biochem. 161, 217-224

Kreye, V.A.W., Hofmann, F., Villhauer, I. (1986) "Mode of action of nitrates at the cellular level" Z. Kardiologie 75, Suppl. 3, 16-19

Kinzel, V., Hotz, A., König, N., Gagelmann, M., Pyerin, W., Reed, J., Kübler, D., Hofmann, F., Obst, C., Gensheimer, H.P., Goldblatt, D., Shaltiel, S. (1987) "Chromatographic separation of two heterogeneous forms of the catalytic subunit of cyclic AMP-dependent protein kinase holoenzyme type I and type II from striated muscle of different mammalian species" Arch.Biochem.Biophys. 253, 341-349

Zimmer, M., Hofmann, F. (1987) "Differentiation of the drug binding sites of calmodulin" Eur.J.Biochem. 164, 411-420

Sieber, M., Nastainczyk, W., Zubor, V., Wernet, W., Hofmann, F. (1987) "The 165 kDa-peptide of the purified skeletal muscle dihydropyridine receptor contains the known regulatory sites of the calcium channel" Eur.J.Biochem. 167, 117-122

Heil, W.G., Landgraf, W., Hofmann, F. (1987) "A catalytic active fragment of cGMP-dependent protein kinase: occupation of its cGMP binding sites does not affect its phosphotransferase activity", Eur.J.Biochem. 168, 117-121

Trautwein, W., Cavaliè, A., Pelzer, D., Flockerzi, V., Hofmann, F. (1987) "Modulation of calcium channel function by phosphorylation in guinea pig ventricular cells and planar lipid bilayers" Circ. Res. 61(suppl I), I-17-I-23

Nastainczyk, W., Röhrkasten, A., Sieber, M., Rudolph, C., Schächtele, C., Marme, D., Hofmann, F. (1987) "Phosphorylation of the purified receptor for calcium channel blockers by cAMP-kinase and protein kinase C" Eur.J.Biochem. 169, 137-142

Hofmann, F., Nastainczyk, W., Röhrkasten, A., Schneider, T., Sieber, M. (1987) "Regulation of the L-type calcium channel" Trends in Pharmacological Science 8, 393-398

Sieber, M., Nastainczyk, W., Röhrkasten, A., Hofmann, F. (1987) "Reconstitution of the purified receptor for calcium channel blockers" Biomed. Biochim. Acta 46, 357-362

Avenet, P., Hofmann, F., Lindemann, B. (1988) "Transduction in taste receptor cells requires cAMP-dependent protein kinase" Nature 331, 351-354

Wernet, W., Sieber, M., Landgraf, W., Hofmann, F. (1988) "Rabbit skeletal muscle microsomes contain two distinct phenylalkylamine binding sites" Eur.J.Biochem. 172, 233-238

Landgraf, W., Rack, M., Heil, W., Hofmann, F. (1988) "8-(2-carboxymethylthio)cGMP, a site 1 selective compound for cGMP-dependent protein kinase" Eur.J.Biochem. 172, 439-444

Schneider, T., Hofmann, F. (1988) "The bovine cardiac receptor for calcium channel blockers is a 195 kDa protein" Eur.J.Biochem. 174, 369-375

Raeymaekers, L., Hofmann, F., Casteels, R. (1988) "Cyclic GMP-dependent protein kinase phosphorylates phospholamban in isolated sarcoplasmic reticulum from cardiac and smooth muscle" Biochem.J. 252, 269-273

Hofmann, F., Oeken, H.-J., Schneider, T., Sieber, M. (1988) "The biochemical properties of L-type calcium channels" J.Cardiovasc. Pharmacol. 12 (suppl.I), S25-S30

Roger, P.P., Rickaert, F., Huez, G., Authelet, M., Hofmann, F., Dumont, J.E. (1988) "Microinjection of catalytic subunit of cyclic-AMP-dependent protein kinases triggers acute morphological changes in thyroid epithelial cells" FEBS Letters 232, 409-413

Röhrkasten, A., Meyer, H., Nastainczyk, W., Sieber, M., Hofmann, F. (1988) "cAMP-dependent protein kinase rapidly phosphorylates Ser 687 of the rabbit skeletal muscle receptor for calcium channel blockers" J.Biol.Chem. 263, 15325-15329

Röhrkasten, A., Nastainczyk, W., Sieber, M., Jahn, H., Regulla, St., Hofmann, F. (1988) "Phosphorylation of the purified CaCB receptor" J. Cardiovasc. Pharmacol. 12 (suppl. 5), S43-S46

Vrolix, M., Raeymaekers, L., Wuytack, F., Hofmann, F., Casteels, R. (1988) "cGMP-dependent protein kinase stimulates the plasmalemmal Ca^{2+} pump of smooth muscle via phosphorylation of phosphatidylinositol" Biochem. J. 255, 855-863

Felbel, J., Trockur, B., Ecker, Th., Landgraf, W., Hofmann, F. (1988) "Regulation of cytosolic calcium by cAMP and cGMP in freshly isolated smooth muscle cells from bovine trachea" J.Biol.Chem. 263, 16764-16771

- Jahn, H., Nastainczyk, W., Röhrkasten, A., Schneider, T., Hofmann, F. (1988) "Site specific phosphorylation of the purified receptor for calcium channel blockers by cAMP-, cGMP-dependent protein kinase, protein kinase C, calmodulin-dependent protein kinase II, and casein kinase II" *Eur.J.Biochem.* 178, 535-542
- Pelzer, D., Grant, A.O., Cavalié, A., Pelzer, S., Sieber, M., Hofmann, F., Trautwein, W. (1989) "Modulation of calcium channels reconstituted from the skeletal muscle dihydropyridine receptor protein complex and its α_1 peptide subunit in lipid bilayers" *Annals N.Y. Acad. Sci.* 560, 138-154
- Landgraf, W., Hofmann, F. (1989) "The amino terminus regulates binding to and activation of cGMP-dependent protein kinase" *Eur.J. Biochem.* 181, 643-650
- Welling, A., Felbel, J., Peper, K., Hofmann, F. (1989) "Direct hormonal regulation of smooth muscle calcium current" *J. Prot. Chem.* 8, 417-419
- Wernet, W., Flockerzi, V., Hofmann, F. (1989) "The cDNA of the two isoforms of bovine cGMP-dependent protein kinase" *FEBS Letters* 251, 191-196
- Ruth, P., Röhrkasten, A., Biel, M., Bosse, E., Regulla, S., Meyer, H.E., Flockerzi, V., Hofmann, F. (1989) "Primary structure of the β subunit of the DHP-sensitive calcium channel of skeletal muscle" *Science* 245, 1115-1118
- Ecker, T., Göbel, C., Hullin, R., Rettig, R., Seitz, G., Hofmann, F. (1989) "Decreased cardiac concentration of cGMP-kinase in hypertensive animals. An index for cardiac vascularization ?" *Circ. Res.* 65, 1361-1369
- Kim, H.S., Wei, X., Ruth, P., Perez-Reyes, E., Flockerzi, V., Hofmann, F., Birnbaumer, L. (1990) "Studies on the structural requirements for the activity of the skeletal muscle dihydropyridine receptor/slow Ca^{2+} channel. Allosteric regulation of the dihydropyridine binding in the absence of α_2 and β compounds of the purified protein complex" *J.Biol.Chem.* 265, 11858-11863
- Bosse, E., Regulla, S., Biel, M., Ruth, P., Meyer, H.E., Flockerzi, V., Hofmann, F. (1990) "The cDNA and deduced amino acid sequence of the γ -subunit of the L-type calcium channel from rabbit skeletal muscle" *FEBS Letters* 267, 153-156
- Swiderek, K., Jaquet, K., Meyer, H.E., Schächtele, C., Hofmann, F., Heilmeyer Jr., L.M.G. (1990) "Sites phosphorylated in bovine cardiac troponin T and I - Characterization by ^{31}P -NMR spectroscopy and phosphorylation by protein kinases" *Eur.J.Biochem.* 190, 575- 582
- Biel, M., Ruth, P., Bosse, E., Hullin, R., Stühmer, P., Flockerzi, V., Hofmann, F. (1990) "Primary structure and functional expression of high voltage activated calcium channel from rabbit lung", *FEBS Letters* 269, 409-412
- Landgraf, W., Hofmann, F., Pelton, J.T., Huggins, J.P. (1990) "The effects of cyclic GMP on the secondary structure of cyclic GMP-dependent protein kinase and an analysis of the enzyme's amino-terminal domain by far ultraviolet circular dichroism" *Biochemistry* 29, 9921-9928
- Welling, A., Felbel, J., Peper, K., Hofmann, F. (1991)"The β -adrenergic receptor stimulates L-type calcium current in adult smooth muscle cells" *Blood Vessels* 28, 154-158
- Huggins, J.P., Landgraf, W., Hofmann, F., Pelton, J.T. (1991) "Secondary structure and conformational changes associated with substrate-binding and the N-terminus in cyclic GMP-dependent protein kinase" *Biochem.Soc.Trans.* 19, 163S
- Regulla, S., Schneider, T., Nastainczyk, W., Meyer, H.E., Hofmann, F. (1991) "Identification of the site of interaction of the dihydropyridine channel blockers nitrendipine and azidopine with the calcium channel α_1 subunit", *EMBO J.* 10, 45-49
- Mori, Y., Friedrich, Th., Kim, M-S., Mikami, A., Nakai, J., Ruth, P., Bosse, E., Hofmann, F., Flockerzi, V., Furuichi, T., Mikoshiba, K., Imoto, K., Tanabe, T., Numa, S. (1991) "Primary structure and functional expression from complementary DNA of a brain calcium channel" *Nature* 350, 398-402

Biel, M., Hullin, R., Freundner, St., Singer, D., Dascal, N., Flockerzi, V., Hofmann, F. (1991) "Tissue specific and functional expression of high voltage activated dihydropyridine sensitive L-type calcium channels" Eur.J.Biochem. 200, 81-88

Schneider, T., Regulla, S., Hofmann, F. (1991) "The Devapamil binding site of the purified skeletal muscle CaCB-receptor is modulated by micromolar and millimolar calcium" Eur.J.Biochem. 200, 245-253

Landgraf, W., Regulla, S., Meyer, H.E., Hofmann, F. (1991) "Oxidation of cysteines activates cyclic GMP-dependent protein kinase" J. Biol. Chem. 266, 16305-16311

Ruth, P., Landgraf, W., Keilbach, A., May, B., Eglème, C., Hofmann, F. (1991) "The activation of cGMP-dependent protein kinase isozymes I α and I β is determined by the different aminotermini" Eur.J. Biochem. 202, 1339-1344

Singer, D., Biel, M., Lotan, I., Flockerzi, V., Hofmann, F., Dascal, N. (1991) "Roles of the subunits of calcium channel in its expression and function" Science 253, 1553-1557

Lacerda, A.E., Kim, H.S., Ruth, P., Perez-Reyes, E., Flockerzi, V., Brown, A.M., Hofmann, F., Birnbaumer, L. (1991) "Fast kinetics due to interaction between the α_1 and β components of the skeletal muscle dihydropyridine receptor/Ca $^{2+}$ channel complex" Nature 352, 527-530

Welling, A., Felbel, J., Peper, K., Hofmann, F. (1992) "Hormonal regulation of the calcium current of airway smooth muscle" Am.J. Physiol. 262, L351-L359

Hullin, R., Singer-Lahat, D., Freichel, M., Biel, M., Dascal, N., Hofmann, F., Flockerzi, V. (1992) "Calcium channel β subunit heterogeneity: Functional expression of the cloned cDNA from heart, aorta and brain" EMBO J. 11, 885-890

Bosse, E., Bottlender, R., Kleppisch, T., Hescheler, J., Welling, A., Hofmann, F., Flockerzi, V. (1992) "Stable and functional expression of the calcium channel α_1 subunit from smooth muscle in somatic cell lines" EMBO J. 11, 2033-2038

Landgraf, W., Ruth, P., Keilbach, A., May, B., Welling, A., Hofmann, F. (1992) "Cyclic GMP-dependent protein kinase and smooth muscle relaxation" J.Cardiovasc. Pharmacol. 20(suppl.1), S18-S22

Keilbach, A., Ruth, P., Hofmann, F. (1992) "Detection of cGMP-dependent protein kinase isozymes by specific antibodies" Eur.J.Biochem. 208, 467-473

Singer-Lahat, D., Gershon, E., Lotan, I., Hullin, R., Biel, M., Flockerzi, V., Hofmann, F., Dascal, N. (1992) "Modulation of cardiac Ca $^{2+}$ channels in Xenopus oocytes by protein kinase C" FEBS Letters 306, 113-118

Smith, R.G., Hamilton, S., Hofmann, F., Schneider, T., Nastainczyk, W., Birnbaumer, L., Stefani, E., Appel, S. (1992) "Serum antibodies to L-type calcium channels in patients with Amyotrophic Lateral Sclerosis" New England Journal of Medicine 327, 1721-1728

Ruth, P., Wang, G.-X., Boekhoff, I., May, B., Pfeifer, A., Penner, R., Korth, M., Breer, H., Hofmann, F. (1993) "Transfected cGMP-dependent protein kinase suppresses calcium transients by inhibition of IP₃ production in CHO cells" Proc. Natl. Acad. Sci. USA 90, 2623-2627

Nishimura, S., Takeshima, H., Hofmann, F., Flockerzi, V., Imoto, K. (1993) "Requirement of the calcium channel β subunit for functional conformation" FEBS Letters 324, 283-286

Biel, M., Altenhofen, W., Hullin, R., Ludwig, J., Freichel, M., Flockerzi, V., Dascal, N., Kaupp, U. B., Hofmann, F. (1993) "Primary structure and functional expression of a cyclic nucleotide-gated channel from rabbit aorta" FEBS Letters 329, 134-138

Arnal, J-F., Hofmann, F., Michel, J-B. (1993) "Discrepancy between plasma and aortic wall cyclic GMP in an experimental model of congestive heart failure" Cardiovasc. Res. 27, 1651-1656

- Welling, A., Bosse, E., Cavalié, A., Bottlender, R., Ludwig, A., Nastainczyk, W., Flockerzi, V., Hofmann, F. (1993) "Stable coexpression of calcium channel α_1 , β and α_2/δ subunits in a somatic cell line" *J. Physiol.* 471, 749-765
- Feil, R., Bigl, M., Ruth, P., Hofmann, F. (1993) "Expression of cGMP-dependent protein kinase in Escherichia coli" *Mol. Cell. Biochem.* 127/128, 71-80
- Welling, A., Kwan, Y.W., Bosse, E., Flockerzi, V., Hofmann, F., Kass, R.S. (1993) "Subunit-dependent modulation of recombinant L-type calcium channels: molecular basis for dihydropyridine tissue selectivity" *Circ.Res.* 73, 974-980
- Feil, R., Müller, S., Hofmann, F. (1993) "High-level expression of functional cGMP-dependent protein kinase using the baculovirus system" *FEBS Letters* 336, 163-167
- Kimura, F., Smith, R.G., Nyormoi, O., Schneider, T., Nastainczyk, W., Hofmann, F., Stefani, E., Appel, S.H. (1994) "Amyotrophic lateral sclerosis patient antibodies label Ca^{2+} channel α_1 subunit" *Ann. Neurol.* 35, 164-171
- Biel, M., Zong, X., Distler, M., Bosse, E., Klugbauer, N., Murakami, M., Flockerzi, V., Hofmann, F. (1994) "Another member of the cyclic nucleotide-gated channel family expressed in testis, kidney and heart" *Proc. Natl. Acad. Sci. USA* 91, 3505-3509
- Haase, H., Wallukat, G., Nastainczyk, W., Flockerzi, V., Hofmann, F. (1994) "Detection of skeletal muscle calcium channel subunits in cultured neonatal rat cardiac myocytes" *Receptors and Channels* 2, 41-52
- Kleppisch, T., Pedersen, K., Bosse, E., Flockerzi, V., Hofmann, F., Hescheler, J. (1994) "Double-pulse facilitation of smooth muscle $\alpha 1$ -subunit Ca^{2+} channels expressed in CHO cells" *EMBO J.* 13, 2502-2507
- Singer-Lahat, D., Lotan, I., Biel, M., Flockerzi, V., Hofmann, F., Dascal, N. (1994) "Cardiac calcium channels expressed in *Xenopus* oocytes are modulated by dephosphorylation but not by cAMP-dependent phosphorylation" *Receptors and Channels* 2, 215-226
- Mehrke, G., Zong, X.G., Flockerzi, V., Hofmann, F. (1994) "The Ca^{2+} -channel blocker Ro 40-5967 blocks differently T-type and L-type Ca^{2+} channels" *J. Exptl. Pharmacol. Ther.* 271, 1483-1488
- Distler, M., Biel, M., Flockerzi, V., Hofmann, F. (1994) "Expression of cyclic nucleotide-gated channels in non-sensory tissues and cells" *Neuropharmacology* 33, 1275-1282
- Chiamvimonvat, N., O'Rourke, B., Kamp TJ, Kallen, R.G., Hofmann, F., Flockerzi, V., Marban, E. (1994) "Functional consequences of sulfhydryl modification in the pore-forming subunits of cardiovascular calcium and sodium channels" *Circ.Res.* 76, 325-334
- Welling, A., Lacinova, L., Donatin, K., Ludwig, A., Bosse, E., Flockerzi, V., Hofmann, F. (1995) "Expression of the L-type calcium channel with two different β subunits and its modulation by Ro 40-5967" *Pflügers Arch.* 429, 400-411
- Lacinová, L., Welling, A., Bosse, E., Ruth, P., Flockerzi, V., Hofmann, F. (1995) "Interaction of Ro 40-5967 with the stable expressed $\alpha 1$ subunit of the cardiac L-type calcium channel" *J. Exptl. Pharmacol. Ther.* 274, 54 - 63
- Zong, X., Schreieck, J., Mehrke, G., Welling, A., Schuster, A., Bosse, E., Flockerzi, V., Hofmann, F. (1995) "On the regulation of the expressed L-type calcium channel by cAMP-dependent protein kinase" *Pflügers Arch.* 430, 340-347
- Klugbauer, N., Lacinova, L., Flockerzi, V., Hofmann, F. (1995) "Structure and functional expression of a new member of the tetrodotoxin-sensitive voltage-gated sodium channel family from human neuroendocrine cells" *EMBO J.* 14, 1084-1090
- Pfeifer, A., Nürnberg, B., Kamm, S., Uhde, M., Schultz, G., Ruth, P., Hofmann, F. (1995) "Cyclic GMP-dependent protein kinase blocks pertussis toxin-sensitive hormone receptor signaling pathways in Chinese Hamster Cells" *J. Biol. Chem.* 270, 9052-9059
- Barger, S.W., Fiscus, R.R., Ruth, P., Hofmann, F., Mattson, M.P. (1995) "Role of cGMP in the regulation of neuronal calcium and survival by secreted forms of β -amyloid precursor" *J. Neurochem.* 64, 2087-2096

Tegge, W., Frank, R., Hofmann, F., Dostmann, W.R.G. (1995) "Determination of cyclic nucleotide-dependent protein kinase substrate specificity with peptide libraries on cellulose paper" *Biochemistry* 34, 10569-10577

Feil, R., Kellermann, J., Hofmann, F. (1995) „Functional cGMP-dependent protein kinase is phosphorylated in its catalytic domain at Threonine-516“ *Biochemistry* 34, 13152-13158

Lacinová, L., Ludwig, A., Bosse, E., Flockerzi, V., Hofmann, F. (1995) "The block of the expressed L-type calcium channel is modulated by the β_3 subunit" *FEBS Letters* 373, 103-107

Wild, N., Herberg, F.W., Hofmann, F., Dostmann, W.R.G. (1995) "Expression of a chimeric, cGMP-sensitive regulatory subunit of the cAMP-dependent protein kinase type I α " *FEBS Letters* 374, 356-362

Timchenko, L., Nastainczyk, W., Schneider, T., Patel, B., Hofmann, F., Caskey, C.T. (1995) „Full-length myotonin protein kinase (72 kDa) displays serine kinase activity“ *Proc. Natl. Acad. Sci. USA* 92, 5366-5370

Hofmann, F., Biel, M., Pfeifer, A., Ruth, P. (1995) „cGMP increases and decreases cytosolic calcium“ *J. Muscl.Res.Cell Motil.* 16, 444-445

Takekura, H., Takeshima, H., Nishimura, S., Takahashi, M., Tanabe, T., Flockerzi, V., Hofmann, F., Franzini-Armstrong, C. (1995) "Co-Expression in CHO cells of two muscle proteins involved in excitation-contraction coupling" *J. Muscl.Res.Cell Motil.* 16, 465-480

Seisenberger, C., Welling, A., Schuster, A., Hofmann, F. (1995) "Two stable cell lines for screening of calcium channel blockers" *Naunyn-Schmiedebergs Archives Pharmacology*, 352, 662-669

Bangalore, R., Mehrke, G., Gingrich, K., Hofmann, F., Kass, R. (1996) "Influence of L-type Ca channel α_2/δ -subunit on ionic and gating current in transiently transfected HEK 293 cells" *Am. J. Physiol.* 270, H1521-H1528

Zong, X., Hofmann, F. (1996) „Ca²⁺-dependent inactivation of the class C L-type Ca²⁺ channel is a property of the α_1 subunit“ *FEBS Letters* 378, 121-125

Biel, M., Zong, X., Ludwig, A., Sautter, A., Hofmann, F. (1996) "Molecular cloning and expression of a modulatory subunit of the cyclic nucleotide-gated cation channel" *J. Biol. Chem.* 271, 6349-6355

Lerche, H., Klugbauer, N., Lehmann-Horn, F., Hofmann, F., Melzer, W. (1996) „Expression and functional characterization of the cardiac L-type calcium channel carrying a skeletal muscle DHP-receptor mutation causing hypokalaemic periodic paralysis“ *Pflügers Archiv* 431, 461-463

Zhou, X.B., Ruth, P., Hofmann, F., Korth, M. (1996) „Protein phosphatase 2A is essential for activation of I_{K(Ca)} by cyclic GMP kinase in tracheal smooth muscle and CHO cells“ *J.Biol.Chem.* 271, 19760-19767

Schuster, A., Lacinová, L., Klugbauer, N., Ito, H., Birnbaumer, L., Hofmann, F. (1996) „The IVS6 segment of the L-type calcium channel is critical for the action of dihydropyridines and phenylalkylamines“ *EMBO J.* 15, 2365-2370

Gollasch, M., Ried, C., Liebold, M., Haller, H., Hofmann, F., Luft, F.C. (1996) „High permeation of L-type calcium channels at physiological calcium concentrations: homogeneity and dependence on the α_1 subunit“ *Am. J. Physiol.* 271, C842-C850

Klugbauer, N., Hofmann, F. (1996) „Primary structure of a novel ABC transporter with a chromosomal localization on the band encoding the multidrug resistance-associated protein“ *FEBS Letters* 391, 61-65

Ruth, P., Kamm, S., Nau, U., Pfeifer, A., Hofmann, F. (1996) „A cGMP kinase mutant with increased sensitivity to the protein kinase inhibitor peptide PKI(5-24)“ *Biol. Chem. Hoppe Seyler* 377, 513-520

Suh-Kim, H., Wei, X., Klos, A., Pan, S., Ruth, P., Flockerzi, V., Hofmann, F., Perez-Reyes, E., Birnbaumer, L. (1996) „Reconstitution of the skeletal muscle dihydropyridine receptor. Functional interaction among α_1 , β , γ and $\alpha_2\delta$ subunits“ *Receptors and Channels* 4, 217-225

Angelotti, T., Hofmann, F.(1996) "Tissue-specific expression of splice variants of the mouse voltage-gated calcium channel α_2/δ subunit" FEBS Letters 397, 331-337

Pfeifer, A., Aszódi, A., Seidler, U., Ruth, P., Hofmann, F., Fässler, R.(1996) „Intestinal secretory defects and dwarfism in mice lacking the cyclic GMP-dependent protein kinase II gene“ Science 274, 2082-2086

Ludwig , A., Flockerzi, V., Hofmann, F.(1997) „Regional expression and cellular localization of the α_1 and β subunit of high voltage-activated calcium channels in rat brain“ J. Neuroscience 17, 1339-1349

Ruth, P., Pfeifer, A., Kamm, S., Klatt, P., Dostmann, W.R.G., Hofmann, F. (1997) „Identification of the amino acid sequences responsible for high affinity activation of cGMP kinase I α “ J.Biol.Chem. 272, 10522 - 10528

Eberst, R., Dai, S., Klugbauer, N., Hofmann, F. (1997) „Identification and functional characterization of a calcium channel γ subunit“ Pflüger's Archiv 433, 633-637

Höfer, G., Hohenthanner, K., Baumgartner, W., Groschner, K., Klugbauer, N., Hofmann, F., Romanin, C. (1996) „Intracellular Ca^{2+} inactivates L-type Ca^{2+} channels with a Hill coefficient of ≈ 1 and a K_i of $\approx 4 \mu\text{M}$ by reducing channels's open probability“ Biophys. J. 73, 1857 - 1865

Sautter, A., Biel, M., Hofmann, F. (1997) „Molecular structure of the cyclic nucleotide-gated cation channel of rat pineal gland“ Mol. Brain Res. 48, 171-175

Ito, H., Klugbauer, N., Hofmann, F. (1997) „Transfer of the high-affinity dihydropyridine sensitivity from L-type to non-L-type calcium channel“ Mol. Pharmacol. 52, 735 - 740

Schuhmann, K., Voelker, C., Höfer, G.F., Plügelmeier, H., Klugbauer, N., Hofmann, F., Romanin, C., Groschner, K. (1997) „Essential role of the beta subunit in modulation of C class L-type Ca^{2+} channels by intracellular pH“ FEBS Letters 408, 75 - 80

Seisenberger, C., Hofmann, F (1997) „Potentielles Screening-Modell zur Testung von gewebsspezifischen Kalziumantagonisten“ Altex 14, 123-124

Welling, A., Ludwig, A., Zimmer, S., Klugbauer, N., Flockerzi, V., Hofmann F. (1997) „Alternatively spliced IS6 segments of the α_{1C} gene determine the tissue-specific dihydropyridine sensitivity of cardiac and vascular smooth muscle L-type calcium channels“ Circ. Res. 81, 526 - 532

Wissenbach U, Bosse-Doenecke E, Freise D, Ludwig A, Murakami M, Hofmann F, Flockerzi V (1998) „The structure of the murine calcium channel γ subunit gene and protein“ Biol.Chem. 379, 45-40

Zong, X., Zucker, H., Hofmann, F., Biel, M. (1998) „Three amino acids in the C-linker are major determinants of gating in cyclic nucleotide-gated channels“ EMBO J. 17, 353 - 362

Pfeifer, A., Klatt, P., Massberg, S., Ny, L., Sausbier, M., Hirneiß, C., Wang, G., Korth, M., Aszódi, A., Andersson, E., Krombach, F., Mayerhofer, A., Ruth, P., Fässler, R., Hofmann, F. (1998) „Defective smooth muscle regulation in cGMP kinase I-deficient mice“ EMBO J. 17, 3045-3051

Sautter A, Zong X, Hofmann F, Biel M. (1998) „An isoform of the rod photoreceptor cyclic nucleotide-gated channel β subunit expressed in olfactory neurons“ Proc. Natl. Acad. Sci. USA 95, 4696-4701

Ludwig A, Zong X, Jeglitsch M, Hofmann F, Biel M.(1998) „A family of hyperpolarization-activated mammalian cation channels“ Nature 393, 587-591

Zhou, X.B., Schlossmann, J., Hofmann, F., Ruth, P., Korth, M. (1998) „Regulation of stably expressed and native BK channels from human myometrium by cGMP- and cAMP-dependent protein kinase“ Pflügers Archiv 436, 725-734

Lacinová L, Hofmann F (1998) „Isradipine interacts with the open state of the L-type calcium channel at high concentrations“ Receptors and Channels 6, 153 - 164

Wagner Ch, Pfeifer A, Ruth P, Hofmann F, Kurtz A (1998) „Role of cGMP-kinase II in the control of renin secretion and renin expression“ J. Clin. Invest. 102, 1576 -1586

- Alioua A, Tanaka Y, Wallner M, Hofmann F, Ruth P, Meera P, Toro L (1998) „The large conductance, voltage-dependent and calcium-sensitive K⁺ channel, HSLO, is a target of cGMP-dependent protein phosphorylation *in vivo*“ J Biol Chem 273, 32950 - 32956
- Kleppisch T, Pfeifer A, Klatt P, Ruth P, Montkowski A, Fässler R, Hofmann F (1999) „Long-term potentiation in the hippocampal CA1 region of mice lacking the cGMP-dependent kinase is normal and susceptible to inhibition of NO synthase“ J Neuroscience 19, 48 - 55
- Klugbauer N, Lacinova L, Marais E, Hobom MB, Hofmann F (1999) „Molecular diversity of the calcium channel α_2/δ subunit“ J Neuroscience 19, 684 - 691
- Dai S, Klugbauer N, Zong X, Seisenberger C, Hofmann F (1999) „The role of subunit composition on prepulse facilitation of the cardiac L-type calcium channel“ FEBS Lett. 442, 70-74
- Klugbauer N, Marais E, Lacinova L, Hofmann F (1999) „A T-type calcium channel from mouse brain“ Pflügers Archiv 437, 710 - 715
- Luft UC, Bychkov R, Gollasch M., Gross V, Roullet J-B, McCarron DA, Ried, C., Hofmann F, Yagil Y, Yagil C, Haller, H., Hofmann, F., Luft, F.C (1999) „Farnesol blocks the L-type Ca²⁺ Channel by Targeting the α_{1C} subunit“ Arterioscler. Thromb. Vasc. Biol. 19, 959 - 966
- Lacinova L, An RH, Xia J, Ito H, Klugbauer N, Sokol L, Triggle D, Hofmann F, Kass RS (1999) „Distinction in the molecular determinants of charged and neutral dihydropyridine block of L-type calcium channels“ J. Exptl. Pharmacol. Ther. 289, 1472-1479
- Lacinová L, Klugbauer N, Hofmann F (1999) „Absence of modulation of the expressed calcium channel α_{1G} subunit by $\alpha_2\delta$ subunits“ J. Physiology 516, 639-645
- Ludwig A, Zong X, Stieber J, Hullin R, Hofmann F, Biel M. (1999) „Two pacemaker channels from human heart with profoundly different activation kinetics“ EMBO J 18, 2323 - 2329
- Massberg S, Sausbier M, Klatt P, Bauer M, Pfeifer A, Siess W, Fässler R, Ruth P, Krombach F, Hofmann F (1999) „Increased Adhesion and Aggregation of Platelets Lacking cGMP-Kinase I“ J Exp. Med.189, 1255-1263
- Lacinová L, Klugbauer N, Hu M, Hofmann F (1999) „Reconstruction of the dihydropyridine site in a NON-L-Type calcium channel: The role of the IS6 segment“ FEBS Letter 451, 152 - 156
- Biel M, Seeliger M, Pfeifer A, Kohler K, Gerstner A, Ludwig A, Jaissle G, Fauser S, Zrenner E, Hofmann F (1999) „Selective loss of cone function in mice lacking the cyclic nucleotide-gated channel CNG3“ Proc. Natl. Acad. Sci. USA 96, 7553-7557
- Cataldi M, Secondo A, D'Alessio A, Tagliafata M. Hofmann F, Klugbauer N, Di Renzo G, Annunziato L (1999) Studies on maitotoxin-induced intracellular Ca²⁺elevation in CHO cells stably transfected with cDNAs encoding for L-type Ca²⁺ channels subunits. J. Exptl. Pharmacol. Ther. 290, 725 - 730
- Lauven M, Handrock R, Müller A, Hofmann F, Herzig S (1999) Interaction of three structurally distinct Ca²⁺ channel activators with single L-type Ca²⁺ channels. Naunyn-Schmiederberg's Arch Pharmacol 360, 122 - 128
- Moosmang S, Biel M, Hofmann F, Ludwig A (1999) Differential distribution of four hyperpolarization-activated cation channels in mouse brain. Biol. Chem. 380, 975-980
- Handrock R, Rao-Schymanski R, Klugbauer N, Hofmann F, Herzig S (1999) Dihydropyridine enantiomers block recombinant L-type Ca²⁺ channels by two different mechanisms. J.Physiol. 521, 31- 42
- Sipos I, Pika-Hartlaub U, Hofmann F, Flucher, Melzer W (2000) Effects of the dihydropyridine receptor γ and $\alpha_2\delta$ on the kinetics of heterologously expressed L-type Ca²⁺ channels. Pflügers Archiv 439, 691- 699
- Lacinová L, Klugbauer N, Hofmann F (2000) Regulation of the expressed neuronal calcium channel α_{1G} subunit by divalent cations and organic blockers. Neuropharmacology 12, 1217 - 1226
- Vaandrager AB, Bot AGM, Ruth P, Pfeifer A, Hofmann F, De Jonge HR (2000) Differential role of cyclic GMP-dependent protein kinase II in ion transport in murine intestine and colon. Gastroenterology 118, 108 –114
- Hedlund P, Aszódi A, Pfeifer A, Alm P Hofmann F, Ahmad M, Fässler R, Andersson K-E (2000) Erectile dysfunction in cyclic GMP-dependent kinase I-deficient mice. Proc. Natl. Acad. Sci. USA 97, 2349-2354
- Lacinová L, Klugbauer N, Hu M, Hofmann F (2000) State- and isoform-dependent interaction of isradipine with the α_{1C} L-type calcium channel. Pflügers Archiv 440, 50-60

- Gerstner A, Zong X, Hofmann F, Biel M (2000) Molecular cloning and functional characterization of a new modulatory CNG channel subunit from mouse retina. *J Neurosci.* **20**, 1324 - 1332
- Schlossmann J, Ammendola A, Ashman K, Zong X, Huber A, Neubauer G, Wang G-X, Allescher H_D, Korth M, Wilm M, Hofmann F, Ruth P (2000) Regulation of $[Ca^{2+}]_i$ by a Signaling Complex of IRAG, IP₃ Receptor and cGMP Kinase I β . *Nature* **404**, 197 - 201
- Hobom M., Dai S., Marais E., Hofmann F., Klugbauer N (2000) Neuronal distribution and functional characterization of the calcium channel $\alpha_2\delta$ -2 subunit. *Eur. J. Neurosci.* **12**, 1217 – 1226
- Freise D, Held B, Wissenbach U, Pfeifer A, Trost C, Himmerkus N, Schweig U, Freichel M, Biel M, Hofmann, F, Hoth M, Flockerzi F (2000) Absence of the γ subunit of the skeletal muscle dihydropyridine receptor increases L-type Ca^{2+} currents and alters channel inactivation properties. *J Biol. Chem.* **275**, 14476-14481
- Klugbauer N, Dai S, Specht V, Lacinová L, Marais E., Bohn G, Hofmann F (2000) A family of γ – like calcium channel subunits. *FEBS Lett.* **470**, 189-197
- Vaca L., Stieber J., Zong X., Ludwig A., Hofmann F., Biel M. (2000) Mutations in the S4 domain of a pacemaker channel alter its voltage dependence. *FEBS Lett.* **479**, 35-40
- Hohaus A, Poteser M, Romanin C, Klugbauer N, Hofmann F, Morano I, Haase H, Groschner K (2000) Modulation of the smooth muscle L-type Ca^{2+} channel α_1 subunit (α_{1C-b}) by the $\beta 2a$ subunit: a peptide which inhibits binding of the β to the I-II linker of the α_1 induces functional uncoupling. *Biochem J* **348**, 657 - 665
- Nakayama S., N. Klugbauer, Y. Kabeya, L. M. Smith, F. Hofmann, and M. Kuzuya (2000) The α_1 -subunit of smooth muscle Ca^{2+} channel preserves multiple open states induced by depolarization. *J Physiol (Lond)* **526**: 47-56.
- Kühbandner S, Brummer S, Metzger P, Chambon P, Hofmann F, Feil R (2000) Temporally-controlled somatic mutagenesis in smooth muscle. *Genesis* **28**, 15-22
- Bohn G, Moosmang S, Conrad H, Ludwig A, Hofmann F, Klugbauer N (2000) Expression of T- and L-type calcium channel mRNA in murine sinoatrial node. *FEBS Lett.* **481**, 73 - 76
- Sausbier M, Schubert R, Voigt V, Hirneiss C, Pfeifer A, Korth M, Kleppisch T, Ruth P, Hofmann F (2000) Mechanisms of NO/cGMP-Dependent Vasorelaxation. *Circ Res.* **87**, 825 - 830
- Seisenberger C, Specht V, Welling A, Platzter J, Pfeifer A, Kühbandner S, Striessnig J, Klugbauer N, Feil R, Hofmann F (2000) Functional embryonic cardiocytes after disruption of the L-type α_{1C} ($Ca_v1.2$) calcium channel gene in the mouse. *J Biol Chem* **275**, 39193 - 39199
- Staes M, Klugbauer N, Prenen J, Lacinová L, Droogmans G, Hofmann F, Nilius B (2001) Molecular analysis of kinetic properties of the T-type calcium channel α_{1G} . *J. Physiol.* **530**, 35-45
- Zong X, Stieber J, Ludwig A, Hofmann F, Biel M (2001) A single histidine residue determines the pH sensitivity of the pacemaker channel HCN2. *J Biol Chem* **276**, 6313-6319
- Sunagawa M, Nakamura M, Kosugi T, Hofmann F, Sperelakis N (2001). Lack of Tyrosine Protein Kinase Regulation of L-Type Channel Current in Transfected Cells Stably Expressing alpha(1C-b) Subunit. *Jpn. J. Physiol.* **51**, 115-119
- Moosmang S, Stieber J, Zong X, Biel M, Hofmann F, Ludwig A (2001) Cellular expression and functional characterization of four hyperpolarization-activated cation channels in cardiac and neuronal tissues. *Eur. J. Biochem.* **268**, 1646 - 1652
- Freichel Marc, Suk Hyo Suh, Alexander Pfeifer, Ulli Schweig, Claudia Trost, Petra Weißgerber, Martin Biel, Stephan Philipp, Doris Freise, Guy Droogmans, Franz Hofmann, Veit Flockerzi and Bernd Nilius (2001) Lack of an endothelial store-operated Ca^{2+} current impairs agonist-dependent vasorelaxation in TRP4-/- mice. *Nature Cell Biology* **3**; 121 - 127
- Marais E, Klugbauer N, Hofmann F. (2001) Calcium Channel $\alpha_2\delta$ Subunits – Structure and Gabapentin Binding. *Mol Pharmacol.* **59**, 1243-1248.
- Ammendola A , Geiselhöringer A , Hofmann F, Schlossmann J (2001) Molecular determinants of the interaction between IRAG and cGMP kinase. *J Biol Chem.* **276**, 24153 – 24159
- Seeliger MW, Grimm C, Stahlberg F, Friedburg C, Jaissle G, Zrenner E, Guo H, Reme CE, Humphries P, Hofmann F, Biel M, Fariss RN, Redmond TM, Wenzel A (2001) New views on RPE65 deficiency: The rod system is the source of vision in a mouse model of Lebers congenital amaurosis. *Nat Gen* **29**, 70 - 74

- Bender RA, Brewster A, Santoro B, Ludwig A, Hofmann F, Biel M, Baram TZ (2001) Differential and age-dependent expression of hyperpolarization-activated, cyclic nucleotide-gated channel (HCN) isoforms 1-4 suggest evolving roles in the developing rat hippocampus. *Neuroscience* 106, 689-698
- Talavera K, Staes M, Janssens A, Klugbauer N, Droogmans G, Hofmann F, Nilius B (2001) Aspartate residues of the glu-glu-asp-asp (EEDD) pore locus control selectivity and permeation of the T-type Ca^{2+} channel α_{1G} . *J Biol Chem* 276, 45828 – 45836
- Wegener JW, Nawrath H, Wolfsgruber W, Kühbandner S, Werner C, Hofmann F, Feil R (2002) cGMP-dependent protein kinase I mediates the negative inotropic effect of cGMP in the murine myocardium. *Circ Res* 90, 18 - 20
- Rybalkin SD, Rybalkina IG, Feil R, Hofmann F, Beavo JA. (2002). Regulation of cGMP-specific phosphodiesterase (PDE5) phosphorylation in smooth muscle. *J Biol Chem* 277, 3310 - 3317
- Löhn M, Muzzolini U, Kirsch T , Litteral J, Waldron P, Conrad H, Klugbauer N, Hofmann F, Haller H, Luft FC, Huang Y, Gollasch M (2002) Cilnidipine is a novel slow-acting blocker of vascular L-type calcium channels that does not target protein kinase C. *J. Hypertension* 20, 885-893
- Feil R, Gappa N, Rutz M, Schlossmann J, Rose CR, Konnerth A, Brummer S, Kühbandner S, Hofmann F (2002) Functional Reconstitution of Vascular Smooth Muscle Cells with cGMP-Dependent Protein Kinase I Isoforms. *Circ Res* 90, 1080-1086
- Miyazawa T, Ogawa Y, Chusho H, Yasoda A, Tamura N, Komatsu Y, Pfeifer A, Hofmann F, Nakao K. (2002). Cyclic GMP-Dependent Protein Kinase II Plays a Critical Role in C-Type Natriuretic Peptide-Mediated Endochondral Ossification. *Endocrinology* 143, 3604-3610.
- Klugbauer N, Welling A, Specht V, Seisenberger C, Hofmann F (2002) The L-type calcium channels of the embryonic mouse heart. *Eur. J. Pharmacol.* 447, 279 - 284
- Murakami M, Fleischmann B, De Felipe C, Freichel M, Trost C, Ludwig A, Wissenbach U, Schwegler H, Hofmann F, Hescheler J, Flockerzi V, Cavalie A (2002) Pain perception in mice lacking the $\beta 3$ subunit of voltage-activated calcium channels. *J Biol Chem* 277, 40342 - 40351
- Schmidt H, Werner M, Heppenstall P A., Henning M, Moré M I, Kühbandner S, Lewin G R., Hofmann F, Feil R, and. Rathjen F G (2002). cGMP-mediated signaling via cGK α is required for the guidance and connectivity of sensory axons. *J Cell Biol.* 159, 489-498
- Lacinová L, Klugbauer N, Hofmann F (2002) Gating of the expressed $\text{Ca}_{v}3.1$ calcium channel. *FEBS Lett.* 531:235-240
- Er F, Larbig R, Ludwig A, Biel M, Hofmann F, Beuckelmann DJ, Hoppe UC (2003) Dominant-negative suppression of HCN channels markedly reduces the native pacemaker current I_f and undermines spontaneous beating of neonatal cardiomyocytes. *Circulation* 107, 485 - 489
- Koller A, Schlossmann J, Ashman K, Uttweiler-Joseph S, Ruth P, Hofmann F (2003) Association of phospholamban with a cGMP kinase signaling complex. *Biochem. Biophys. Res. Commun.* 300, 155-160
- Ludwig A, Budde T, Stieber J, Moosmang S, Wahl C, Holthoff K, Langebartls A, Wojtak C, Munsch T, Zong X, Feil S, Feil R, Lancel M, Chien KR, Konnerth A, Pape H-C, Biel M, Hofmann F (2003) Absence epilepsy and sinus dysrhythmia in mice lacking the pacemaker channel HCN2. *EMBO J.* 22, 216-224
- Li Z, Xi X, Gu M, Feil R, Ye RD, Eigenthaler M, Hofmann F, Du X. (2003) A stimulatory role for cGMP-dependent protein kinase in platelet activation. *Cell* 112, 77-86
- Yamahara K, Itoh H, Chun T-H, Ogawa Y, Yamashita J, Sawada N, Fukunaga Y, Sone M, Yurugi-Kobayashi T, Miyashita K, Tsujimoto H, Kook H, Feil R, Garbers DL, Hofmann F, Nakao K (2003) Significance and therapeutic potential of natriuretic peptides/cGMP/cGMP-dependent protein kinase pathway in vascular regeneration. *Proc. Natl. Acad. Sci. USA* 100, 3404 - 3409
- Mempel M, Isa G, Klugbauer N, Meyer H, Wildi G, Ring J, Hofmann F, Hofmann H. (2003) Laboratory acquired infection with recombinant Vaccinia virus containing an immunomodulating construct . *J Invest. Dermatol* 120,356 - 358
- Müllershausen F, Friebe A, Feil R, Thompson WJ, Hofmann F, Koesling D. (2003) Direct activation of PDE5 by cGMP: Long-term effects within NO/cGMP signaling. *J Cell Biol.* 160, 719-727

- Oster H, Werner C, Magnone MC, Mayser H, Feil R, Seeliger M, Hofmann F, Albrecht U (2003) cGMP-dependent protein kinase II modulates mPer1 and mPer2 gene induction and influences phase shifts of the circadian clock. *Current Biology* 13:725-733
- Kleppisch T, Wolfsgruber W, Feil S, Allmann R, Wotjak CT, Goebels S, Nave K-A, Hofmann F, Feil R (2003) Hippocampal cyclic GMP-dependent protein kinase I supports an age- and protein synthesis-dependent component of long-term potentiation but is not essential for spatial reference and contextual memory. *J Neurosci* 23, 6005-6012
- Shimizu-Albergine M, Rybalkin SD, Rybalkina IG, Feil R, Wolfsgruber W, Hofmann F, Beavo JA. (2003). Individual cerebellar Purkinje cells express different cGMP phosphodiesterase (PDEs): *in vivo* phosphorylation of cGMP-specific PDE (PDE5) as an indicator of cGMP-dependent protein kinase (PKG) activation. *J Neurosci* 23:6452-6459
- Hattar S, Lucas RJ, Mrosovsky N, Thompson S, Douglas RH, Hankins MW, Lem J, Biel M, Hofmann F, Foster RG, Yau KW. (2003) Melanopsin and rod-cone photoreceptive systems account for all major accessory visual functions in mice. *Nature* 424, 76-81
- Schulla V, Renström E, Feil R, Feil S, Franklin I, Gjinovci A, Jing X-J, Laux D, Lundquist I, Magnuson MA, Obermüller S, Olofsson C, Salehi A, Wendt A, Klugbauer N, Wollheim CB, Rorsman P, Hofmann F (2003) Impaired insulin secretion and glucose tolerance in β cell-selective $\text{Ca}_v1.2 \text{ Ca}^{2+}$ -channel null mice. *EMBO J* 22, 3844-3854
- Vaandragter AB, Hogema BM, Edixhoven M, van den Burg CM, Bot AG, Klatt P, Ruth P, Hofmann F, Van Damme J, Vandekerckhove J, de Jonge HR. (2003) Autophosphorylation of cGMP-dependent protein kinase type II. *J Biol Chem.* 278:28651-28658.
- Wegener JW, Lee M, Hofmann F (2003) Hypothyroidism does not affect the dihydropyridine sensitivity of pre-contracted murine uterus. *Can J Physiology and Pharmacology* 81: 890-893
- Stieber J, Thomer A, Much B, Schneider A, Biel M, Hofmann F (2003) Molecular Basis for the Different Activation Kinetics of the Pacemaker Channels HCN2 and HCN4. *J Biol Chem.* 278, 33672-33680
- Xu M, Welling A, Paparisto S, Hofmann F, Klugbauer N (2003) Enhanced expression of L-type $\text{Ca}_v1.3$ calcium channels in murine embryonic hearts from $\text{Ca}_v1.2$ deficient mice. *J Biol Chem* 278: 40837-40841
- Feil R, Hartmann J, Luo C, Wolfsgruber W, Schilling K, Feil S, Barski JJ, Meyer M, Konnerth A, De Zeeuw CI, Hofmann F (2003) Impairment of LTD and cerebellar learning by Purkinje cell-specific ablation of cGMP-dependent protein kinase I. *J Cell Biology* 163, 295-302
- Wolfsgruber W, Feil S, Brummer S, Kuppinger O, Hofmann F & Feil R (2003) A proatherogenic role for cGMP-dependent protein kinase in vascular smooth muscle cells. *Proc Natl Acad Sci USA* 100, 13519 - 13524
- Moosmang S, Schulla V, Welling A, Feil R, Feil S, Wegener JW, Hofmann F, Klugbauer N (2003) Dominant role of smooth muscle L-type calcium channel $\text{Ca}_v1.2$ for blood pressure regulation. *EMBO J* 22, 6027 - 6034
- Feil R, Hofmann F (2003) Alternative splicing of cGMP-dependent protein kinase I and nitrate tolerance. *Circ. Res.* 93, 143e
- Stieber J, Herrmann S, Feil S, Löster J, Feil R, Biel M, Hofmann F, Ludwig A (2003) The hyperpolarization-activated channel HCN4 is required for the generation of pacemaker action potentials in the embryonic heart. *Proc Natl Acad Sci USA* 100, 15235 - 15240
- Marshall SJ, Senis YA, Auger JM, Feil R, Hofmann F, Salmon G, Peterson JT, Burslem F, Watson SP. (2004) GPIb-dependent platelet activation is dependent on Src kinases but not MAP kinase or cGMP-dependent kinase. *Blood* 103, 2601-9
- Tegeder I, Del-Turco D, Schmidtko A, Sausbier M, Feil R, Hofmann F, Deller T, Ruth P, Geisslinger G (2004) Reduced inflammatory hyperalgesia with preservation of acute thermal nociception in mice lacking cGMP-dependent protein kinase-I. *Proc Natl Acad Sci USA* 101, 3253 - 3257
- Brill J, Klocke R, Paul D, Boison D, Gouder N, Klugbauer N, Hofmann F, Becker CM, Becker K. (2004). *Entla*: A novel epileptic and ataxic *Cacna2d2* mutant of the mouse. *J Biol Chem.* 279, 7322 - 7330.
- Fritsch R , Saur D, Kurjak M, Oesterle D, Schlossmann J, Geiselhöringer A, Hofmann F, Allescher HD (2004) InsP3R-associated cGMP kinase substrate (IRAG) is essential for nitric oxide-induced inhibition of calcium signaling in human colonic smooth muscle. *J Biol Chem* 279, 12551-9
- Feil S, Hofmann F, Feil R (2004) SM22 α modulates vascular smooth muscle cell phenotype during atherogenesis. *Circ Res.* 94, 863 – 865

- Wegener JW, Schulla V, Lee T-S, Koller A, Feil S, Feil R, Kleppisch T, Klugbauer N, Moosmang S, Welling A, Hofmann F (2004) An essential role of $\text{Ca}_v1.2$ L-type calcium channel for urinary bladder function. *FASEB J* 18, 1159 -1161
- Sausbier M, Hu H, Feil S, Kamm S, Adelsberger H, Sausbier U, Sailer CA, Feil R, Hofmann F, Korth M, Shipston MJ, Knaus H-G, Wolfer DP, Pedroarena CM, Storm JF, Ruth P. (2004) Cerebellar Ataxia and Purkinje cell dysfunction caused by Ca^{2+} -activated K^+ channel deficiency. *Proc Natl Acad Sci U S A.* 101: 9474-9478.
- Geiselhöringer A., Gaisa M., Hofmann F., Schlossmann, J. (2004) Distribution of IRAG and cGKI-isoforms in murine tissues. *FEBS Lett.* 575, 19-22
- Geiselhöringer A, Werner M, Sigl K, Smits P, Wörner R, Acheo L, Stieber J, Weinmeister P, Feil R, Feil S, Wegener J, Hofmann F, Schlossmann J (2004) IRAG is essential for relaxation of receptor-triggered smooth muscle contraction by cGMP kinase. *EMBO J* 23, 4222 - 4231
- Koeppen M, Feil R, Siegl D, Feil S, Hofmann F, Pohl U, de Wit C (2004) cGMP-dependent protein kinase mediates NO- but not ACh-induced dilations in resistance vessels in vivo. *Hypertension* 44, 952-955
- Werner C, Raivich G, Cowen M, Stekalowa T, Sillaber I, Buters JT, Spanagel R, Hofmann F (2004) Importance of NO/cGMP signaling via cGMP-dependent protein kinase II for controlling emotionality and neurobehavioural effects of alcohol. *Eur J Neurosci* 20, 3498-3506
- Welling A, Hofmann F, Wegener, JW (2005) Inhibition of L-type $\text{Ca}_v1.2$ Ca^{2+} channels by LY294002 and Gö6983. *Mol Pharmacol* 67, 541 - 544
- Michalakis S, Geiger H, Haverkamp S, Hofmann F, Gerstner A, Biel M (2005) Impaired opsin targeting and cone photoreceptor migration in the retina of mice lacking the cyclic nucleotide-gated channel CNGA3. *Investigative Ophthalmology and Visual Science* 46, 1516 – 1524
- Lacinova L, Hofmann F. (2005) Ca^{2+} - and voltage-dependent inactivation of the expressed L-type $\text{Cav}1.2$ calcium channel. *Arch Biochem Biophys* 437, 42–50
- Sausbier M, Arntz C, Bucurenciu I, Zhao H, Zhou X-B, Sausbier U, Feil S, Kamm S, Eassin K, Sailer CA, Abdullah U, Krippeit-Drews P, Feil R, Hofmann F, Knaus H-G, Kenyon C, Shipston MJ, Storm JF, Neuhuber W, Korth M, Schubert R, Gollasch M, Peter Ruth P. (2005) Elevated blood pressure linked to primary hyperaldosteronism and impaired vasodilation in BK channel-deficient mice. *Circulation* 112, 60 - 68
- Werner CG, Godfrey V, Arnold RR, Featherstone GL, Bender D, Schloßmann J, Schiemann M, Hofmann F, Pryzwansky KB (2005) Neutrophil Dysfunction in Guanosine 3'5'-CyclicMonophosphate-Dependent Protein Kinase I-Deficient Mice. *J Immunol.* 175, 1919-1929.
- Feil S, Zimmerman P, Knorn A, Brummer S, Schlossmann J, Hofmann F, Feil R. (2005) Distribution of cyclic GMP-dependent protein kinase type I and its isoforms in the mouse brain and retina. *Neuroscience* 135, 863 -868
- Bijvelds MJC, Jorna H, Verkade HJ, Bot AGM, Hofmann F, Agellon LB, Sinaasappel M, de Jonge, HR (2005) Activation of CFTR by ASBT-mediated bile salt absorption. *Am J Physiol Gastrointest Liver Physiol.* 289, G870- G879. Epub 2005 Jul 21
- Stieber J, Stöckl G, Herrmann S, Haßfurth B, Hofmann F (2005) Functional expression of the human HCN3 channel. *J Biol Chem.* 280, 34635 - 34643
- Moosmang S, Haider N, Klugbauer N, Adelsberger H, Langwieser N, Müller J, Stiess M, Marais E, Schulla V, Lacinova L, Goebbel S, Nave KA, Storm DR, Hofmann F, Kleppisch T (2005). Role of Hippocampal $\text{Ca}_v1.2$ Ca^{2+} Channels in NMDA receptor-independent Synaptic Plasticity and Spatial Memory. *J Neurosci* 25, 9883 - 9892
- Demyanenko GP, Pryzwansky KB, Werner C, Halberstadt A, Hofmann F, Maness PF (2005) Impaired neocortical organization in mice lacking cGMP-dependent protein kinase I. *Brain Res Dev Brain Res.* 160, 1-8. Epub 2005 Sep 8.
- Moosmang S, Haider N, Brüderl B, Welling A, Hofmann F (2006) Antihypertensive effects of the putative T-type calcium channel antagonist mibepradil are mediated by the L-type calcium channel $\text{Ca}_v1.2$. *Circ Res* 98, 105 - 110
- Bryan P, Smirnov D, Smolenski A, Feil S, Feil R, Hofmann F, Lohmann SM, Potter LR. (2006) A Sensitive Method for Determining the Phosphorylation Status of Natriuretic Peptide Receptors: cGK-Ialpha Does Not Regulate NPR-A. *Biochemistry* 45, 1295-1303
- Stieber J, Wieland K, Stöckl G, Ludwig A, Hofmann F. (2006) Bradycardic and proarrhythmic properties of sinus node inhibitors. *Mol Pharmacol.* 69:1328-1337. Epub 2005 Dec 30.

- Döring B, Shynlova O, Tsui P, Eckardt D, Janssen-Bienhold U, Hofmann F, Feil S, Feil R, Lye SJ, Willecke K. (2006) Ablation of connexin43 in mouse uterine smooth muscle cells causes delayed parturition. *J Cell Sci* 119, 1715 – 1722
- Vignali S, Leiss V, Karl R, Hofmann F, Welling A. (2006) Characterisation of voltage-dependent sodium and calcium channels in mouse pancreatic A- and B-cells. *J Physiol.* 572.3, 691 – 706 published online Mar 2,
- Lacinová L, Kurejová M, Klugbauer N, Hofmann F. (2006) Gating of the expressed T-type $\text{Ca}_{v}3.1$ calcium channels is modulated by Ca^{2+} . *Acta Physiol.* 186(4): 249 - 260
- Gomes B, Savignac M, Cabral MD, Paulet P, Moreau M, Laclerc C, Feil R, Hofmann F, Guery J-C, Dietrich G, Pelletier L (2006) The cGMP/protein kinase G pathway contributes to dihydropyridine-sensitive calcium response and cytokine production in TH2 lymphocytes. *J Biol Chem* 281, 12421 - 12427, online March 13
- Wegener JW, Schulla V, Koller A, Klugbauer N, Feil R, Hofmann F (2006) Control of intestinal motility by the Cav1.2 L-type calcium channel in mice. *FASEB J* 20, 1260-1262. Epub 2006 Apr 24.
- Boesten LSM, Zadelaar SM, De Clercq S, Francoz S, van Nieuwkoop A, Biessen EA, Hofmann F, Feil S, Feil R, Jochemsen AG, Zurcher C, Havekes LM, van Vlijmen BJ, Marine JC. (2006) Mdm2, but not Mdm4, protects terminally differentiated smooth muscle cells from p53-mediated caspase-3-independent cell death. *Cell Death Differ.* 13:2089-2098. Epub 2006 May 26.
- L. Lacinova', M. Kurejova', N. Klugbauer, F. Hofmann. (2006) Gating of the expressed T-type Cav3.1 calcium channels is modulated by Ca^{2+} . *Acta Physiol (Oxf)*. 186(4):249-260.
- Meuth S, Kanyshkova T, Meuth P, Landgraf P, Munsch T, Ludwig A, Hofmann F, Pape H-C, Budde T. (2006) Membrane resting potential of thalamocortical relay neurons is shaped by the interaction among TASK3 and HCN2 channels. *J Neurophysiol.* 96, 1517-1529; Epub 2006 Jun 7.
- Lee T-S, Karl R, Moosmang S, Lenhardt P, Klugbauer N, Hofmann F, Kleppisch T, Welling A (2006) Calmodulin kinase II is involved in voltage-dependent facilitation of the L-type Cav1.2 calcium channel. Identification of the phosphorylation sites. *J Biol Chem* 281: 25560 – 25567; Epub 2006 Jul 4
- Fiedler B, Feil R, Hofmann F, Willenbockel C, Drexler H, Smolenski A, Lohmann SM, Wollert KC. (2006) cGMP-dependent protein kinase type I inhibits TAB1-p38 mitogen-activated protein kinase-apoptosis signaling in cardiac myocytes. *J Biol Chem* 281, 32831 – 32840 , Epub August 29
- Wörner R, Lukowski R, Hofmann F, Wegener JW (2007) cGMP signals mainly through cAMP Kinase in permeabilized murine aorta. *2006 Am J Physiol Heart Circ Physiol.* 292(1):H237-44. Epub 2006 Aug 18.
- Antl M, v. Brühl M-L, Eiglsperger C, Werner M, Konrad I, Köcher T, Wilm M, Hofmann F, Massberg S, Schlossmann J (2007) IRAG mediates NO/cGMP-dependent inhibition of platelet aggregation and thrombus formation. *Blood* 109: 552 - 559 Sep 21; [Epub ahead of print]
- Döring B, Pfitzer G, Adam B, Liebregts T, Eckardt D, Holtmann G, Hofmann F, Feil S, Feil R, Willecke K (2007) Ablation of connexin43 in smooth muscle cells of the mouse intestine: functional insights into physiology and morphology. *Cell Tissue Res.* 327(2):333-342. Epub 2006 Oct 13.
- Sausbier M, Zhou X-B, Beier C, Sausbier U, Wolpers D, Maget S, Martin C, Dietrich A, Ressmeyer A-R, Schlossmann J, Hofmann F, Neuhuber W, Gudermann T, Uhlig S, Korth M, Ruth P (2007) Reduced rather than enhanced cholinergic airway constriction in mice with ablation of the large conductance Ca^{2+} -activated K^{+} channel. *FASEB J.* 21, 812 – 822; 2006 Dec 28; [Epub ahead of print]
- Ying S-W, Jia F, Abbas SY, Hofmann F, Ludwig A, Goldstein PA (2007) Dendritic HCN2 channels constrain glutamate-driven excitability in reticular thalamic neurons. *J Neurosci.* 27(32): 8719-8732
- Essin K, Welling A, Hofmann F, Luft FC, Gollasch M, Moosmang S (2007) Indirect coupling between Cav1.2 channels and ryanodine receptors to generate Ca^{2+} sparks in murine arterial smooth muscle cells. *J Physiol.* 584, 205-19. Epub 2007 Aug 2.
- Schmidt H, Stonkute A, Jüttner R, Schäffer S, Buttgereit J, Feil R, Hofmann F, Rathjen FG. (2007) The receptor guanylyl cyclase Npr2 is essential for sensory axon bifurcation within the spinal cord. *J Cell Biol* 179, 331–340
- Herrmann S, Stieber J, Stöckl G, Hofmann F, Ludwig A (2007) HCN4 provides a 'depolarization reserve' and is not required for heart rate acceleration in mice. *EMBO J.* 26, 4423–4432
- Weber S, Bernhard D, Lukowski R, Weinmeister P, Wörner R, Wegener JW, Feil S, Schlossmann J, Hofmann F, Feil R (2007) Rescue of cGMP kinase I knockout mice by smooth muscle specific expression of either isoform. *Circ Res* 101: 1096-1103; Sep 27; [Epub ahead of print]

Lacinova L, Moosmang S, Langwieser N, Hofmann F, Kleppisch T (2008) Cav1.2 Calcium Channels modulate the spiking pattern of hippocampal pyramidal cells. *Life Sciences* 82: 41–49; doi: [10.1016/j.lfs.2007.10.009](https://doi.org/10.1016/j.lfs.2007.10.009)

Schmidtko A, Gao W, Sausbier M, Rauhmeier I, Sausbier U, Niederberger E, Scholich K, Huber A, Neuhuber W, Allescher, H-D, Hofmann F, Tegeter I, Ruth P, Geisslinger, G (2008) Cysteine-rich protein 2, a novel downstream effector of cGMP/cGMP-dependent protein kinase I mediated persistent inflammatory pain. *J Neurosci* 28:1320-1330

Föller M, Feil S, Ghoreschi K, Koka S, Gerling A, Thunemann M, Hofmann F, Schuler B, Vogel J, Pichler B, Kasinathan RS, Nicolay JP, Huber SM, Lang F, Feil R (2008) Anemia and splenomegaly in cGKI-deficient mice. *Proc Natl Acad Sci U S A.* 105: 6771 - 6776

Lukowski R, Weinmeister P, Bernhard D, Feil S, Gotthardt M, Herz J, Massberg S, Zernecke A, Weber C, Hofmann F, Feil R. (2008) Role of smooth muscle cGMP/cGKI signaling in murine vascular restenosis. *Arterioscler Thromb Vasc Biol.* 28: 1244-1250 on line April 17th

Hoesl E, Stieber J, Herrmann S, Feil S, Tybl E, Hofmann F, Feil R, Ludwig A. (2008) Tamoxifen-inducible gene deletion in the cardiac conduction system. *J Mol Cell Cardiol.* 45: 62-69. Epub 2008 Apr 30

Kawasaki Y, Kugimiya F, Chikuda H, Kamekura S, Ikeda T, Kawamura N, Saito T, Shinoda Y, Higashikawa A, Yano F, Ogasawara T, Ogata N, Hoshi K, Hofmann F, Woodgett JR, Nakamura K, Chung U, Kawaguchi H (2008). Phosphorylation of GSK-3 β by cyclic GMP-dependent protein kinase II promotes chondrocyte hypertrophy and skeletal growth. *J Clin Invest* 118: 2506-2515

Weinmeister P, Lukowski R, Linder S, Traidl-Hoffmann C, Hengst L, Hofmann F, Feil R (2008) cGMP-dependent protein kinase I promotes adhesion of primary vascular smooth muscle cell. *Mol Biol Cell* 19, 4434 - 4441

Lemke T, Welling A, Christel CJ, Blaich A, Bernhard D, Lenhardt P, Hofmann F, Moosmang S (2008) Unchanged beta-adrenergic stimulation of cardiac L-type calcium channels in Ca_v1.2 phosphorylation site S1928A mutant mice. *J Biol Chem.* 283, 34738 - 34744

Paul C, Schöberl F, Weinmeister P, Micale V, Wotjak CT, Hofmann F, Kleppisch T (2008) Signaling through cGMP-dependent protein kinase I in the amygdala is critical for auditory-cued fear memory and long-term potentiation. *J Neurosci* 28: 14202 - 14212

Spießberger B, Bernhard D, Herrmann S, Feil S, Werner C, Luppa PB, Hofmann F (2009) cGMP-dependent Protein Kinase II and Aldosterone Secretion. *FEBS J* 276: 1007 - 1013

Zhao Z, Wang Z, Gu Y, Feil R, Hofmann F, Ma L (2009) Regulate Axon Branching by the Cyclic GMP Pathway via Inhibition of Glycogen Synthase Kinase 3 in Dorsal Root Ganglion Sensory Neurons. *J Neurosci* 29: 1350 - 1360

Aicher A, Heeschen C, Feil S, Hofmann F, Mendelsohn ME, Feil R, Dimmeler, S (2009) cGMP-dependent protein kinase I is crucial for angiogenesis and postnatal neovascularization. *PLOS One* 4: e4879

Higuchi T, Anton M, Dumler K, Seidl S, Pelisek J, Saraste A, Welling A, Hofmann F, Oostendorp RAJ, Gänzbacher B, Nekolla SG, Bengel FM, Botnar RM, Schwaiger M. (2009) Combined reporter gene PET and iron oxide MR imaging for Monitoring Survival and Localization of Transplanted Cells in the Rat Heart. *J Nucl Med* 50:1088–1094

Frei E, Hofmann F, Wegener JW (2009) Phospholipase C mediated Ca²⁺ signals in murine urinary bladder smooth muscle. *Eur. J. Pharmacol.* 610: 106 -109; Mar 18. [Epub ahead of print]

Frei E, Huster M, Smits P, Schlossmann J, Hofmann F, Wegener JW (2009) Calcium-dependent and calcium-independent inhibition of contraction by cGMP/cGKI in intestinal smooth muscle. *Am J Physiol Gastrointest Liver Physiol* 297: G834–G839.

Sawada N, Itoh H, Miyashita K, Tsujimoto H, Sone M, Yamahara K, Arany ZP, Hofmann F, Nakao K (2009) cGMP kinase and RhoA Ser188 phosphorylation integrate pro- and anti-fibrotic signals in blood vessels. *Mol Cell Biol* 29: 6018 – 6032

Desch M, Sigl K, Hieke B, Salb K, Kees F, Bernhard D, Jochim A, Spiessberger B, Höcherl K, Feil R, Feil S, Lukowski R, Wegener JW, Hofmann F Schlossmann J (2010) IRAG determines NO- and ANP-mediated smooth muscle relaxation. *Cardiovasc Res*, Jan 15. [Epub ahead of print]

Langwieser N, Christel CJ, Kleppisch T, Hofmann F, Wotjak C, Moosmang S (2009) Homeostatic switch in Hebbian plasticity and fear learning after sustained loss of Cav1.2 calcium channels. Submitted

Luo C, Gangadharan V, Kurejova M, Bali K, Tappe-Theodor A, Agarwal N, Feil S, Schlossmann J, Hofmann F, Feil R, Kuner T, Kuner R (2009) A presynaptic mechanism for synaptic potentiation in spinal amplification of pain. submitted

- Schinner E, Kurtz A, Hofmann F, Schlossmann J (2009) Localization of cGMP-dependent protein kinases I in the kidney. submitted
- Lukowski R, Rybalkin SD, Loga F, Leiss V, Beavo JA, Hofmann F (2009) Cardiac hypertrophy in cGMP-dependent protein kinase type I deficient hearts. submitted
- Moretti A, Bellin M, Welling A, Jung C, Lam JT, Bott-Flügel L, Dorn T, Sinnecker D, Hönke C, Seyfarth M, Hofmann F, Schömig A Laugwitz K-L (2009) Modeling of LQT1 syndrome in cardiac myocytes from patient specific induced pluripotent stem cells. submitted
- Fernández-Tenorio M, PGonzález-Rodríguez P, Porras C, Castellano A, Moosmang S, FHofmann F, Ureña J, López-Barneo J (2009) Genetic ablation of L-type Ca²⁺ channels abolishes depolarization induced Ca²⁺ release in arterial smooth muscle. submitted
- Huster M, Frei E, Hofmann F, Wegener JW (2010) A complex of CaV1.2/PKC is involved in muscarinic signalling in smooth muscle. In revision

II Reviews

- Hofmann, F. (1976) "Funktions von cyclisch AMP en cyclisch GMP" Chemisch Weekblad 30/31, 369-370
- Hofmann, F. (1979) "Cyclic GMP-dependent protein kinase" In: Hormones and Cell Regulation 3, 127-134
- Schultz, G., Jakobs, K.-H., Hofmann, F. (1980) "Wirkungsprinzipien von Hormonen und Neurotransmittern" Arzneimittelforsch./Drug.Res. 30 (II), 1981-1986
- Hofmann, F., Schultz, G. (1980) "Regulation zellulärer Funktionen durch Proteinphosphorylierung" Arzneimittelforsch./Drug.Res. 30 (II), 1991-1995
- Janko, P., Wolf, H., Hofmann, F. (1982) "On the activation mechanism of cardiac myosin light chain kinase" In: Hormones and Cell Regulation 6, 27-35
- Hofmann, F. (1985) "The molecular basis of second messenger systems for regulation of smooth muscle contractility" J. Hypertension 3, S3-S8
- Ruth, P., Oeken, J., Flockerzi, V., Hofmann, F. (1985) "Regulation of cardiac contractility by calcium and cAMP" Adv. Prot. Phosphatases vol.II, 275-289
- Hofmann, F. (1987) "Signal-Aufnahme und Signal-Umsetzung der Zellen" Chemie in unserer Zeit 21, 186-193
- Hofmann, F., Oeken, H.-J., Sieber, M. (1987) "Properties of the voltage-dependent L-type calcium channel" Biomedical Res.8, suppl. 23-28
- Hofmann, F., Flockerzi, V., Nastainczyk, W., Ruth, P., Schneider, T. (1990) "The molecular structure and regulation of muscular calcium channels" Current Topics in Cellular Regulation 31, 223-239
- Hofmann, F., Dostmann, W., Keilbach, A., Landgraf, W., Ruth, P. (1992) "Structure and physiological role of cGMP-dependent protein kinase" Biochim. Biophys. Acta 1135, 51-60
- Korth, M., Hofmann, F. (1992) "Struktur, Funktion und pharmakologische Beeinflussung spannungsabhängiger Calciumkanäle" Der Bayerische Internist 12, 8-14
- Hullin, R., Biel, M., Flockerzi, V., Hofmann, F. (1993) "Tissue specific expression of calcium channels" Trends Cardiovasc. Med. 3, 48-53
- Hofmann, F., Biel, M., Flockerzi, V. (1994) "Molecular basis for Ca²⁺ channel diversity" Annu. Rev. Neurosci. 17, 399-418

Birnbaumer, L., Campbell, K.P., Catterall, W.A., Harpold, M.M., Hofmann, F., Horne, W.A., Mori, Y., Schwartz, A., Snutch, T.P., Tanabe, T., Tsien, R.W. (1994) "The naming of voltage-gated calcium channels" *Neuron* 13, 505-506

Biel, M., Zong, X., Hofmann, F. (1995) "Cyclic nucleotide-gated cation channels" *Naunyn-Schmiedebergs Archives Pharmacology* 353, 1-10

Biel, M., Zong, X., Hofmann, F. (1996) "Cyclic nucleotide-gated cation channels: molecular diversity, structure and cellular functions" *T Cardiovasc. Med.* 6, 274-280

Biel M., Sautter A, Ludwig A, Hofmann F, Zong X (1998) "Cyclic nucleotide-gated channels, mediators of NO:cGMP-regulated processes" *Naunyn-Schmiedebergs Archives Pharmacology* 358, 140-144

Biel M., Zong X, Ludwig A, Sautter A, Hofmann F (1999) "Structure and function of cyclic nucleotide-gated channels" *Rev.Phys.Biochem.Pharm.* 135, 151 - 171

Pfeifer A, Ruth P, Dostmann W, Sausbier M, Klatt P, Hofmann F (1999) „Structure and function of cGMP-dependent protein kinases“ *Rev.Phys.Biochem.Pharm.* 135, 105-149

Biel M., Ludwig A, Zong X, Hofmann F (1999) "Hyperpolarization-activated cation channels: a multigene family" *Rev.Phys.Biochem.Pharm.* 136, 165 - 181

Hofmann F, Lacinová L, Klugbauer N (1999) Voltage-dependent calcium channels: From structure to function. *Rev.Phys.Biochem.Pharm.* 139, 33 - 86

Biel, M., Zong, X., Hofmann, F. (1999) "Cyclic nucleotide-gated channels" *Advances in Second Messenger and Phosphoprotein Research*; eds. D.L. Armstrong and S.S. Rossie 33, 231 - 250

Ludwig A, Zong X, Hofmann F, Biel M (1999) „Structure and function of cardiac pacemaker channels“ *Cell. Physiol. Biochem* 9, 179 – 186

Hofmann F, Ammendola A, Schlossmann J (2000) „Rising behind NO: cGMP-dependent protein kinases“ *J. Cell Sci.* 113, 1671-1676

Ertel, EA., Campbell KP., Harpold MM., Hofmann F, Mori Y, Perez-Reyes E, Schwartz A, Snutch TP., Tanabe T, Birnbaumer L, Tsien RW., and. Catterall WA (2000) The naming of voltage-gated calcium channels. *Neuron* 25, , 533–535

Lacinová L., Klugbauer N, Hofmann F. (2000) "Low voltage activated calcium channels: from genes to function." *Gen. Physiol. Biophys.* 19, 129 - 136

Bohn G, Moosmang S, Conrad H, Stieber J, Ludwig A, Biel M, Klugbauer N, Hofmann F (2000) Molecular Basis of Pacemaker Current. *Jap J Electrophysiol* 20suppl 3, S-3-76 – S-3-78

Goldin Alan L., Robert L. Barchi, John H. Caldwell, Franz Hofmann, James R. Howe, John C. Hunter, Roland G. Kallen, Gail Mandel, Miriam H. Meisler, Yoheved Berwald Netter, Masahara Noda, Michael M. Tamkun, Steven G. Waxman, John N. Wood, and William A. Catterall (2000) Nomenclature of Voltage-Gated Sodium Channels. *Neuron* 28, 365 - 368

Schlossmann J, Feil R, Hofmann F (2003) Signaling through NO and cGMP-dependent protein kinases. *Annals of Medicine* 35, 21 - 27

Klugbauer N, Marais E, Hofmann F (2003) Calcium channel $\alpha_2\delta$ subunits: Differential expression, function and drug binding. *J Bioenerg. Biomembrane* 35, 639 - 647

Münzel T, Feil R, Mülsch A, Lohmann SM, Hofmann F, Walter U (2003) „Physiology and pathophysiology of vascular signalling controlled by cyclic guanosine 3',5'-cyclic monophosphate-dependent protein kinase“ *Circulation* 108, 2172-2183

Feil R, Lohmann LM, de Jonge H, Walter U, Hofmann F (2003) cGMP-Dependent Protein Kinases and the Cardiovascular System: Insights from Genetically Modified Mice. *Circ Res* 93, 907-916

Stieber J, Hofmann F, Ludwig A (2004) Pacemaker channels and sinus node arrhythmia. *Trends Cardiovasc Med.* 14, 23 – 28

Spedding M, Foord SM, Hofmann F. (2004) Current status of drug receptor nomenclature: receptor closure? The role of NC-IUPHAR. *Expert Opin Investig Drugs.* 13, 461-464.

- Hofmann, F. (2005) The biology of cyclic GMP-dependent protein kinases. *J Biol Chem*, 280, 1-4
- Schlossmann J, Feil R, Hofmann F (2005) Insights into cGMP signalling derived from cGMP Kinase knockout mice. *Frontiers in Bioscience* 10, 1279-1289
- Feil R, Feil S, and Hofmann F. (2005) A heretical view on the role of NO and cGMP in vascular proliferative diseases. *Trends in Mol Medicine* 11, 71- 75
- Feil R, Hofmann F, Kleppisch T (2005) Function of cGMP-dependent protein kinases in the nervous system. *Rev Neurosci.* 16, 23-41
- Moosmang S, Lenhardt P, Haider N, Hofmann F, and Wegener JW. (2005) Mouse models to study L-type calcium channel function. *Pharmacol Therapeut.* 106, 347-355
- Schlossmann J, Hofmann F (2005) cGMP-dependent protein kinases in drug discovery. *Drug Discovery Today* 10, 627 – 634
- Hofmann F, Feil R, Kleppisch T, Schlossmann J. (2006) Function of cGMP-dependent protein kinases as revealed by gene deletion. *Physiol. Rev.* 86, 1-23
- Hofmann, F. Calcium channel voltage-dependent, alpha2/delta 1 subunit. AfCS–Nature Molecule Pages (2006). (doi: 10.1038/mp.a000429.01.)
- Hofmann F. Calcium channel voltage-dependent, alpha2/delta 2 subunit. AfCS–Nature Molecule Pages (2006). (doi: 10.1038/mp.a000430.01.)
- Hofmann F. Calcium channel voltage-dependent, alpha2/delta 3 subunit. AfCS-Nature Molecule Pages (2006). (doi: 10.1038/mp.a000428.01)
- Biel M, Michalakis S, Ludwig A, Hofmann F (2009) Cyclic Nucleotide-Gated and Hyperpolarization-Activated Channels *Encyclopedia of Neuroscience*, edited by Larry Squire, Academic Press, Oxford, 279-284
- Hofmann F, Moosmang S (2009) Cav1. Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav1.1 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav1.2 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav1.3 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav1.4 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav3. Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav3.1 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav3.2 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier
- Hofmann F, Moosmang S (2009) Cav3.3 Voltage-gated Calcium channels. Ed. Zeilhofer, xPharm, Elsevier

III. Textbooks and Handbooks

Hofmann, F. (1985) "Calcium dependent protein kinases and calmodulin antagonists" In: *Calmodulin Antagonists and Cellular Physiology*, ed. Hidaka and Hartshorne, Academic Press, 287-298

Schneider, T., Regulla, S., Nastainczyk, W., Hofmann, F. (1992) "Purification and structure of L-type calcium channels" *Methods in Molecular Biology*, Vol 13: *Protocols in Molecular Neurobiology*; eds. A.Longstaff, P.Revest; Humana Press, Totowa, NJ.; pp 273-286

Hofmann, F., Biel, M., Bosse, E., Hullin, R., Ruth, P., Welling, A., Flockerzi, V. (1993) "High-voltage activated calcium channel" in "GTPase in Biology II", eds. B.Dickey, L.Birnbaumer, Handbook of Experimental Pharmacology, Springer Verlag, Vol. 108/II, 225-238

Hofmann, F., Ludwig, A., Pfeifer, A. (1994) "Cyclic GMP and the control of airways smooth muscle tone" In: "Airways Smooth Muscle: Biochemical control of contraction and relaxation", eds. D. Raeburn, M.A. Giembycz; Birkhäuser Verlag AG, Basel pp. 253-269

Flockerzi, V., Hofmann, F. (1995) "Molecular structure of the cardiac calcium channel" in "Physiology and Pathophysiology of the Heart" 3rd edition, ed. N.Sperelakis, Kluwer Academic Publishers, Norwell, USA; pp 91-99

Hofmann, F. (1995) "Cyclic GMP-dependent protein kinase (vertebrates)" in "The Protein Kinase FactsBook; Protein-Serine Kinases" eds. D.G. Hardie, St. Hanks. Academic Press; Harcourt Brace & Company, Publishers, pp 73-76

Hofmann, F., Klugbauer, N. (1996) "Molecular biology and expression of smooth muscle L-type calcium channel". In: "Biochemistry of smooth muscle contraction". ed. M. Bárány, Academic Press, pp 221-226

Hofmann, F., Biel, M. (1996) "L-type calcium channel structure and function" In: "Molecular physiology and pharmacology of the cardiac ion channels and transporters". ed. M. Morad; S. Ebashi, W.Trautwein, Y. Kurachi, Kluwer Academic Publisher, Dodrecht, The Netherland, pp. 63-69

Hofmann F (1999) "Klinische Pharmakologie" Harrisons Innere Medizin, 14. Deutsche Auflage, McGraw-Hill, pp 491 -529

Hofmann F, Klugbauer N (2000) „Structure of the Voltage-Dependent L-Type Calcium Channel“ in Handbook of Experimental Pharmacology, Volume 147: „Pharmacology of Ionic Channel Function: Activators and Inhibitors“ ed. Endo M, Kurachi Y, Mishina M, pp 87-117

Lacinová L, Hofmann F (2001) „Voltage-dependent calcium channels“ in Heart Physiology and Pathophysiology, 4 th edition; ed.N.Sperelakis, Y.Kurachi, A.Terzic, M.Cohen; Academic Press, pp. 247-257

Hofmann F. (2001) "Allgemeine Pharmakodynamik: Wirkung von Pharmaka auf den Organismus" in: Allgemeine und spezielle Pharmakologie und Toxikologie, 8te Auflage; Herausgeber Forth, Henschler, Rummel, Förstermann, Starke, Urban & Fischer, München, pp.4 - 25

Hofmann F, Biel M, Kaupp B. (2002) Hyperpolarization and Cyclic Nucleotide-Activated Channels. The IUPHAR Compendium of Voltage-gated Ion Channels, eds. WA Catterall, KG Chandy, GA Gutman, IUPHAR Media pp 192-206.

Hofmann F. (2001) "Molecular Basis of Cardiac Pacemaking" in "Molecular Insights into Ion Channel Biology in Health and Disease", ed. R. Maue , Elsevier Science, .

Hofmann F, Feil R, Kleppisch T & Werner C (2003) Effects of cGMP-Dependent Protein Kinase Knockouts. In Handbook of Cellular Signaling; ed. R.Bradshaw and E. Dennis; Academic Press; Vol 2: pp 511-514

Hofmann F, Biel M, Kaupp UB. (2003) International Union of Pharmacology XLII. Compendium of Voltage-Gated Ion Channels: Cyclic Nucleotide-Modulated Channels. Pharmacol Rev. 55, 587-589

Hofmann F (2003) Voltage-dependent Calcium Channels. In: Encyclopedic Reference of Molecular Pharmacology. eds: Offermanns S, Rosenthal W; Springer-Verlag pp. 994 - 999

Hofmann F (2003) Smooth Muscle Tone Regulation. In: Encyclopedic Reference of Molecular Pharmacology. eds: Offermanns S, Rosenthal W; Springer-Verlag pp. 870 - 874

Hofmann F, Biel M, Feil R, Kleppisch T (2004) Mouse Models of the NO/Natriuretic Peptide/ cGMP Kinase Signaling. In Transgenic Models in Pharmacology. eds: Offermanns S, Hein L. Handbook of Experimental Pharmacology 159, 95-130

Ludwig A, Stieber J, Moosmang S, Herrmann S, Biel M, Hofmann F (2004) HCN channels: From genes to function. In: Cardiac Electrophysiologie: From cell to bedside; 4th ed: ed. DP Zipes & J Jalife; Saunders; pp. 59-65

Biel M, Hofmann F (2004) Cyclic Nucleotide-gated Cation Channels. in: Encyclopedia of Biological Chemistry; eds. W. Lennarz, MD Lane; Elsevier Science (USA), volume 1: 512-515

Hofmann F. (2004): Allgemeine Pharmakodynamik: Wirkung von Pharmaka auf den Organismus. In: Allgemeine und spezielle Pharmakologie und Toxikologie, 9te Auflage; Herausgeber Aktories, Hofmann, Förstermann, Starke, Urban & Fischer, München, pp.4 – 25

Hofmann F, Biel M, Kaupp UB. (2005) International Union of Pharmacology LI. Nomenclature and structure-function relationships of cyclic nucleotide-regulated channels. *Pharmacol Rev.* 57, 455-462

Moosmang S, Kleppisch T, Wegener J, Welling A, Hofmann F. (2007) Analysis of calcium channels by conditional mutagenesis. In Conditional Mutagenesis: An Approach to Disease Models. Eds. Feil R, Metzger, D. *Handbook of Experimental Pharmacology* 178, 465 - 486

Schlossmann J, Hofmann F (2008) Receptor-mediated mechanisms. in *Introduction to Toxicology and risk assessment*, ed. H. Greim and R.Snyder, John Wiley & Sons UK, pp132 - 139

Hofmann F (2008) Voltage-dependent Calcium Channels. In: *Encyclopedic Reference of Molecular Pharmacology*, 2nd edition. eds: Offermanns S, Rosenthal W; Springer-Verlag pp. 1301 - 1305

Hofmann F (2008) Smooth Muscle Tone Regulation. In: *Encyclopedic Reference of Molecular Pharmacology*, 2nd edition. eds: Offermanns S, Rosenthal W; Springer-Verlag pp. 1142 - 1145

Hofmann F, Kleppisch T, Moosmang S, Wegener J (2008) *Wissenstrainer Pharmakologie. 250 Fragen, die fit machen.* Urban und Fischer

Hofmann F, Bernhard D, Lukowski R, Weinmeister, P (2009) cGMP regulated Protein Kinases (cGK) In: *cGMP: Generators, Effectors and Therapeutic Implications*. eds: Schmidt HH, Hofmann F, Stasch H-P. *Handbook of Experimental Pharmacology* 191: 137 - 162

Hofmann F & Kleppisch T (2009) Effects of cGMP-Dependent Protein Kinase Knockouts. In *The Handbook of Cell Signaling* 2nd edition; ed. R.Bradshaw and E. Dennis; Academic Press; Vol 2: 1515 - 1518

Schmidt HH, Hofmann F, Stasch JP. (2009) *cGMP: generators, effectors and therapeutic implications*. Preface. *Handb Exp Pharmacol.* 2009;(191):v-vi.

Hofmann F, Kleppisch T, Moosmang S, Wegener J (2009) *Wissenstrainer Pharmakologie. 250 Fragen, die fit machen.* Urban und Fischer

Aktories K, Förstermann U, Hofmann F, Starke K (Herausgeber) (2009) *Allgemeine und spezielle Pharmakologie und Toxikologie; 10 Auflage*

Aktories K, Förstermann U, Hofmann F, Starke K (Herausgeber) (2009) *Repetitorium Allgemeine und spezielle Pharmakologie und Toxikologie; 2.Auflage*

Hofmann F. (2009): Allgemeine Pharmakodynamik: Wirkung von Pharmaka auf den Organismus. In: Allgemeine und spezielle Pharmakologie und Toxikologie, 10te Auflage; Herausgeber Aktories, Hofmann, Förstermann, Starke, Urban & Fischer, München, pp.5 – 24

IV. Proceedings of Symposia

Hofmann, F. (1978) "Interaction of subunits of cAMP-dependent protein kinase" In: *Molecular Biology and Pharmacology of Cyclic Nucleotides*, eds.: G. Folco and R. Paoletti, Elsevier/North-Holland Biomedical Press, p. 129-140

Hofmann, F., Flockerzi, V., Schwechheimer, K., Speicher, N. (1979) "Studies on the activation mechanism of cyclic nucleotide-dependent protein kinases" In: 12th FEBS-Meeting Dresden 1978, Vol. 54, Symp. 57 "Cyclic Nucleotides and Protein Phosphorylation in Cell Regulation"; eds.: E.-G. Krause, L. Pinna, A. Wollenberger, Pergamon Press, p. 115-123

Hofmann, F., Wolf, H. (1981) "Basic properties of myosin light chain kinase from bovine cardiac muscle", 8th Cold Spring Harbor Conference on Cell Proliferation-Protein Phosphorylation Vol.8, 841-847

Gerzer, R., Hofmann, F., Böhme, E., Ivanova, K., Spies, C., Schultz, G. (1981) "Purification of soluble guanylate cyclase without loss of stimulation by sodium nitroprusside" Advances in Cycl. Nucleotides Res. 14, 255-261

Hofmann, F., Wolf, H., Mewes, R., Rymond, M. (1981) "Inhibition of catalytic subunit by fragments of cAMP-dependent protein kinase regulatory subunit I and II" In: Metabolic Interconversion of Enzymes 1980; ed. H. Holzer, Springer Verlag, Berlin - Heidelberg- New York; Proceedings in Life Sciences, p. 314-320

Mewes, R., Hofmann, F. (1981) "Occurrence and functional significance of cardiac muscle protein kinases" In: Proceedings of Symposium on Catecholamines and the Heart; ed. Delius, Gerlach, Grobecker and Kübler, Springer Verlag, Berlin - Heidelberg - New York, p.118-127

Hofmann, F., Zimmer, M. (1985) "The Calmodulin-dependent phosphorylation of cardiac myosin", Adv. Myocardiology, 5, 87-95

Ruth, P., Flockerzi, V., v. Nettelbladt, E., Hofmann, F. (1985) "The bovine cardiac muscle binding sites for calcium-antagonists" Proceedings 16th FEBS Congress, Part B, p. 379-384

Hofmann, F., Flockerzi, V., Oeken, J., Ruth, P. (1985) "Biochemistry and physiology of cardiac calcium channels" 36. Colloquium Mosbach "Neurobiochemistry", Springer Verlag p. 183-192 Hofmann, F. (1986) "Molekulare Mechanismen zellulärer Signalaufnahme und -umsetzung" Ann. Univ. Sarav. Med. 25, 68-76

Flockerzi, V., Ruth, P., Oeken, H.J., Jung, B., Hofmann, F. (1986) "The cardiac calcium channel. Properties and regulation" Hormones and Cell Regulation 10, 235-248

Trautwein, W., Kameyama, M., Hescheler, J., Hofmann, F. (1986) "Cardiac calcium channels and their transmitter modulation" Fortschritte der Zoologie 33, 162-182

Hescheler, J., Kameyama, M., Trautwein, W., Mieskes, G., Hofmann, F. (1987) "Regulation of the Ca-channel by phosphorylation-dephosphorylation" in "Signal Transduction and Protein Phosphorylation" ed. L.M.G.Heilmeyer, Plenum Press, Nato ASI Series A: Life Sciences, Vol.135, 177-181

Ruf, H.H., Rack, M., Landgraf , W., Hofmann, F. (1987) "Binding of fluorescent analogs of cyclic GMP to cGMP-dependent protein kinase" in "Signal Transduction and Protein Phosphorylation" ed. L.M.G.Heilmeyer, Plenum Press, Nato ASI Series A: Life Sciences, Vol.135, 99-104 Hofmann, F. (1988) "Round table on calcium channels: A summary" Advances in Second Messenger and Phosphoprotein Research 21, 175-179

Avenet, P., Hofmann, F., Lindemann, B. (1988) "Signalling in taste receptor cells: cAMP-dependent protein kinase causes depolarization by closure of 44 pS K-channels" Comperative Biochemistry and Physiol. 90A, 681-685

Röhrkasten, A., Meyer, H.E., Schneider, T., Nastainczyk, W., Sieber, M., Jahn, H., Regulla, St., Ruth, P., Flockerzi, V., Hofmann, F. (1988) "Site-specific phosphorylation of the skeletal muscle receptor for calcium channel blockers by cAMP-dependent protein kinase", in: The calcium channel: Structure, Function and Implications. Eds. M.Morad, W.G.Nayler, S.Kazda, M.Schramm, Springer Verlag, 193-199

Pelzer, D., Cavalié, A., Flockerzi, V., Hofmann, F., Trautwein, W. (1988) "Reconstitution of solubilized and purified dihydropyridine receptor from skeletal muscle microsomes as two single calcium channel conductances with different functional properties" in: „The calcium channel: Structure, function and implication.“ Ed. M.Morad, W.G.Nayler, S.Kazda, M.Schramm, Springer Verlag, 217-230

Hofmann, F., Schneider, T., Röhrkasten, A., Nastainczyk, W., Sieber, M., Ruth, P., Flockerzi, V. (1989) "Calcium-Kanäle: Struktur und Funktion des Rezeptors für Calcium-Kanalblocker im Skelettmuskel" Arzneimittel Forschung/Drug Research 39 (I), 1a, 164-168

Röhrkasten, A., Nastainczyk, W., Meyer, H.E., Sieber, M., Schneider, T., Regulla, St., Hofmann, F. (1989) "Identification of the cAMP-specific phosphorylation site of the purified skeletal muscle receptor for calcium channel blockers" Ann.N.Y.Acad.Sci. 560, 395-397

Hofmann, F., Schneider, T. (1989) "Calcium channels: structure and function of the skeletal muscle calcium antagonist receptor" in Highlights of Modern Biochemistry (ed. by A.Kotyk, J.Skoda, V. Paces and V. Kosta), VSP International Science Publishers, Zeist, pp. 361-368

Hofmann, F. (1992) "Spät, aber nicht zu spät" Biologie in unserer Zeit 22, 302-303

Flockerzi, V., Biel, M., Hofmann, F. (1992) "Schleusen am ewigen Strom. Kein Herzschlag ohne Kalzium" Forschung für Bayern Sonderheft Medizin eds. J.Dudel, H.Graeff, TUM München, pp. 24-25

Hullin, R., Biel, M., Bosse, E., Welling, A., Hofmann, F., Flockerzi, V. (1993) "Genetischer Polymorphismus spannungsaktivierter Kalziumkanäle" in "Zelluläre Mechanismen der Herz-Kreislaufregulation: Pharmakologische und klinische Konsequenzen" ed. D. Ganten, Schattauer Verlag Stuttgart - New York, pp. 23-37

Ruth, P., Wang, G.-X., May, B., Felbel, J., Korth, M., Hofmann, F. (1993) "Regulation der zytosolischen Kalziumkonzentration durch cGMP-abhängige Protein Kinase" in "Zelluläre Mechanismen der Herz Kreislaufregulation: Pharmakologische und klinische Konsequenzen" ed. D. Ganten, Schattauer Verlag Stuttgart - New York, pp. 97-109

Hofmann, F., Biel, M., Bosse, E., Flockerzi, V., Ruth, P., Welling, A. (1994) "Functional expression of cardiac and smooth muscle calcium channels" in "Ion channels in the cardiovascular systems: Function and dysfunction", ed. A. M. Brown, W. A. Catterall, G. J. Kaczorowski, P. S. Spooner, H. C. Strauss. Futura Publishing Company, Armonk, N.Y. pp, 369-381

Hofmann, F., Zong, X.G. (1995) " β -adrenoceptor agonists and regulation of calcium channels in airways smooth muscle" In „Beta Adrenoceptor Agonists and the Airways“ ed. R. Small, and M.Johnson, The Royal Society of Medicine Press, pp. 27-33

Hofmann, F. (1995) "Regulation of L-type Ca^{2+} channels by phosphorylation" Meetings Reports Cardiovascular 4, 20

Tegge, W., Dostmann, W., Hofmann, F., Frank, R. (1995) "Determination of the specificities of cAMP- and cGMP-dependent protein kinases with peptide libraries on cellulose paper" in: „Peptides 1994“, Proceedings of the 23rd Eur-Pept.Symposium, ed. H.L.S. Maia; ESCOM Leiden pp. 481-482

Hofmann, F., Klugbauer, N., Lacinová, L., Seisenberger, C., Schuster, A., Welling, A. (1996) "The interaction of the L-type calcium channel with calcium channel blockers" in "Molecular and cellular mechanisms of cardiovascular regulation", eds. M.Endoh, M.Morad, H.Scholz, T..Iijima; Springer Verlag Tokyo, pp. 231-242

Hofmann F, Korth M, (1997) „Zur derzeitigen Situation der experimentellen kardiovaskulären Forschung in Deutschland“ in Herz-Kreislaufforschung in Deutschland, ed. DLR-Projekträgerdes BMBF, G.Franke-Ullmann, P.Binkelmann; Kohlhammer Verlag , Stuttgart, pp 64-68

Hofmann F (1998) „ Akzeptierte Arzneitherapie: Arzneiverordnung“ Münch.med.Wschr. 140, 6-7

Klugbauer, N., Zong, X., Hofmann, F. (1998) „Interaction of mibepradil with T- and L-type calcium channels“ in „Low-Voltage-Activated T-type Calcium Channels“ eds. R.W. Tsien, J-P Clozel, J. Nargeot; Adis Internat. Chester, pp 378-385

Klugbauer N, Lacinova L, Welling A, Ludwig A, Ito H, Schuster A, Hofmann F (1998) „Molecular biology of Ca^{2+} channels“ Pharmacol.Toxicol. 83 suppl, 81-83

Talts, J.F., Pfeifer, A., Hofmann, F., Hunziker, E.B., Aszodi, A., Fässler, R. (1998) „Endochondral ossification is dependent on the mechanical properties of cartilage tissue and on intracellular signals in chondrocytes“ Annals N.Y. Acad. Sci.857, 74-85

Moosmang S, Bohn G, Conrad H, Ludwig A, Biel M, Klugbauer N, Hofmann F (2001) Molecules Contributing to Cardiac Pacemaker Current. ed. M.Morad, K. Kostyuk. IOS Press, pp 262-264

Klugbauer N, Specht V, Welling A & Hofmann F (2001) Molecular Insights into the Physiological Functions of the L-type $\text{Ca}_{v}1.2$ Calcium Channel by Targeted Gene Deletion. Pharm News, in press

Hofmann F, Stieber J (2004) Molecular basis of pacemaking. In “ Rezeptoren-Mediatoren: Ihre Rolle bei modernen Therapieansätzen“; eds. Michel H., Wolf H. Schattauer Verlag; pp. 71-81

Hofmann F (2004) Wächter an Herz und Bewusstsein – Schrittmacherkanäle. In Sitzungsberichte 2001-2003. Bayerische Akademie der Wissenschaft, Verlag der Bayerischen Akademie der Wissenschaften, pp 16 - 17

Herrmann S, Stieber J, Ludwig A, Hofmann F (2005) Schrittmacherkanäle: Wächter an Hirn und Herz. Jahrbuch 2004. Leopoldina (R.3) 50, 421-428

Hofmann F (2005) „Würdigung von Frau Dr. Juliane Stieber“. Biospektrum 11, 215