

Selected Publications 1996–2006

300. Contreras–Brodin, B., Karlsson, A., Nilsson, T., Rymo, L. & Klein, G.

B cell–specific activation of the Epstein–Barr virus–encoded C promoter compared with the wide–range activation of the W promoter

J General Virol, 1996, 77, 1159–1162.

301. Pokrovskaja, K., Ehlin–Henriksson, B., Bartkova, J., Bartek, J., Scuderi, R., Szekely, L., Wiman, K...G. & Klein, G.

Phenotype–related Differences in the Expression of D–Type Cyclins in Human B Cell–derived Lines

Cell Growth & Differentiation, 1996, 7, 1723–1732

302. Silva, S., Babonits, M. & Klein, G.

Ig/myc translocations of the plasmacytoma–prone BALB/c strain occur independently of the genetic and parental origin of the affected chromosomes 6, 12, and 15

Genes, Chromosomes & Cancer, 1996, 17, 179–184.

303. Silva, S., Wang, Y., Babonits, M., Imreh, S., Wiener, F. & Klein G

Spontaneous Development of Plasmacytomas in a Select Subline of BALB/cJ Mice

European Journal of Cancer, 1997, 33, 479–485.

304. Klein, G

Commentary.Rejection antigens in chemically induced tumors

Proc Natl Acad Sci USA, 1997, 94, 5991–5992

305. Wiman, G. .K. & Klein, G.

An old acquaintance resurfaces in human mesothelioma

Nature Medicine, 1997, 3, 16–17.

306. Yamasaki, T., Akiyama, Y., Fukuda, M., Kimura, Y., Moritake, K., Kikuchi, H., Ljuanggren, H.–G., Kärre, K. & Klein, G.

Natural resistance against tumors grafted into the brain in association with histocompatibility–class–I–antigen expression.

Int J Cancer, 1996, 67, 365–371.

307. Trivedi, P., Winberg, G. & Klein, G.
Differential immunogenicity of Epstein–Barr virus (EBV) encoded growth transformation–associated antigens in a murine model system

European Journal of Cancer, 1997, 33, 912–917.

308. Wen, T., Kono, K., Shahinian, A., Kiessling, R., Mak, T. .W. & Klein, G

CD28 is not required for rejection of unmanipulated syngeneic and autologous tumors

Eur J Immunol, 1997, 27, 1988–1993.

309. Szekely, L., Pokrovskaja, K., Klein, G
Differential expression of nucleoskeleton and cytoskeleton associated proteins in Burkitt lymphoma derived and Epstein–Barr Virus immortalized lymphoblastoid cell lines

Cell Growth & Differentiation, 1997, 8:599–609.

310. Klein, G

Foulds´ Dangerous Idea Revisited: The Multistep Development of Tumors 40 Years Later

Advances in Cancer Research, 1997, vol.72, 2– 23.

311. Imreh, S., Kost–Alimova, M., Kholodnyuk , I., Ying, Y., Szeles, A., Kiss, H., Liu, Y., Foster, K., Zabarovsky, E., Stanbridge, E. & Klein, G.

Differential elimination of 3p and retention of 3q segments in human/mouse microcell hybrids during tumor growth

Genes Chromosomes & Cancer, 1997, 20: 224–233.

312. Szekely, L., Chen, F., Teramoto, N., Ehlin–Henriksson, B., Pokrovskaja, K., Szeles, A., Manneborg–Sandlund, A., Löwbeer, M., Lennette, E.T., Klein, G

Restricted expression of Epstein–Barr virus (EBV)–encoded, growth transformation–associated antigens in an EBV– and human herpesvirus type 8–carrying body cavity lymphoma line

Journal of General Virology, 1998, 79, 1445–1452

313. Laytragoon–Lewin, N., Kashuba, V., Mellstedt, H., Klein, G
bcl-2 rearrangement detected by pulsed–field gel electrophoresis
(PFGE) in B–chronic lymphocytic leukemia (CLL) cells

Int.J. Cancer, 1998, 76, 909–912.

314. Klein, G
Dysregulation of B lymphocytes by chromosomal translocations
and auxiliary changes associated with malignant transformation.
The International Symposium on Immunoglobulin Genes and B
Lymphocytes.

Edited by Tasuku Honjo. 1998. 183–189.

315. Teramoto, N., Szekely, L., Pokrovskaja, K., Hu, L–F.,
Toshino, T., Akagi, T., Klein, G
Simultaneous detection of two independent antigens by double
staining with two mouse monoclonal antibodies

Journal of Virological Methods, 1998, 73:89–97

316. Wen, T., Trümper, L., Fung–Leung, W., Rahemtulla, A., Klein,
E., Klein, G
Requirement of the CD8+ or CD4+ T lymphocyte subsets for the
rejection of lymphoma and fibrosarcoma grafts studied in gene
knockouts hosts

Immunology Letters, 1998, 61: 187–190.

317. Klein, G and Klein E
Sinking surveillance´s flagship

Nature, 1998, 395:441–442.

318. Teramoto, N., Szekely, L. & Klein, G
Differential expression and localization of EBER–1 and EBER–2 in
Epstein–Barr virus– carrying cells

J. Human Virol, 1998, 1:307–313.

319. Teramoto, N., Pokrovskaja, K., Szekely, L., Polack, A.,
Yoshino, T., Akagi, T., Klein, G
Expression of cyclin D2 and D3 in lymphoid lesions

Int.J.Cancer, 1999, 81: 543–550

320. Szeles, A., Falk, K., Imreh, S., Klein, G
Visualization of alternative Epstein–Barr virus expression
programs by fluorescent in situ hybridization at the cell level

J. Virol. 1999, 73:5064–5069.

321. Klein, G
The tale of the great cuckoo egg

Nature, 1999, 400:515.

322. Ehlin–Henriksson, B., Zou, J–Z., Klein, G., Ernberg, I
Epstein–Barr virus genomes are found predominantly in IgA–
positive B cells in the blood of healthy carriers

Int. J. Cancer, 1999, 83:50–54

323. Szekely, L., Kiss, C., Mattsson, K., Pokrovskaja, K., Juhasz,
A., Holmvall, P–. Klein, G.
Human Herpesvirus–8–encoded LNA–1 accumulates in
heterochromatin–associated nuclear bodies

J Gen Virol, 1999, 80:2889–2900.

324. Kashuba, E., Kashuba V., Pokrovskaja, K., Klein, G., Szekely,
L.
Epstein–Barr virus encoded nuclear protein EBNA–3 binds XAP–2,
a protein associated with Hepatitis B virus X antigen

Oncogene, 2000, 19:1801–1806.

325. Trivedi, P., Cuomo, L., Christensson B., Hu, L–F., Morrone,
S., Frati, L., Faggioni, A., Winberg, G., Klein, G
Augmentation of leukocyte infiltration in murine tumors
expressing B–cell derived but not nasopharyngeal carcinoma
derived EBV membrane protein LMP1.

J. Med. Virol. 2000, 60:417–424.

326. Teramoto N., Maeda, A., Kobayashi, K., Hayashi, K., Oka, T.,
Takahashi, K., Takada, K., Klein, G., Akagi, T

Epstein–Barr virus infection to Epstein–Barr virus–negative nasopharyngeal carcinoma cell line TW03 enhances its tumorigenicity

Laboratory Investigation, 2000, 80 (3):303–312.

327. Hu, L-F., Troyanovsky, B., Zhang, X., Trivedi, P., Ernberg, I., Klein, G

Differences in the immunogenicity of latent membrane protein 1 (LMP1) encoded by Epstein–Barr virus genomes derived from LMP1–positive and –negative nasopharyngeal carcinoma.

Cancer Research, 2000, 60:5589–5593.

328. Klein, G.

Simian virus 40 and the human mesothelium

PNAS, 2000, 97:9830–9831.

329. Klein, G

The strange road to the tumor specific transplantation antigens (TSTAs)

Cancer Immunity, 2001,1: 6–9

330. Mattsson K., Pokrovskaja, K., Klein, G., Szekely, L.

Proteins associated with the PML–containing nuclear body move to the nucleolus upon inhibition of proteasome–dependent protein degradation

PNAS, 2001, 98:1012–1017.

331. Klein, G

Are there uncharted regions of tumor suppressor genes?

IUBMB Life, 2001, 51: 1–3

332. Klein G

Perspectives in studies of human tumor viruses

Frontiers in Bioscience, 2002, 7:268–274.

333. Klein,G. and Klein E

Bridge or ravine?

Nature, 2001, 413: 365

334. Maeda, A., Kiss, C., Chen, F., Ehlin-Henriksson, B., Nagy, N., Szekely, L., Takada, K., Klein, E., Klein, G
EBNA promoter usage in EBV negative Burkitt lymphoma cell lines converted with a neomycin-resistant EBV strain.

Int. J. Cancer, 2001, 93(5):714-719

335. Mattson, K., Kiss, C., Platt, G., Simpson, G., Kashuba, E., Klein, G., Schultz, T.F. Szekely, L
Latent nuclear antigen of Kaposi's sarcoma herpesvirus/human herpesvirus -8 induces and relocates RING3 to nuclear heterochromatin regions

J. General Virology, 2002, 83:179-188, 2002.

336. Klein, G., Powers, A., Croce, C
Association of SV40 with human tumors

Oncogene, 2002, 21:1141-1149.

337. Kassis, J., Maeda, A., Teramoto N., Takada, K., Wu, C., Klein, G., Wells, A
EBV-expressing AGS gastric carcinoma cell sublines present increased motility and invasiveness

int. J Cancer, 2002, 99:644-651.

338. Kiss H., Yang, Y., Kiss, C., Andersson, K., Klein, G., Imreh, S., Dumanski, J.P
The transcriptional map of the common eliminated region 1 (C3CER1) in 3p21.3

Eur. J Human Genetics, 2002, 10:52-61.

339. Klein G
Tumor suppressor genes: specific classes.

Encyclopedia of Cancer, 2002,4:491- 499.

340. Klein, G
Genetic and Epigenetic Contributions to Tumor Evolution

Seminars in Cancer Biology, 2002, 12:327-330

341. Klein, G.
Commentary: nasopharyngeal cancer

Seminars in Cancer Biology, 2002, 12:415–418.

342. Protopopov, A., Kashuba, V., Zabarovska, V., Muravenko, O., Lerman, M., Klein, G., Zabarovsky, E.R
An integrated physical and gene map of the 3.5-Mb chromosome 3p21.3 (AP20) region implicated in major human epithelial malignancies

Cancer Research, 2003, 63:404–412.

343. Ehlin-Henriksson, B., Gordon, J., Klein, G.
B lymphocyte subpopulations are equally susceptible to Epstein-Barr virus-infection irrespective of immunoglobulin isotype expression.

Immunology, 2003, 109, 1–4.

344. Kost-Alimova, M., Kiss, H., Fedorova, L., Yang, Y., Dumanski, J.P., Klein, G., Imreh, S.
Coincidence of synteny breakpoints with malignancy-related deletions on human chromosome 3.

PNAS, 2003, 100:6622–6627.

345. Höglund, P., Kärre, K., Klein, G.
The uterine cervix – a new member in the family of immunologically exceptional sites?

Cancer Immunity, 2003, 3:6–8.

346. Kiss, C., Nishikawa, J., Takada, K., Trivedi, P., Klein, G., Szekely, L.
T cell leukemia I oncogene expression depends on the presence of Epstein-Barr virus in the virus-carrying Burkitt lymphoma lines.

PNAS, 2003, 100:4813–4818

347. Imreh, S., Klein, G., Zabarovsky, E.R
Search for unknown tumor antagonizing genes

Genes, Chromosomes and Cancer, 38:307–321, 2003.

348. Nishikawa, J., Kis, L., Liu A., Takahara M., Zhang, X., Kiss, C., Nagy, N., Okita, K., Szekely, L., Klein, G., Klein, E
Upregulation of LMP1 expression by histone deacetylase inhibitors in an EBV carrying NPC cell line

Virus Genes, 28:1 117–124, 2004

349. Nishikawa, J., Kiss, C., Imai, S., Takada, K., Okita, K., Klein, G., and Szekely, L
Upregulation of the truncated basic hair keratin 1(hHb1-DeltaN) in carcinoma cells by Epstein-Barr virus (EBV)

Int J Cancer 107(4), 597–602. 2003.

350. Kashuba, E., Mattsson, K., Pokrovskaja, K., Protopopova, M., Kiss, C., Ehlin-Henriksson, B., Klein, G., Szekely, L
EBV-encoded EBNA-5 associates with 14ARF in extranucleolar inclusions and prolongs the survival of P14ARF-expressing cells.

Int J. Cancer, 105:644–653, 2003.

351. E. Kashuba, E., Mattsson, K., Klein, G., Szekely, L
p14ARF induces the relocation of HDM2 and p53 to extranucleolar sites that are targeted by PML bodies and proteasomes

Molecular Cancer, 2: 1–9, 2003.

352. Klein, G.
Cancer, Apoptosis and Non Immune Surveillance

Cell Death and Differentiation, 1: 13–17, 2004.

353. Silva, S., Kovalchuk, A., Kim, J.s., Klein, G., Janz, S
BCL2 accelerates inflammation-induced BALB/c plasmacytomas and promotes novel tumors with co-existing T (12;15) and T(6;15) translocations

Cancer Research, 63:8656–8663, 2003.

354. Kashuba, V., Li, J., Wang, F., Senchenko, V., Protopopov, A., Malyukova, A., Kutsenko, A., Kadyrova, E., Zabarovsky, V., Muravenko, O., Zelenin, A., Kisselev, L., Kuzmin, I., Minna, J.,

Winberg, G., Ernberg, I., Braga, E., Lerman, M., Klein, G., Zabarovsky, E
RBSP3 (HYA22) is a tumor suppressor gene implicated in major epithelial malignancies

PNAS, 2004, 101:4906–4911

355. Li, J., Wang, F., Protopopov, A., Malyukova, A., Kashuba V., Minna, J., Lerman, M., Klein, G., Zabarovsky, E.R
Inactivation of RASSF1C during in vivo tumor growth identifies it as a tumor suppressor gene

Oncogene 2004, 23:5941–5949

356. Carbone, M., Klein, G., Gruber, J., Wong, M
Modern criteria to establish human cancer etiology

Cancer Research, 2004, 64: 5518–5524.

357. Kost–Alimova M, Fedorova L, Yang Y, Klein G and Imreh S
Microcell–mediated chromosome transfer provides evidence that polysomy promotes structural instability in tumor cell chromosomes through asynchronous replication and breakage within late– replicating regions

Genes, Chromosomes & Cancer, 2004, 40:316–324.

358. Li, J., Wang, F., Haraldson, K., Protopopov, A., Duh, F–M., Geil, L., Kuzmin, I., Minna, J., Stanbridge, E., Braga, E., Kashuba, V., Klein, G., Lerman, M., Zabarovsky, E.R.
Functional characterization of the candidate tumor suppressor gene NPRL2/G21 located in 3p21.3C

Cancer Research 2004, 64:6438–6443.

359. Kis LL, Nishikawa J, Takahara M, Nagy N, Matskova L, Takada K, Elmberger PG, Ohlsson A, Klein G, Klein E
In vitro EBV–infected subline of KMH2, derived from Hodgkin lymphoma, expresses only EBNA–1, while CD40 ligand and IL–4 induce LMP–1 but not EBNA–2

Int J Cancer. Int J Cancer, 2005, 113:937–945

360. Nagy N., Takahara M., Nishikawa J., Bourdon J.C., Kis L. L., Klein G. and Klein E

Wild type p53 activates SAP expression in lymphoid cells

Oncogene. (2004). 23:8563–8570

361. Liu A, Arbiser JL, Holmgren A, Klein G, Klein E
PSK and Trx80 inhibit B cell growth in EBV infected cord blood mononuclear cells through T cells activated by the monocyte products IL15 and IL12

Blood, 2005, 105:1606–13.

362. Kashuba, E., Yurchenko, M., Szirak, K., Stahl, J., Klein, G., Szekely, L
Epstein–Barr virus–encoded EBNA–5 binds to Epstein–Barr virus–induced Fte1/S3a protein

Exp Cell Res. 2005, 303:47–55

363. Bandobashi, K., Liu, A., Nagy, N., Kis L.L., Nishikawa, J., Björkholm, M., Klein, G., Klein, E
EBV infection induces expression of the transcription factors ATF–2/c–Jun in B lymphocytes but not in B–CLL cells

Virus Genes, 2005, 30:3221–328

364. Klein, G
Surveillance team against cancer

Nature 2005, 434:150.

365. Klein George
p53 as seen by an outsider. In □25 Years of p53 Research□

Eds. Klas Wiman & Pierre Hainant (IARC), Springer Verlag. 431–438, 2005.

366. Klein, George
Brilliant, Maligned Queen: Reflections about the new biology. In
Consciousness, Genetics and Society, Perspectives from the
Engelsberg seminar 2002

Edited by K. Almqvist and E. Wallrup.

367. Darai, E., Kost–Alimova, M., Kiss, H., Kansoul, H., Klein, G., Imreh, S

Evolutionarily plastic regions at human 3p21.3 coincide with tumor breakpoints identified by the \square elimination test \square .

Genomics 86: 1–12, 2005.

368. Klein G and Klein E
Surveillance against tumors \square Is it mainly immunological?

Immunology Letters, 100, 29–33, 2005

369. Silva S., Wiener, F., Klein, G., Janz, S
Location of Myc, Igh, and Igk on Robertsonian fusion chromosomes is inconsequential for myc translocations and plasmacytoma development in mice, but Rb(6.15)-carrying tumors prefer Igk-myc inversions over translocations

Genes, Chromosomes & Cancer, 42:416–426, 2005.

370. Klein G
EBV and the tumor virus context

In Epstein–Barr Virus, Edited by Erle S. Robertson, 23–28, 2005.
Caister Academic Press.

371. Benedek, K., Choduba, I., Klein, G., Wiener, F., Mai, S
Rearrangements of the telomeric region of mouse chromosome 11 in Pre–B ABL/MYC cells revealed by mBANDing, spectral karyotyping, and fluorescence in–situ hybridisation with a subtelomeric probe.

Chromosome Research, 12:777–785, 2004

372. Kashuba, E., Gradin, K., Isaguliants, M., Szekely, L., Poellinger, L., Klein, G., Kazlauskas, A
Regulation of transactivation function of the aryl hydrocarbon receptor by the Epstein–Barr virus encoded EBNA–3 protein

J Biol Chem, 281:1215–1223

373. Haltrich I, Kost.–Alimova.M., Kovacs G, Klein G, Fekete G & Imreh S
Multipoint interphase FISH analysis of chromosome 3 abnormalities in 28 childhood AML cases

Eur J Haematol, 76:124–133, 2006.

374. Ehlin-Henriksson, B., Mowafi, F., Klein, G., Nilsson, A.
Epstein-Barr virus infection negatively impacts the CXCR4-
dependent migration of tonsillar B cells

Immunology, 117:379 □ 385, 2006

375. Kholodnyuk I., Kozireva, S., Kost-Alimova, M., Kashuba, V.,
Klein, G., Imreh, S

Down-regulation of 3p genes: LTF, SLC, SLC38A3, and DRR1,
upon growth of human chromosome 3-mouse fibrosarcoma
hybrids in severe immunodeficiency mice

Int. J Cancer, 119:99-107, 2006.

376. Lorand L. Kis, Miki Takahara, Noemi Nagy, George Klein,
and Eva Klein

"IL-10 can induce the expression of EBV-encoded latent
membrane protein-1 (LMP-1) in the absence of EBNA-2 in B-
lymphocytes, in Burkitt lymphoma-, and in NK-lymphoma
derived cell lines"

Blood 107: 2928-2935, 2006

377. Kis, L.L., Takahara, M., Nagy, N., Klein, G., Klein, E
Cytokine mediated induction of the major Epstein-Barr virus
(EBV) encoded transforming protein, LMP-1

immunology Letters, 104, 83-88, 2006.

378. Rökaeus N., Klein, G., Wiman, K.G., Szekely, L., Mattsson, K.
PRIMA □1 MET induces nucleolar accumulation of mutant p53
and PML nuclear body-associated proteins

Oncogene, Aug 14, E-pub. 2006.

379. Takahara M, Kis LL, Nagy N, Liu A, Klein G, and Klein E
Concomitant increase of LMP1 and CD25 (IL-2-receptor alpha)

Int. J. Cancer, 119:2775-2783, 2006

380. Klein, G., Ernberg, I

Comparative aspects of EBV, HHV-8, and previously known DNA
tumor viruses in experimental systems. Human Herpesviruses:
Biology, Therapy and Immunoprophylaxis.

Editor Patrick S. Moore et al, Cambridge Press. In press

381. Klein, G., Imreh, S., Zabarovsky, E.R
Why do we not all die of cancer at an early age?

Advances in Cancer Research, in press. Vol 98.