

1997

Rambolamanana, G., Suhadolc, P. and Panza, G.F., (1997). Simultaneous inversion of hypocentral parameters and structure velocity of the central region of Madagascar as a premise for the mitigation of seismic hazard in Antananarivo. PAGEOPH, 149, 707-730.

Panza, G.F., Soloviev, A.A. and Vorobieva, I.A., (1997). Numerical Modelling of Block-Structure Dynamics: Application to the Vrancea Region. PAGEOPH, 149, 313-336.

Molchan, G., Kronrod, T. and Panza, G.F., (1997). Multi-scale seismicity model for seismic risk. B.S.S.A., Vol. 87, no 5, 1220-1229.

Dufumier, H., Michelini, A., Du, Z., Bondar, I., Sileny, J., Mao, W., Kravanja, S. and Panza, G.F., (1997). Regional structure modelling and source inversion for the 1992 Roermond earthquake. J. of Seismology, 1, 321-340.

Panza, G.F., Vaccari, F., Costa, G., Suhadolc, P. and Fäh, D., (1997). Seismic input modelling: a key issue for the safe implementation of seismic isolation. Proceedings of the International Post-SMIRT Conference seminar on Seismic Isolation, Passive Energy Dissipation and Active Control of Vibration of Structures, Santiago, Chile, August 21 to 23, 1995, 47-78.

Nunziata, C., Marrara, F., Vaccari, F., Luongo, G. and Panza, G.F., (1997). Microzonazione di Napoli ed effetti di amplificazione. Accademia Nazionale dei Lincei, Atti dei Convegni Lincei, 134, 347-356.

Romanelli, F., Bekkevold, J. and Panza, G.F., (1997). Analytical computation of coupling coefficients in non-Poissonian media. Geophys. J. Int., 129, 205-208.

Saraò, A., Panza, G.F. and Suhadolc, P., (1997). Waveform and polarities for extended and point source studies. Earthquake Fault Plane Solutions: data bases, derived parameters, geodynamic inferences. Proceedings, Taormina (Messina), 13-17 (1997).

Panza, G.F., Sanò, T., Pugliese, A. and Vaccari, F., (1997). Studies performed in Italy for the definition of seismic input for isolated structures. Proceedings of the International Post-SMIRT Conference Seminar on Seismic Isolation, Passive Energy Dissipation and Active Control of Seismic Vibrations of Structures, Taormina, August 25-27 1997, 125-146.

Panza, G.F., Cazzaro, R. and Vaccari, F., (1997). Correlation between macroseismic intensities and seismic ground motion parameters. Annali di Geofisica, Vol. XL, N. 5, 1371-1382.

Cazzaro, R., Vaccari, F. and Panza, G.F., (1997). Relazioni tra spostamento, velocità, accelerazione, accelerazione di progetto ed intensità macrosismica per il territorio italiano. Atti VIII Convegno Nazionale ANIDIS "L'Ingegneria Sismica in Italia", Taormina, 21-24 settembre 1997, 11-18.

Molchan, G., Kronrod, T., Panza, G.F. and Vaccari, F., (1997). Modello di sismicità a scala variabile per la definizione della pericolosità sismica: applicazione all'Italia. Atti VIII Convegno Nazionale ANIDIS "L'Ingengeria Sismica in Italia", Taormina, 21-24 settembre 1997, 27-34.

Panza, G.F., Romanelli, F., Nunziata, C., Costa, G. and Vaccari, F., (1997). Seismic input modelling for urban areas. Proc. First Intern. Earthquakes and Megacities Workshop, Seeheim (Germany), September 1-4, 1997.

Kim, S.G., Chen, Y.-T., Wu, Z.-L. and Panza, G.F., (1997). A Mathematical Theorem Useful for the Direct Estimation of Seismic Source Spectra. BSSA, Vol. 87, No. 5, 1281-1287.

Mohan, G., Rai, S.S. and Panza, G.F., (1997). Shear velocity structure of the laterally heterogeneous crust and uppermost mantle beneath the Indian region. Tectonophysics, 277, 259-270.

Nunziata, C., Vaccari, F., Fäh, D., Luongo, G. and Panza, G.F., (1997). Seismic Ground Motion Expected for the Eastern District of Naples. Natural Hazards, 15, 183-197.

Panza, G.F., Vaccari, F., Costa, G., Suhaldoc, P. and Fäh, D., (1997). Realistic modelling of the seismic input. Collaborative European research activities for seismic risk prevention and reduction, EUR 16759 EN, 97-167.

Panza, G.F., Peresan, A. and Costa, G., (1997). Zone sismogenetiche e previsione a medio termine dei terremoti in Italia. Il Quaternario *Italian J. of Quaternary Sciences*, 10, fasc. 2, 281-284.

Costa, G., Peresan, A., Orozova, I., Panza, G.F. and Rotwain, I. M., (1997). CN algorithm in Italy: Intermediate-term earthquake prediction and seismotectonic model validation. Proc. 30th Int'l. Geol. Congr. Ye Hong editor, Vol. 5, 193-201, VSP Utrecht.

Romanelli, F., Vaccari, F. and Panza, G.F., (1997). Modellazione realistica del moto del terreno per la riduzione della pericolosità sismica nella città di Catania. Atti VIII Convegno Naz. ANIDIS "L'Ingegneria Sismica in Italia", Taormina, 21-24 settembre 1997, 65-74.

Du, Z.J., Michelini, A., Panza, G.F. and Urban, L., (1998). P-SV multimode summation differential seismograms for layered structures. *Geophys. J. Int.*, 134, 747-756.

Du, Z.J., Michelini, A. and Panza, G.F., (1998). EurID : a regionalised 3-D seismological model of Europe. *Physics of the Earth and Planetary Interiors*, 105, 31-62.

Romachkova, L.L., Kossobokov, V.G., Panza, G.F. and Costa, G., (1998). Intermediate-term predictions of earthquakes in Italy: Algorithm M8. *PAGEOPH*, 152, 37-55.

Sun, R., Vaccari, F., Marrara, F. and Panza, G.F., (1998). The main features of the local geological conditions can explain the macroseismic intensity caused in Xiji-Langfu (Beijing) by the MS=7.7 Tangshan 1976 earthquake. *PAGEOPH*, 152, 507-521.

Romanelli, F., Vaccari, F. and Panza, G.F., (1998). Realistic modelling of ground motion: techniques for site response estimation. EERI, 6th U.S. Nat. Conf. Earthquake Eng., Seattle. CD ROM.

Costa, G., Suhadolc, P. and Panza, G.F., (1998). The Friuli (NE Italy) accelerometric network: analysis of low-magnitude high-quality digital accelerometric data for seismological and engineering applications. EERI, 6th U.S. National Conference Earthquake Engineering, Seattle. CD ROM.

Panza, G.F., (1998). BOOK REVIEW on *GLOBAL TECTONICS* by Kearny, P. and Vine, F., Blackwell Science. *Survey in Geophysics*, 19, 87-88.

Romanelli, F., Nunziata, C., Natale, M. and Panza, G.F., (1998). Site response estimation in the Catania area. The effects of surface geology on seismic motion, Irikura, Kudo, Okada & Sasatani (eds) 1093-1100. A.A. Balkema, Rotterdam.

Vuan, A., Tilahun, M., Costa, G. and Panza, G.F., (1998). Inversion for shear wave velocity in sediments and estimation of near-surface anelastic parameters. *Ethiop. J. Sci.*, 21(2): 157-170, 1998.

1999

Nunziata, C., Natale, M. and Panza, G.F., (1999). Estimation of cavity effects on response spectra for the 1980 Earthquake in the historical centre of Naples. Paper 14a, S.I.C.E.G.E., Portogallo 21-25 June, 1999, 9-14.

Du, Z. and Panza, G.F., (1999). Amplitude and phase differentiation of synthetic seismograms: a must for waveform inversion at regional scale. *Geophys. J. Int.*, 1999, 136, 83-98.

Peresan, A., Costa, G. and Panza, G.F., (1999). Seismotectonic model and CN earthquake prediction in Italy. *PAGEOPH*, 154, 281-306.

Alvarez, L., Vaccari, F. and Panza, G.F., (1999). Deterministic seismic zoning of eastern Cuba. *PAGEOPH*, 156, 469-486.

Nunziata, G., Costa, G., Natale, M., Vuan, A. and Panza, G.F., (1999). Shear-wave velocities and attenuation from Rayleigh waves. Second international symposium on pre-failure deformation characteristics of geomaterials. Torino, 27-29 Settembre 1999, A.A. Balkema, Rotterdam, 365-370.

Decanini, L., Mollaioli, F., Panza, G.F. and Romanelli, F., (1999). The realistic definition of seismic input: an application to the Catania area. Second international symposium on ERES II, 15-17 giugno 1999, Catania, Italy. Earthquake Resistant Engineering Structures II. Editors G. Oliveto, C.A. Brebbia. WIT press, 425-434

Vuan, A., Cazzaro, R., Costa, G., Russi, M. and Panza, G.F., (1999). S-wave velocity models in the Scotia Sea Region, Antarctica, from nonlinear inversion of Rayleigh waves dispersion. *PAGEOPH* 154, 121-139.

Nunziata, C., Costa, G., Natale, M. and Panza, G.F. (1999). Seismic Characterization of the shore sand at Catania. *JOSE*, 3, 253-264.

Moldoveanu, C.L. and Panza, G.F., (1999). Modelling, for microzonation purposes, of the seismic ground motion in Bucharest, due to the Vrancea earthquake of May 30, 1990 . Vrancea Earthquakes: Tectonics, Hazard and Risk Mitigation. F. Wenzel et al. (eds), 85-97, Kluwer Academy Publishers.

Panza, G.F., Vaccari, F. and Cazzaro, R., (1999). Deterministic seismic hazard assessment. Vrancea Earthquakes: Tectonics, Hazard and Risk Mitigation. F.Wenzel et al (eds.), 269-286, Kluwer Academy Publishers.

Kravanja, S., Panza, G.F. and Sileny, J., (1999). Robust retrieval of a seismic point-source time function. *Geophys. J. Int.*, 136, 385-394.

Nunziata, C., Costa, G., Natale, M. and Panza, G.F., (1999). FTAN and SASW methods to evaluate Vs of Neapolitan Pyroclastic Soils. Paper 14b, S.I.C.E.G.E., Portogallo 21-25 June, 1999, 15-19. A.A. Balkema, Rotterdam.

Panza, G.F., Vaccari, F. and Romanelli, F., (1999). The IUGS-UNESCO IGCP Project 414 : Realistic Modeling of Seismic Input for Megacities and Large Urban Areas. *Episodes*, 22, 26-32.

Peccerillo, A. and Panza, G.F., (1999). Upper mantle domains beneath Central-Southern Italy: Petrological, geochemical and geophysical constraints. *PAGEOPH*, 156, 421-443.

Herak, D., Herak, M., Panza, G.F. and Costa, G., (1999). Application of the CN Intermediate-term Earthquake Prediction Algorithm to the Area of Southern External Dinarides. *PAGEOPH* 156, 689-699.

Romanelli, F., Vaccari, F. and Panza, G.F., (1999). Recent developments in Europe for the definition of realistic seismic input for structures provided with innovative antiseismic systems. International Post-SMIRT Conference Seminar on Seismic Isolation, Passive Energy Dissipation and Active Control of Vibrations of Structures. Cheju, Korea, August 23-25, 1999.

Peresan, A., Costa, G. and Panza, G.F., (1999). A proposal of regionalization for the application of the CN earthquake prediction algorithm to the Italian territory. *Ann. Geof.*, 42, 5, 883-896.

Soloviev, A. A., Vorobieva, I. A. and Panza, G.F., (1999). Modelling of block-structure dynamics: parametric study for Vrancea. *Pageoph*, 156, 395-420.

BOOK REVIEWS

Panza, G.F., (1999). *Principles of Seismology* - by Agustin Udias. Cambridge University Press, Cambridge, UK, (1999). 489 pp. ISBN 0-521-62478-9 (paperback).

2000

Aoudia, A., Chimera, G., Costa, G., Nunziata, T., Panza, G.F., Romanelli, F., Saraò, A., Suhadolc, P. and Vaccari, F., (2000). Modelling of the seismic ground motion for the Umbria-Marche Earthquake Sequence (September 1997). *12WCEE 2000*, Wellington, NZ.

Panza, G.F., Radulian, M. and Trifu, C., (2000). Preface: In *Seismic Hazard in the Circum Pannonian Region*. *PAGEOPH*, 157, 1-4.

Vuan, A., Russi, M. and Panza, G.F., (2000). Group velocity tomography in the Subantarctic Scotia Sea region. *PAGEOPH*, 157, 1337-1357.

Radulian, M., Vaccari, F., Mandrescu, N., Moldoveanu, C.L. and Panza, G.F., (2000). Deterministic hazard computation for Vrancea (Romania) subcrustal earthquakes. Proc. third EU-Japan workshop on seismic risk, Kyoto, 61-67.

Panza, G.F. and Vaccari, F., (2000). Introduction: In Seismic Hazard in the Circum Pannonian Region. PAGEOPH, 157, 5-9.

Radulian, M., Mândrescu, N., Panza, G.F., Popescu, E. and Utale, A., (2000). Characterization of seismogenic zones of Romania. PAGEOPH, 157, 57-77.

Ismail-Zadeh, A.T., Panza, G.F. and Naimark, B.M., (2000). Stress in the descending relic slab beneath the Vrancea region, Romania. PAGEOPH, 157, 111-130.

Soloviev, A.A., Vorobieva, I.A. and Panza, G.F., (2000). Modelling of block structure dynamics for the Vrancea region: source mechanisms of the synthetic earthquakes. PAGEOPH 157, 97-110.

Panza, G.F., Romanelli, F. and Yanovskaya, T.B., (2000). Synthetic tsunami mareograms for realistic oceanic models. Geophysical Journal International, 141, 498-508.

Moldoveanu, C.L., Marmureanu, GH., Panza, G.F. and Vaccari E., (2000). Estimation of Site Effects in Bucharest Caused by the May 30-31, 1990, Vrancea Seismic Events. PAGEOPH, 157, 249-267.

Kravanja, S., Batini, F., Fiordelisi, A. and Panza, G.F., (2000). Full moment tensor retrieval from waveform inversion in the Larderello geothermal area. PAGEOPH 157, 1379-1392.

El-Sayed, A., Romanelli, F. and Panza, G.F., (2000). Recent seismicity and realistic waveforms modeling to reduce the ambiguities about the 1303 seismic activity in Egypt. Tectonophysics, 328, 341-357.

Nunziata, C., Costa, G., Marrara, F. and Panza, G.F., (2000). Validated estimation of the response spectra for the 1980 Irpinia earthquake in the eastern area of Naples. Earthquake Spectra, vol.16, n. 3, 643-660.

Nunziata, C., Luongo, G. and Panza, G.F., (2000). Mitigation of seismic hazard in Naples and the protection of cultural heritage. Proc. 2nd European Conference on Global Change and Catastrophe Risk Management: Earthquake Risk in Europe, IIASA, Laxenburg, Austria.

<http://www.iiasa.ac.at/Research/RMP/july2000/papers.html>

Zivcic, M., Bondár, I. and Panza, G.F., (2000). Upper Crustal velocity structure in Slovenia from Rayleigh wave dispersion, PAGEOPH, 157, 131-146.

Peresan, A., Panza, G.F. and Costa, G., (2000). CN algorithm and long-lasting changes in reported magnitudes: the case of Italy. Geophysical Journal Int., 141, 425-437.

Sun, R.M., Vaccari, F. and Panza, G.F., (2000). SH-wave modeling of influence of local geological condition on strong ground motion. Chinese Journal of Geophysics, vol.43, n.1, 81-90.

Panza, G.F., Romanelli, F. and Vaccari, F., (2000). Realistic modelling of waveforms in laterally heterogeneous anelastic media by modal summation. Geophysical Journal International, 143, 340-352.

Gorshkov, A.I., Kuznetsov, I.V., Panza, G.F. and Soloviev, A.A., (2000). Identification of Future Earthquake Sources in the Carpatho-Balkan Orogenic Belt Using Morphostructural Criteria. PAGEOPH, 157, 79-95.

Panza, G.F. and Saraò, A., (2000). Monitoring volcanic and geothermal areas by full seismic moment tensor inversion: are non-double-couple components always artefacts of modelling? Geophysical Journal International, 143, 353-364.

Engell-Sørensen, L. and Panza, G.F., (2000). Inversion for the moment tensor and source location using Love- and Rayleigh- type waves. Lecture Notes in Earth Sciences, 92, 97-119.

Panza, G.F., Romanelli, F. and Vaccari, F., (2000). Deterministic approach to seismic zoning and microzoning. Bridging Large Spans from antiquity to the present. Proceedings, IASS-Symposium 2000, Publisher: Sanayi-I Nefise Vakfi, Findikli, 80040 Instanbul/ TURKEY, 241-250.

Radulian, M., Vaccari, F., Mândrescu, N., Panza, G.F. and Moldoveanu, C.L., (2000). Seismic Hazard of Romania: Deterministic Approach. PAGEOPH, 157, 221-247.

Riva, R., Aoudia, A., Vermeersen, L.L.A., Sabadini, R. and Panza, G.F., (2000). Crustal versus asthenospheric relaxation and post-seismic deformation for shallow normal faulting earthquakes: the Umbria-Marche (central Italy) case. Geophysical Journal International, 141, F7-F11.

Panza, G.F. and Peresan, A., (2000). Cataloghi e previsione dei terremoti. Geoitalia, 5 Luglio 2000, 51-56.

Decanini, L., Panza, G.F. (A cura di), (2000). Scenari di pericolosita' sismica ad Augusta, Siracusa e Noto. CNR-Gruppo Nazionale per la Difesa dai Terremoti - Roma, 200 pp..

Kouteva, M., Panza, G.F. and Paskaleva, I., (2000). An example for strong ground motion modelling in connection with Vrancea Earthquakes (case study in NE Bulgaria, Russe site). 12WCEE 2000, Wellington, NZ.